

Commercial Flooring Solutions

2023/2024 Collection



Formats

With foam backing (Comfort)

















Without foam backing (Compact)







Compact Plank

Performances

17 dB Sound insulation in dB (EN ISO 717-2)

R10 Slip resistance wet (DIN 51130)

10⁵ 5 × 10⁴ ≤ R ≤ 10⁶ (EN 1081/DIN 51953)

10⁷ Flectrical resistance in O 10⁶ ≤ R ≤ 10⁸ (EN 1081/DIN 51953)





Treatments

ProtecShield"

Pur+ Matt

surface treatment Matt surface





Pur+





Sparclean[®]

neoco Linoleum surface protection

Certification















8-39.

Mipolam Homogeneous

Evercare™

Mipolam Symbioz™ Mipolam Evo Mipolam Planet & Bioplanet Mipolam Elegance Mipolam Affinity

Mipolam Accord Mipolam Cosmo Mipolam Troplan

PUR

Mipolam Classic

40-53. Premium

Poesy Neopolis Osmoz Indiana Metallica Brazilia My Premium Attraction® Premium

54-123.

Taralay Multilayered

Taralay Millenium New

Stellar

Taralay Libertex

Wood Amsterdam Paros Reflect

Taralay Impression New

Taralay Impression hop New

Wood Cemento Terrazzo

Rough Riverside

Gentlemen Pure Wool

Finesse Envol Jungle

Nido Rice FlinKubes

Kubes Metallic

Nest Chess Happy

My Taralay Impression New

Taralay Initial Wood Urban

Strada Spider Diversion Miami

Nerok

Tarastep Pro New

124-213.

Creation LVT

Creation 70

Creation 70 Creation 70 Clic Creation 70 Looselay Creation 70 Connect New

Creation 55

Creation 55 Creation 55 Solid Clic Creation 55 Rigid Acoustic Creation 55 Looselay Creation 55 Looselay Acoustic

Creation 40

Creation 40 Solid Clic Creation 40 Rigid Acoustic

Creation 30

Creation 30 Creation 30 Solid Clic

My Creation New

My Saga² New

214-229.

Technical tiles

GTI[®] Max

GTI® Pure GTI[®] EL5

Attraction®

Neopolis Brazilia Indiana Osmoz

230-255.

Technical solutions

EL5 / EL7 solutions (Dissipative & conductive floors)

Mipolam EL7 Mipolam Robust EL7 Mipolam EL5 Mipolam Technic EL5 GTI[®] EL5

Safety flooring

Tarasafe Geo Tarasafe Ultra Tarasafe Standard Tarasafe Plus/Super Tarasafe Ultra H₂O

Shower System Elegance SD

Tarasafe Ultra H,O Tarasafe Design Mural Calypso

Wall Covering Mural Ultra Design

Mural Club Mural Calypso

256-285. **DLW Linoleum**

Compact Linoleum

Arabesque Marmorette Colorette Uni Walton Lino Art Urban Lino Art Flow Lino Art Metallic Lino Art Star

Acoustic Linoleum

Marmorette Acoustic Marmorette AcousticPlus Colorette AcousticPlus Uni Walton AcousticPlus Lino Art Urban AcousticPlus

Technical Solutions

High mechanical Traffic Linodur Dissipative Linoleum Marmorette LCH

286-319. **Sport flooring**

Taraflex® New

Synthetic Sport Flooring

Connor Sports®

Hardwood Flooring Systems

Sport Court®

DLW New Linoleum Sport Flooring

Powershock Fitness Rubber Solutions

320-351. **Finishes**

Finishes

Skirting solutions Stair solutions Profile solutions Welding solutions Entrance mats solutions

Installation solutions

Shower system Accessibility Acoustic underlayers Specific products

Adhesives and tapes **Sport finishes**

Paint and marking for boundary lines

352-359. **Specifications**

Gerflor presentation

Since 1937, Gerflor has designed, manufactured and distributed design-led, innovative and eco-responsible floor coverings and wall protection solutions. Present in more than 100 countries, with 4,500 employees, 30 subsidiaries and 24 production sites, Gerflor serves many activity sectors including health, education, residential accommodation and sport.

Worldwide presence for better service









Sales offices

Manufacturing plants and logistic hubs

30 sales offices

24 manufacturing plants and logistic hubs

5 Technocentres



Industry



Healthcare





Hospitality









Education






Transport











Mipolam Homogeneous

pages 10-41


Mipolam Homogeneous Evercare™ Mipolam Symbioz™ Mipolam Evo Mipolam Planet & Bioplanet Mipolam Elegance Mipolam Affinity Mipolam Accord Mipolam Cosmo Mipolam Troplan

Mipolam Homogeneous PUR

Mipolam Classic

Mipolam Homogeneous






Maintenance

13

Mipolam Symbioz™

Mipolam Symbioz™.



MIPOLAM SYMBIOZ™ is fully flexible homogeneous compacted floorcovering in sheet, 2 m wide, providing excellent resistance to wear and tear in high traffic areas. Their weight is 2595 gr/m². They feature a non-directional design incorporating coloured chips to ensure an even colour throughout the thickness presenting a nice matt finish.

MIPOLAM SYMBIOZ™ contain over 75% sustainable of renewable raw materials. They include a 100% bio based plasticizer, made of residues from cereals (wheat, corn...). It is 100% phthalates free and recyclable. This floorcovering is a non-emissive product (below the level of VOC measurement accuracy).

According to ISO 21702, Mipolam Symbioz has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h00.

According to ISO 22196, Mipolam Symbioz has anti-bacterial activity againt E. coli, S. aureus and MRSA of 99% after 24h00. The flooring is equipped with **Evercare**™, patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main products used in healthcare environment as Betadine, eosin, hydro alcoholic solutions, making the maintenance easy and long lasting the flooring. This treatment avoids applying any acrylic emulsion throughout the lifetime of the product.

The flooring is antistatic (< 2 kV), its residual indentation is \approx 0.02 mm.

The flooring complies with the EN ISO 10581 norm, has a binder content Type I and is suitable for heavy duty traffic areas and BfI-s1 **fire** resistance.

As part of our sustainable development policy, this product is manufactured in the first floor covering plant awarded with the triple certification: ISO 9001 (quality), ISO 14 001 (environment) and OHSaS 18001 (safety).





100% Bio-based plasticizer rod for Mipolam Symbioz™ (see page 333)





Mipolam Symbioz™ have been engineered using a full life cycle model, to guarantee the lowest environmental impact at every stage of the product life

- ▶ Highest durability: product life expectancy > 20 years
- ▶ Eco-responsible exclusive Bio based plasticizer, 100% made from organic source
- ▶ Evercare™: patented polyurethane surface treatment with unique performance in staining providing chemical
- ► Easy maintenance: no wax for life
- ▶ On average 30% savings on maintenance cost
- ▶ 15% less detergent and water use.

Indoor Air Quality: very low emitting material (40 times lower than European standards).

		_	Mipolam Symbioz™
Description			
Total thickness	EN ISO 24346	mm	2
Weight	EN ISO 23997	g/sqm	2595
Width of sheet	EN ISO 24341	cm	200
Length of sheet	EN ISO 24341	lm	20
Classification			
Norm / Product specification	-	-	EN ISO 10581
European classification	EN ISO 10874	class	34-43
Fire rating	EN 13501-1	class	Bfl-s1
Static electrical propensity	EN 1815	kV	< 2
Slip resistance	EN 16165:2021 – Appendix B (DIN 51 130)	class	R9
Performances			
Type Binder content	EN ISO 10581	type	I
Dimensional stability	EN ISO 23999	%	≤ 0.40
Impact Sound Insulation	EN ISO 717-2	dB	5
Residual indentation (norm)	EN ISO 24343-1	mm	≤ 0.10
Residual indentation (average measured value	-	mm	≃ 0.02
Castor chair test (type H)	ISO 4918	-	OK
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN ISO 105-B02	degree	≥ 6
Surface treatment	-	-	Evercare™
Chemical products resistance	EN ISO 26987	class	OK
Anti-bacterial activity (E. coli - S. aureus - MRSA) after 24h ⁽¹⁾	ISO 22196	-	> 99% inhibits growth
Anti-viral activity (human coronavirus) after 2h ⁽¹⁾	ISO 21702	-	> 99.7% virucidal activity
Environment / Indoor Air Quality			
TVOC after 28 days	ISO 16000-6	microgram/m ³	<10
Certification	-	-	Floorscore®
CE Marking			
			74 % ***

(€

EN 14041







⁽¹⁾ The implementation of an effective cleaning regime is the most important defence against infection.

Mipolam Symbioz™






















Mipolam Evo

Mipolam EVO



MIPOLAM EVO is a new generation of resilient flooring, made with a patented blend of synthetic thermoplastic polymers. It is a fully flexible homogeneous compacted floorcovering, available in sheet, 2m wide. It provides providing excellent resistance to wear and tear in high traffic areas. Its weight is 2700 gr/m².

Its composition is 100% REACH compliant; it contains no PVC and no plasticizer.

The product ensures perfect indoor air quality (TVOC <10 microgramms / m^3 after 28 days according to NF EN16000-6)) and is Floorscore and Blue Angel certified.

It features 14 colours based on a timeless design with colours throughout its thickness presenting a **nice matt finish**.

The flooring is equipped with **Evercare™**, patented surface treatment obtained by **UV laser cross-linking** offering the best **chemical resistance to the main products used in healthcare** environment, such as betadine, eosin, hydro alcoholic solutions, making the maintenance and disinfection easy and long lasting.

This treatment avoids applying any acrylic emulsion throughout the lifetime of the product. The flooring is antistatic (<2kV), its residual indentation is \approx 0.02 mm.

The flooring complies with the EN ISO 19322 norm, has a binder content Type I and is suitable for heavy duty traffic areas. It is **BfI-s1 fire** resistant and is rated R10 for antislip resistance. It is 100% recyclable. 100% of their post manufacturing waste get recycled.

As thermoplastics, its recycled content replaces virgin material and is on average 20%.

Designed and manufactured in a sustainable way in a plant awarded with ISO 9001 (quality), ISO 14001 (environment) and ISO 50001 (energy) certifications, the flooring is certified Cradle to Cradle™ Silver.

According to ISO 21702, Mipolam Evo has anti viral activity against Human Coronaviruses: it reduces the number of virus by 99,7% after 2h00.

According to ISO 22196, Mipolam Evo has anti bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h00.



Evercare™



- ▶ Cradle to Cradle™ Silver and Blue Angel certified
- ► Evercare® surface treated for ease of maintenance and cleaning
- ▶ Up to 25% recycled content, 100% recyclable
- ▶ Hygienic properties: antibacterial activity (EN ISO 22196) and antiviral activity (ISO 21702)
- ► Heavy traffic resistance
- ▶ Harmonic array of 14 colours to design efficient buildings

		_	
			Mipolam EVO
Description			
Total thickness	EN ISO 24346	mm	2
Weight	EN ISO 23997	g/sqm	2700
Width of sheet	EN ISO 24341	cm	200
Length of sheet	EN ISO 24341	lm	20
Classification			
Norm / Product specification	-	-	ISO 19322
European classification	EN ISO 10874	class	34-43
Fire rating	EN 13501-1	class	BfI-s1
Static electrical propensity	EN 1815	kV	< 2
Slip resistance	EN 16165:2021 – Appendix B (DIN 51 130)	EN 16165:2021 -	
Performances			
Dimensional stability	EN ISO 23999	%	≤ 0.40
Impact Sound Insulation	EN ISO 717-2	dB	5
Residual indentation (norm)	EN ISO 24343-1	mm	≤ 0.10
Residual indentation (average measured value	-	mm	≃ 0.04
Castor chair test (type H)	ISO 4918 -		OK
Water tightness	EN 13553 - Annex A	=	pass
Thermal conductivity	EN ISO 10456 W/(m.k)		0.25
Colour fastness	EN ISO 105-B02	degree	≥ 6
Surface treatment	-	-	Evercare™
Chemical products resistance	EN ISO 26987	class	OK
Environment / Indoor Air Quality			
	Blue Angel	-	ok
VOC certifications	Floorscore®	-	ok
	M1	-	ok
TVOC after 28 days	ISO 16000-6	microgram/m ³	<10
Anti-bacterial activity (E. coli - S. aureus - MRSA) after 24h ⁽¹⁾	ISO 22196	-	> 99% inhibits growth
Antiviral activity (human coronavirus 229E)	ISO 21702	-	99.7% after 2h 99.9% after 5h
CE Marking			
C€	EN 140	041 -	
CE	EN 140	041 -	B _{II} -s1


(1) The implementation of an effective cleaning regime is the most important defence against infection.

Mipolam Evo














9044 Bergen 9063 Narvik













9027 Oslo

9045 Gello

9032 Copenhagen <u>o</u>


0



9006 Stockholm

Mipolam Planet & Bioplanet

Mipolam Planet & Bioplanet



MIPOLAM PLANET is fully flexible homogeneous compacted floorcovering in sheet, 2 m wide, providing excellent resistance to wear and tear in high traffic areas. Their weight is 2700 gr/m². They feature a non-directional design incorporating translucent chips that provides a 3D effect and ensures an even colour throughout the thickness presenting a nice matt finish over 40 colours. The flooring is equipped with **Evercare**™, patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main products used in healthcare environment as betadine, eosin, hydro alcoholic solutions, making the maintenance easy and the floor long lasting. This treatment avoids applying any acrylic emulsion throughout the lifetime of the product. It is free of formaldehyde, heavy metals and CMR 1 & 2 or vPvB (very persistent and very bio-accumulative) or PBT (persistent, bioaccumulative and toxic) and is REACH compliant. It is 100% phthalates free and recyclable. Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (< 10 microgram/m³ and g/m³) and this product is classified A + (the best class). According to ISO 21702, Mipolam Planet has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h00. According to ISO 22196, Mipolam Planet has anti-bacterial activity

According to ISO 22196, Mipolam Planet has **anti-bacterial activity** against E. coli, S. aureus and MRSA of 99% after 24h00. The flooring is **antistatic** (< 2 kV), its residual indentation is ≈ 0.02 mm. The flooring complies with the EN ISO 10581 norm, has a binder content Type I and is suitable for heavy duty traffic areas and **BfI-s1 fire resistance**. As part of our sustainable development policy, this product is manufactured in the first floor covering plant awarded with the triple certification: ISO 9001 (quality), ISO 14 001 (environment) and OHSaS 18001 (safety).

MIPOLAM BIOPLANET is fully flexible homogeneous compacted floorcovering in sheet, 2 m wide, providing excellent resistance to wear and tear in high traffic areas. Its weight is 2700 gr/m². It features a non-directional design incorporating translucent chips that provides a 3D effect and ensures an even colour throughout the thickness presenting a nice matt finish over 40 colours. It contains over 75% sustainable of renewable raw materials. It include a 100% bio based plasticizer, made of residues from non-agricultural food. The flooring is equipped with **Evercare**[™], patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main products used in healthcare environment as betadine, eosin, hydro alcoholic solutions, making the maintenance easy and the floor long lasting. This treatment avoids applying any acrylic emulsion throughout the lifetime of the product. It is free of formaldehyde, heavy metals and CMR 1 & 2 or vPvB (very persistent and very bio-accumulative) or PBT (persistent, bioaccumulative and toxic) and is REACH compliant. It is 100% phthalates free and recyclable. Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (< 10 microgram/m³ and g/m³) and this product is classified A + (the best class). According to ISO 21702. Mipolam Bioplanet has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h00. According to ISO 22196, Mipolam Bioplanet has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h00. The flooring is **antistatic** (< 2 kV), its residual indentation is ≈ 0.02 mm. The flooring complies with the EN ISO 10581 norm, has a binder content Type I and is suitable for heavy duty traffic areas and BfI-s1 fire resistance. As part of our sustainable development policy, this product is manufactured in the first floor covering plant awarded with the triple certification: ISO 9001 (quality), ISO 14 001 (environment) and OHSaS 18001 (safety).



Evercare™





- ► Recycled content up to 25%, 100% Recyclable
- ► Bio content 17% (Mipolam BioPlanet on demand)
- ► Anti-viral activity & Anti-bacterial activity Indoor air quality: TVOC 100 times below standard
- ▶ 40 COLOURS: Bright and subtle non directional design
- ▶ Heavy traffic resistance
- ► Ease of maintenance thanks to Evercare[™]

		•	Mipolam Planet	Mipolam BioPlanet	Mipolam Planet R10
Description					,
Total thickness	EN ISO 24346	mm	2	2	2
Weight	EN ISO 23997	g/sqm	2700	2700	2700
Width of sheet	EN ISO 24341	cm	200	200	200
Tile size	EN ISO 24342	mm	608 × 608 ⁽¹⁾	608 × 608 ⁽¹⁾	608 × 608 ⁽¹⁾
Length of sheet	EN ISO 24341	lm	20	20	20
Classification					
Norm / Product specification	-	-	EN ISO 10581	EN ISO 10581	EN ISO 10581
European classification	EN ISO 10874	class	34-43	34-43	34-43
Fire rating	EN 13501-1	class	BfI-s1	Bfl-s1	Bfl-s1
Static electrical propensity	EN 1815	kV	< 2	< 2	< 2
Slip resistance	EN 16165:2021 – Appendix B (DIN 51 130)	class	R9	R9	R10
Performances					
Type Binder content	EN ISO 10581	type	I	I	ı
Dimensional stability	EN ISO 23999	%	sheet < 0.40	sheet < 0.40	sheet < 0.40
Dimensional stability (average measured value)	-	%	sheet ≈ 0.10	sheet ≈ 0.10	sheet ≈ 0.10
Impact Sound Insulation	EN ISO 717-2	dB	5	5	5
Residual indentation (norm)	EN ISO 24343-1	mm	≤ 0.10	≤ 0.10	≤ 0.10
Residual indentation (average measured value)	-	mm	≃ 0.02	≃ 0.02	≃ 0.02
Castor chair test (type H)	ISO 4918	-	OK	OK	OK
Decontamination	ISO 8690		Excellent	Excellent	Excellent
Watertightness	EN 13553	Annex A	Pass	Pass	Pass
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	0.25	0.25
Colour fastness	EN ISO 105-B02	degree	≥ 7	≥ 7	≥ 7
Surface treatment	-	-	Evercare™	Evercare™	Evercare™
Chemical products resistance	EN ISO 26987	class	OK	OK	OK
Anti-bacterial activity (E. coli - S. aureus - MRSA) after 24h ⁽²⁾	ISO 22196	-	> 99% inhibits growth	> 99% inhibits growth	> 99% inhibits growth
Anti-viral activity (human coronavirus) after 2h ⁽²⁾	ISO 21702	-	> 99.7% virucidal activity	> 99.7% virucidal activity	> 99.7% virucida activity
Environment / Indoor Air Quality					
TVOC after 28 days	ISO 16000-6	microgram/m ³	< 10	< 10	< 10
Certification	-	-	Floorscore®	Floorscore®	Floorscore®
CE Marking					

 ϵ

EN 14041









⁽¹⁾ Products available in tiles for a minimum quantity order of 500 sqm.

⁽²⁾ The implementation of an effective cleaning regime is the most important defence against infection.

Mipolam Planet & Bioplanet













5403 Moon Dust

5412 Moon Stone

0



5402 Ivory Dust



5424 Hawk Eye



5441 Clay Soil



5432 Sun Stone



5418 Terra Nera



5422 Sunflower 0



5438 Andalusite



5428 Shedded Ground



5443 Wood Path 0



5445 Tree Bark



5444 Rocky Hill



5437 Reef Water

5417 Foggy Hill

5427 Green Zest

5447 Aventurine



5416 Acquamarina 0

5406 Moqui



5430 Sideral Grey



5460 Lava Stone





5436 Tiger Eye



5456 Intense Indigo



5413 Rain Fall



5439 Moon Way

5429 Fog Patch



5410 Silex 0










5455 Lava Flow

5475 Intense Ruby



5466 Rocky Blue


Mipolam Elegance / Affinity / Accord / Cosmo / Troplan

Mipolam Elegance




MIPOLAM ELEGANCE is a vinyl flooring homogeneous pressed in 2m sheets, with a thickness of 2 mm and a weight of ≤ 2980 g. The non directional design with colour throughout the thickness integrates a 3D effect (transparent particles in pure PVC on all 33 references) and a matt finish. This flooring is recommended for administrative buildings making skirtings easier, as well as angles and welding. The flooring is equipped with Evercare™ the latest improvements in polyurethane surface treatment obtained by UV laser cross-linking. This Evercare™ treatment avoids staining of chemical products used in Healthcare like Betadine, eosin or anti-bacterial hand gel and increases the durability of the flooring. This treatment has excellent maintenance characteristics and does not require the application of acrylic polishes. According to ISO 21702, MIPOLAM ELEGANCE has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h. According to ISO 22196, MIPOLAM ELEGANCE has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h. The flooring is composed of minimum 25% recycled content 100% controlled and is REACH compliant. It is 100% recyclable and 100% phthalate free. This flooring is antistatic (< 2 kV), compliant to EN ISO 10581 with a binder content type I, is suitable for heavy duty traffic areas and has a BfI-s1 fire resistance. The product is non reactive to residual indentation with a value ≤ 0.02 mm. The product emission rate of volatile organic compounds is <10 microgram/m3 (TVOC after 28 days ISO 16000-6).

Mipolam Affinity



MIPOLAM AFFINITY is a vinyl flooring homogeneous pressed in 2 m sheets, with a thickness of 2 mm and a weight of 2800 g. The non-directional design with colour throughout the thickness is available in 50 references presenting a contrasted designed & a matt finish. This flooring is recommended for collective buildings making skirtings easier, as well as angles and welding. The flooring is equipped with Evercare™, patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main products used in healthcare environment as Betadine, eosin, hydro alcoholic solutions, making the maintenance easy and the floor long lasting. This treatment avoids applying any acrylic emulsion throughout the lifetime of the product. According to ISO 21702, MIPOLAM AFFINITY has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h. According to ISO 22196. MIPOLAM AFFINITY has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h. It is free of formaldehyde, heavy metals and CMR 1 & 2 or vPvB (very persistent and very bio-accumulative) or PBT (persistent, bio-accumulative and toxic) and is **REACH compliant**. It is 100% phthalate free and recyclable. Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (<10 microgram/m³) and this product is classified A + (the best class). This flooring is antistatic (< 2 kV), its residual indentation is ≤ 0.02 mm to 150 minutes respecting EN ISO 24343-1. This flooring complies with EN ISO 10581 offering a Binder content Type I, which makes it suitable for heavy duty traffic areas. It has a Bfl-s1 fire resistance.

Mipolam Accord



MIPOLAM ACCORD is a vinyl flooring homogeneous calendered and pressed in 2m sheets, with a thickness of 2 mm and a weight of ≤ 2790 g. The semi-directional design with colour throughout the thickness is available in 28 references presenting a nice matt finish.

This flooring is recommended for collective buildings making skirtings easier, as well as angles and welding. The flooring is equipped with **Evercare™** the latest improvements in polyurethane surface treatment obtained by UV laser cross-linking. This Evercare™ avoids staining of chemical products used in Healthcare like Betadine, eosin or anti-bacterial hand gel and increases the durability of the flooring. This treatment has excellent maintenance characteristics and does not require the application of acrylic polishes. According to ISO 21702, MIPOLAM ACCORD has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h. According to ISO 22196, MIPOLAM ACCORD has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h. The flooring is composed of minimum 25% recycled content 100% controlled and is REACH compliant. It is 100% phthalate free and 100% recyclable. This flooring is **antistatic** (<2kV). The product is non-reactive to residual indentation with a value ≤ 0.02 mm to 150 minutes respecting EN ISO 24343-1. The flooring is compliant with EN ISO 10581 norm, has a binder content type I, is suitable for heavy duty traffic areas and has a **BfI-s1 fire** resistance. The product emission rate of volatile organic compounds is < 10 microgram/m³ (TVOC after 28 days ISO 16000-6).

Mipolam Cosmo




MIPOLAM COSMO is a vinyl flooring homogeneous calendered and pressed in 2 m sheets, with a thickness of 2 mm and a **weight ≤ 3000 g**. The semi-directional design with colour throughout the thickness is available in 10 references presenting a nice **matt finish**.

This flooring is suitable for medium to high traffic areas, and facilitates floor–wall junctions, angles and welding treatments. The flooring is equipped with Evercare™, patented surface treatment obtained by UV laser crosslinking offering the best chemical resistance to the main products used in healthcare environment as Betadine, eosin, hydro alcoholic solutions, making the maintenance easy and long lasting the flooring. This treatment avoids applying any acrylic emulsion throughout the lifetime of the product. According to ISO 21702, MIPOLAM COSMO has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h. According to ISO 22196, MIPOLAM COSMO has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h. It is composed of 45% minerals, 22% of inexhaustible material and at least 25% of recycled 100% controlled.

It is free of formaldehyde, heavy metals and CMR 1 & 2 or vPvB (very persistent and very bio-accumulative) or PBT (persistent, bio-accumulative and toxic) and is **REACH compliant**.

It is 100% phthalate free and 100% recyclable. VOC emissions after 28 days (ISO 16000-6) are below detection levels with <10 microgram/m³ and this product is classified A + (the best class). The flooring is **antistatic** (<2 kV), its residual indentation is \leq 0.02 mm. The flooring is compliant with EN ISO 10581 norm, has a binder content type I, is suitable for heavy duty traffic areas and has a **Bfl-s1 fire** resistance.

Mipolam Troplan



MIPOLAM TROPLAN is a vinyl flooring homogeneous calendered and pressed in 2 m sheets, with a thickness of 2 mm and a weight ≤ 3300 g. The directional design with colour throughout the thickness is available in 18 references presenting a nice matt finish.

This flooring is suitable for medium to high traffic areas, and facilitates floor-wall junctions, angles and welding treatments. The flooring is equipped with Evercare™, patented surface treatment obtained by UV laser crosslinking offering the best chemical resistance to the main products used in healthcare environment as Betadine, eosin, hydro alcoholic solutions, making the maintenance easy and long lasting the flooring. This treatment avoids applying any acrylic emulsion throughout the lifetime of the product. According to ISO 21702, MIPOLAM TROPLAN has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h. According to ISO 22196, MIPOLAM TROPLAN has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h. It is composed of 45% minerals, 22% of inexhaustible material and at least 25% of recycled 100% controlled. It is free of formaldehyde, heavy metals and CMR 1 & 2 or vPvB (very persistent and very bio-accumulative) or PBT (persistent, bioaccumulative and toxic) and is REACH compliant. Mipolam Troplan is 100% phthalate free and 100% recyclable. VOC emissions after 28 days (ISO 16000-6) are below detection levels with < 10 microgram/m³ and this product is classified A + (the best class).

The flooring is **antistatic** (< 2 kV), its residual indentation is ≤ 0.03 mm. The flooring is compliant to the EN ISO 10581 norm, has a binder content type II, is suitable for heavy duty traffic areas and has a **BfI-s1 fire** resistance.



Mipolam Elegance / Affinity / Accord / Cosmo / Troplan







High performing homogeneous multipurpose floorings

Suitable for heavy traffic areas (education, healthcare, shops)

- ▶ Mipolam Mipolam Elegance / Mipolam Affinity / Mipolam Accord / Mipolam Cosmo / Mipolam Troplan: **Evercare™ - New revolutionary patented polyurethane surface treatment with unique performance in** staining providing unrivalled chemical and scratching resistance
- ► Antistatic
- ▶ Densely compacted surface for improved wear and ease of maintenance

			Mipolam Elegance	Mipolam Affinity	Mipolam Accord	Mipolam Cosmo	Mipolam Troplan
Description							
Total thickness	EN ISO 24346	mm	2	2	2	2	2
Weight	EN ISO 23997	g/sqm	2980	2800	2790	3000	3300
Width of sheet	EN ISO 24341	cm	200	200	200	200	200
Length of sheet	EN ISO 24341	lm	20	20	20	20	20
Tile size	EN ISO 24342	mm	-	608 × 608 ⁽¹⁾	608 × 608 ⁽¹⁾	608 × 608 ⁽¹⁾	608 × 608
Number of tiles per package	-	-	-	20	20	20	20
Classification							
Norm / Product specification	-	-	EN ISO 10581	EN ISO 10581	EN ISO 10581	EN ISO 10581	EN ISO 10581
European classification	EN ISO 10874	class	34-43	34-43	34-43	34-43	34-43
Fire rating	EN 13501-1	class	BfI-s1	Bfl-s1	Bfl-s1	Bfl-s1	BfI-s1
Static electrical propensity	EN 1815	kV	< 2	< 2	< 2	< 2	< 2
Slip resistance	EN 16165:2021 – Appendix B (DIN 51 130)	class	R9	R9	R9	R9	R9
Performances							
Type Binder content	EN ISO 10581	type	I	I	I	1	II
Dimensional stability (requirement)	EN ISO 23999	%	Sheet ≤ 0.40	Sheet ≤ 0.40 Tile ≤ 0.25			
Dimensional stability (average measured value)	EN ISO 23999	%	-	-	-	-	-
Impact Sound Insulation	EN ISO 717-2	dB	5	5	5	5	4
Residual indentation (norm)	EN ISO 24343-1	mm	≤ 0.10	≤ 0.10	≤ 0.10	≤ 0.10	≤ 0.10
Residual indentation (average measured value)	-	mm	≃ 0.02	≃ 0.02	≃ 0.02	≃ 0.02	≃ 0.03
Castor chair test (type H)	ISO 4918	-	OK	OK	OK	OK	OK
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	0.25	0.25	0.25	0.25
Colour fastness	EN ISO 105-B02	degree	≥ 6	≥ 6	≥ 6	≥ 6	≥ 6
Surface treatment	-	-	Evercare™	Evercare™	Evercare™	Evercare™	Evercare™
Chemical products resistance	EN ISO 26987	class	OK	OK	OK	OK	OK
Anti-bacterial activity (E. coli - S. aureus - MRSA) after 24h ⁽²⁾	ISO 22196	-	> 99% inhibits growth	> 99% inhibits growth	> 99% inhibits growth	> 99% inhibits growth	> 99% inhibits growth
Anti-viral activity (human coronavirus) after 2h ⁽²⁾	ISO 21702	-	> 99.7% virucidal activity	> 99.7% virucidal activity	> 99.7% virucidal activity	> 99.7% virucidal activity	> 99.7% virucida activity
Environment / Indoor Ai	r Quality						
TVOC after 28 days	ISO 16000-6	microgram/m ³	< 10	< 10	< 10	< 10	< 10
Certification	-	-	Floorscore®	Floorscore®	Floorscore®	Floorscore®	Floorscore®
CE Marking							



EN 14041







⁽¹⁾ Products available in tiles tiles for a minimum order quantity of 500 sqm.

⁽²⁾ The implementation of an effective cleaning regime is the most important defence against infection.

Mipolam Elegance



30












31





* References in stock - other colours available on order.

∧ Scale 1

MCR40⁽¹⁾ CR40(2)

Mipolam Homogeneous Evercare™

Mipolam Affinity





© Compact Evercare™ ☐ 100% recyclable





4476 Amethyst

∧ Scale 1







MCR40⁽¹⁾

Mipolam Homogeneous Evercare™

Mipolam Affinity






© Compact Evercare™ ∰ 100% recyclable









Mipolam Accord






© Compact Evercare™ 200% recyclable








0330 Kruger ∧ Scale 1





^{*} All colors available with MCR40 specific multicolor welding rod (code: H058) and with CR40 matching uni welding rod (code: 0585)

Mipolam Cosmo









Mipolam Troplan

















2609 Light Smoke

2610 Silver <u>O</u> <u></u>































1056 Dark Blue <u>⊚</u> <u></u>









1057 Dark Green













1060 Anthracite



MIPOLAM CLASSIC 1.5 mm is a flexible homogeneous calendered compacted floorcovering in tiles or sheets, with directional design, colour dyed as a raw mixture to ensure even colour throughout the thickness of 1.5 mm and a weight of ≤ 2520 g. Its surface is densely compacted for improved wear and ease of maintenance.

It receives a polyurethane (PUR) surface treatment for ease of maintenance and to avoid the use of an immediate acrylic emulsion after installation. The flooring complies with the EN ISO 10874 (34-43) and EN ISO 10581, has a binder content type II, has BfI-s1 fire resistance. It is suitable for heavy traffic areas.

It is 100% recyclable. Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (< 10 microgram/m³) and this product is classified

MIPOLAM CLASSIC 2 mm is a flexible homogeneous calendered compacted floorcovering in tiles or in 2 m sheets, with a thickness of 2 mm and a weight of ≤ 3300 g. This directional design, colour dyed as a raw mixture to ensure even colour throughout the thickness is available in 14 references. Its surface is densely compacted for improved wear and ease of maintenance.

It receives a polyurethane (PUR) surface treatment for ease of maintenance and to avoid the use of an immediate acrylic emulsion after installation. The flooring complies with the EN ISO 10874 (34-43) and EN ISO 10581, has a binder content type II, has Bfl-s1 fire resistance. It is suitable for heavy traffic areas.

It is 100% recyclable. Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (< 10 microgram/m³) and this product is classified A + (the best class).

			Mipolam Classic		
Description					
Total thickness	EN ISO 24346	mm	1.5	2	
Weight	EN ISO 23997	g/sqm	2520	3300	
Width of sheet	EN ISO 24341	cm	200	200	
Length of sheet	EN ISO 24341	lm	20	20	
Tile size	EN ISO 24342	mm	-	300 × 300 ⁽¹⁾ / 608 × 608	
Number of tiles per package	-	-	-	50 / 20	
Classification					
Norm / Product specification	-	-	EN ISO 10581	EN ISO 10581	
European classification	EN ISO 10874	class	23-31	34-43	
Fire rating	EN 13501-1	class	B _{fl} -s1	B _{fl} -s1	
Static electrical propensity	EN 1815	kV	< 2	< 2	
Performances					
Type Binder content	EN ISO 10581	type	II	II	
Dimensional stability	EN ISO 23999	%	≤ 0.40	Sheet ≤ 0.40 / Tile ≤ 0.25	
Impact Sound Insulation	EN ISO 717-2	dB	-	4	
Residual indentation (norm)	EN ISO 24343-1	mm	≤ 0.10	≤ 0.10	
Residual indentation (average measured value)	-	mm	≃ 0.03	≃ 0.03	
Castor chair test (type H)	ISO 4918	-	OK	OK	
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	0.25	
Colour fastness	EN ISO 105-B02	degree	≥ 6	≥ 6	
Surface treatment	-	-	PUR	PUR	
Chemical products resistance	EN ISO 26987	class	OK	OK	
Environment / Indoor Air Quality					
TVOC after 28 days	ISO 16000-6	microgram/m ³		< 10	
Certification	_	_	FIG	oorscore [®]	













Ompact PUR DOWN recyclable







0108 Pepper 0122 Pineapple

















<u>o</u> 🛇

0013 Pewter

<u>o</u> 🛇

0121 Green Leaf <u>o</u> 0124 Tortora

0003 Ivory

41

<u>o</u> 🛇

<u>o</u> 🛇

0125 Truffle ○○

0303 Grey <u>O</u> <u></u>

EN 14041

All colours available as 300 × 300mm tiles upon request for a minimum order quantity of 500 sqm.



pages 40-53

Premium

Poesy Neopolis Osmoz

50. Indiana 52. Metallica

52. Brazilia

53. My Premium

Attraction® Premium (See page 228)

The unrivalled high traffic solution



Premium

Best technologies in one

A Sustainable Choice



100% recyclable Recycled content up to 53%



Adhesive free for Attraction® tiles



Health & Wellness Anti-viral and anti-bacterial activity Acoustic: reduction -17 dB (Comfort)

Indoor air quality: TVOC emissions 10 times better than norms requirements



Made in Europe

we care / we act

Our Commitments for a Sustainable future



Evercare[™] technology



Stain resistance



Matt surface

100% pure homogeneous wearlayer



Superior abrasion & traffic resistance



Long lasting colors

Multilayered construction



Exceptional dimensional stability




Acoustic properties


- 17 dB (Comfort sheet)
- 8 dB (Compact sheet)







Premium Comfort



The floor covering is made of a ≥ 1.02 mm thick, pure vinyl homogeneous wear layer with no filler, incorporating very densely pressed coloured chips, with a mat finishing and without a transparent wear layer.

It offers a T group wear rating and is available in 2 m wide sheet.

The product contains a compact backing which is calendered, pressed and a Very High Density (VHD) foam backing. It is reinforced with a double glass fibre grid.

It offers a 17 dB (Metallica: 16 dB) sound insulation, an indentation resistance of 0.06 mm and a rolling heavy loads easiness.

PREMIUM COMFORT is treated with **Evercare™**, a surface treatment obtained by UV laser crosslinking. It ensures easy maintenance and eliminates permanently the need for acrylic emulsion (metallisation). It avoids staining of chemical products used in healthcare like iodine alcohol, Betadine, eosin and anti-bacterial hand gel.

According to ISO 21702, PREMIUM COMFORT has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h. According to ISO 22196, PREMIUM COMFORT has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h.

It is 100% compliant with REACH.

It is composed of 40% of minerals and inexhaustible materials.

It is made with up to 53% recycled content; 100% of which are fully controlled and REACH compliant.


It does not contain any heavy metals, any formaldehydes.

It is made with phthalate free plasticizers.

The products emission rate of volatile organic compounds is < 10 microgram/m³ (TVOC after 28 days – ISO 16000-6).

It is 100% recyclable.

Premium Compact



The floor covering is made of a ≥ 1.02 mm thick, pure vinyl homogeneous wear laver with no filler, incorporating very densely pressed coloured chips, with a mat finishing and without a transparent wear layer.

It offers a T group wear rating and is available in 2 m wide sheet.

Its compact backing is calendered, pressed and reinforced with a glass fibre grid yielding.

It offers a 8 dB sound insulation, an indentation resistance of 0.02 mm and a rolling heavy loads easiness.

PREMIUM COMPACT is treated with Evercare™, a surface treatment obtained by UV laser crosslinking. It ensures easy maintenance and eliminates permanently the need for acrylic emulsion (metallisation). It avoids staining of chemical products used in healthcare like iodine alcohol, Betadine, eosin and anti-bacterial hand gel.

According to ISO 21702, PREMIUM COMPACT has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h. According to ISO 22196, PREMIUM COMPACT has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h.

It is 100% compliant with REACH.

It is composed of 40% of minerals and inexhaustible materials.

It is made with up to 53% recycled content; 100% of which are fully controlled and REACH compliant.

It does not contain any heavy metals, any formaldehydes.

It is made with phthalate free plasticizers.

The products emission rate of volatile organic compounds is < 10 microgram/m³ (TVOC after 28 days - ISO 16000-6).

It is 100% recyclable.









Evercare¹



Outstanding durability

Design within the whole thickness of the wear layer, ≥ 1.02 mm thick

Long lasting appearance

Pure vinyl wear layer (no filler, no transparent wear layer) for the best scratch and soiling resistance

Easy maintenance & matt effect

Evercare™ surface treatment

Excellent indoor air quality

TVOC after 28 days < 10 microgram/m³

· Rolling heavy loads easiness, best stability and very high performance indentation / acoustic 0.06 mm / 17 dB (Metallica: 16 dB) for Comfort, 0.02 mm / 8 db for Compact Glass fibre grid reinforcement & very high density foam backing

		Premium Comfort	Premium Compact
		Poesy - Neopolis - Osmoz - Indiana - Metallica - Brazilia	Poesy - Neopolis - Osmoz - Indiana - Metallica - Brazilia
EN ISO 24346	mm	3.00 - 3.30	2.00
EN ISO 24340	mm	≥ 1.02	≥ 1.02
EN ISO 23997	g/sqm	≥ 2800	≥ 2580
EN ISO 24341	cm	200	200
EN ISO 24341	lm	25	20
-	-	EN ISO 11638	EN ISO 10582
EN ISO 10874	class	34-42	34-43
EN 13501-1	class	Cfl-s1	Bfl-s1
EN 1815	kV	< 2	< 2
EN 16165:2021 – Appendix B (DIN 51 130)	class	R10	R10
EN 660.2	mm³	≤ 2.0	≤ 2.0
-	group	Т	Т
EN ISO 10582	type	-	1
EN ISO 23999	%	≤ 0.40	≤ 0.40
EN ISO 24343-1	mm	≤ 0.20	≤ 0.10
-	mm	≈ 0.06	≈ 0.02
EN ISO 717-2	dB	17 16 (Metallica)	8
ISO 4918	-	OK	OK
EN ISO 10456	W/(m.k)	0.25	0.25
EN ISO 105-B02	degree	≥ 6	≥ 6
-	-	Evercare™	Evercare™
EN ISO 26987	-	OK	OK
ISO 22196	-	> 99% inhibits growth	> 99% inhibits growth
ISO 21702	-	> 99.7% virucidal activity	> 99.7% virucidal activity
ISO 16000-6	microgram/m ³	< 10	< 10
-	-	Floorscore®	Floorscore®
	EN ISO 24340 EN ISO 23997 EN ISO 24341 EN ISO 24341 EN ISO 24341 - EN ISO 10874 EN 13501-1 EN 1815 EN 16165:2021 – Appendix B (DIN 51 130) EN 660.2 - EN ISO 10582 EN ISO 23999 EN ISO 24343-1 - EN ISO 717-2 ISO 4918 EN ISO 10456 EN ISO 105-B02 - EN ISO 26987 ISO 22196 ISO 21702	EN ISO 24340 mm EN ISO 23997 g/sqm EN ISO 24341 cm EN ISO 24341 lm	Poesy - Neopolis - Osmoz-Indiana - Metallica - Brazilia



EN 14041



C_{II}-s1





⁽¹⁾ Regarding the resistance to chemicals, please download the corresponding leaflet from our website.

⁽²⁾ The implementation of an effective cleaning regime is the most important defence against infection.

Poesy







Neopolis








































8621 Ode **O**






Product available as Attraction® tiles - For more detail see page 229.



2741 Brooklyn <u>O</u> <u>O</u> <u>&</u>




<u>o</u> <u>o</u> <u>&</u>












Osmoz


















4365 Alpaga New

O
O













4349 Angora <u>O</u> <u>O</u>





4527 Bamboo <u>©</u> <u>@</u>



4496 Pacific Blue

O

O

Indiana























8256 Tahaa <u>o</u> <u>o</u>

4142 Penang <u>O</u>

4146 Moheli <u>©</u> <u></u>

Metallica / Brazilia
















Metallica



8624 Triton

9310 Tethys

9330 Moon

2746 Ymir


0

8257 Nyx **Q**



9719 Eclipse 0






9745 Cosmic <u>o</u> <u>o</u>



9753 Energy <u>©</u> <u>@</u>


















4478 Copacabana

4477 Maceio

8577 Amazonas

8269 Ipanema

8157 Goias

0

<u>**0**</u>














4136 Sao Luis


My Premium


Customize your floor!




1. Select a design type











Brazilia

Osmoz

Poesy

Neopolis


2. Choose your granules: palette



3. Visualize your design and order online on









pages 54-123

58.	Taralay	Millenium	New

Cosmic

62. Stellar

Taralay Libertex 64.

68. Wood

Amsterdam 70.

70. Paros

Reflect 71.

Taralay Impression New Taralay Impression hop New

Wood Cemento

Terrazzo

Rough

Riverside Gentlemen

Pure Wool

Finesse

Envol

Jungle Nido

Rice FlipKubes Kubes

Metallic

Nest

Chess

78. 84. 85. 86. 86. 87. 88. 89. 91. 92. 92. 93. 94. 96. Happy Uni Matt

My Taralay Impression New

102. Taralay Initial

104. Wood

108. Urban

108. Strada

109. Spider

Diversion 110.

111. Miami


112. Nerok

114. Nerok 55

114. Nerok 70

120. Tarastep Pro New


56



Maintenance

Taralay Millenium New

Taralay Millenium Compact




TARALAY MILLENIUM COMPACT is a multilayered vinyl floor covering available in 2m wide sheet, with a group T wear rating. The product comprises a 1 mm thick coated wear layer, made of pure vinyl, coloured throughout its thickness (no transparent wear layer and no filler). Its complete thickness is 2 mm. It is reinforced with a fibre glass grid for a better dimensional stability. The construction of the product yields a 8dB sound insulation rating and a resistance to indentation of 0.03 mm.

This flooring is protected by the surface treatment, Protecsol® Mat, with a minimum thickness of 13µm, ensuring easy maintenance and no required polish for the entire lifetime of the product.

It is composed of 50% mineral and inexhaustible materials. It does not contain any heavy metals or CMR 1&2 components and it is 100% compliant with REACH. The product emission rate of volatile organic compounds is <10 micrograms/m³ (TVOC after 28 days ISO 16000-6).

It is 100% recyclable.

Taralay Millenium Acoustic (on demand)



TARALAY MILLENIUM ACOUSTIC is a multilayered vinyl floorcovering available in 2m wide sheet, with a group T wear rating. The product comprises a 1 mm thick coated wear layer, made of pure vinyl, coloured throughout its thickness (no transparent wear layer and no filler). Its complete thickness is 3.4 mm. It contains a Very High Density (VHD) foam backing and is reinforced with 2 fibre glass grids which yields a 17dB sound insulation rating and a resistance to indentation of 0.07 mm.

This flooring is protected by the surface treatment, Protecsol® Mat, with a minimum thickness of 13µm, ensuring easy maintenance and no required polish for the entire lifetime of the product.

It is composed of 50% mineral and inexhaustible materials. It does not contain any heavy metals or CMR 1&2 components and it is 100% compliant with REACH. The product emission rate of volatile organic compounds is <10 micrograms/m³ (TVOC after 28 days ISO 16000-6).

It is 100% recyclable.







Protecsol® Mat



- Design within the whole thickness no filler Oustanding abrasion resistance
- · Very high density (VHD) foam backing Easy rolling for loads
- Protecsol® Mat Surface Treatment Easy cleaning
- 100 % Recyclable Eco-responsible solutions

| | | _ | Taralay Millenium
Compact | Taralay Milleniun
Acoustic* |
|--|--|--------------------------|-------------------------------|--------------------------------|
| Description | | | | |
| Total thickness | EN ISO 24346 | mm | 2.00 | 3.40 |
| Thickness of wearlayer | EN ISO 24340 | mm | 1 | 1 |
| Weight | EN ISO 23997 | g/sqm | 2725 | 3385 |
| Width of sheet | EN ISO 24341 | cm | 200 | 200 |
| Length of sheet | EN ISO 24341 | lm | 20 | 25 |
| Classification | | | | |
| Norm / Product specification | - | - | EN ISO 10582 | ISO 11638 (EN 651) |
| European classification | EN ISO 10874 | class | 34-43 | 34-42 |
| Fire rating | EN 13501-1 | class | Bfl-s1 | CfI-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 | < 2 |
| Slip resistance wet | EN 16165:2021 -
Appendix B (DIN 51 130) | class | R10 | R10 |
| Performances | | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 | ≤ 2.0 |
| Wear group | - | group | Т | Т |
| Type Binder content | EN ISO 10582 | type | 1 | - |
| Dimensional stability | EN ISO 23999 | % | ≤ 0.40 | ≤ 0.40 |
| Residual indentation (requirement) | EN ISO 24343-1 | mm | ≤ 0.10 | ≤ 0.20 |
| Residual indentation (average measured value) | - | mm | ≃ 0.03 | 0,07 |
| Impact sound insulation | EN ISO 717-2 | dB | 8 | 17 |
| Castor chair test (type H) | ISO 4918 | - | OK | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | ≥ 6 |
| Surface treatment | - | - | Protecsol® Mat | Protecsol® Mat |
| Chemical products resistance | EN ISO 26987 | - | OK | OK |
| Anti-bacterial activity
(E. coli - S. aureus - MRSA) ⁽¹⁾ | ISO 22196 | - | > 99% inhibits growth | > 99%
inhibits growth |
| Anti-viral activity
(human coronavirus) after 2h ⁽¹⁾ | ISO 21702 | - | > 99.3%
virucidal activity | > 99.3%
virucidal activity |
| Environment / indoor air quality | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 | < 10 |
| Certification | - | - | Floorscore® | Floorscore® |
| CE marking | ' | | | |

((

EN 14041










⁽¹⁾ The implementation of an effective cleaning regime is the most important defence against infection. *available on demand (minimum order quantity: 1000 sqm)


Taralay Millenium New - Cosmic














^{*}Acoustic: available on demand (minimum order quantity: 1000 sqm)


Taralay Millenium New - Stellar





Ompact Acoustic* 17 dB SYND Protecsol® Mat 100% recyclable





4163 Flore







4200 Apolon <u>©</u>





4164 Eros <u>©</u>





3439 Europa <u>©</u>



5724 Chicago



4372 Boree <u>©</u>



5726 Yuna <u>©</u>



^{*}Acoustic: available on demand (minimum order quantity: 1000 sqm)

Taralay Libertex

All Taralay benefits...



Hygenic & easy maintenance Protecsol® surface treatment



Comfort Max³ Layer system



High traffic resistance 0.7 mm wearlayer

... with fast track installation



Minimal subfloor preparation Installation on existing or uneven subfloors



No dry time Looselay solution



No shutdown No odor, no glue, minimum facility downtime





Fast installation in one solution!



Adhesive free

Apply double-sided tape (such as Fix&Free 100 Ref. 058U) on welding area and on room edges



Hot welding

for 100% watertight hygienic system (Ref. CR40 0585)



Cold welding

for invisible joint (see Romus #95605)



Wall transition

- Vynaflex skirtings, ideal for commercial applications (H 60 mm - Ref. 0483 / H 80 mm - Ref. 0482 / H 100 mm - Ref. 0477)
- Coving for 100% watertight hygienic system



Entrance Mats

A new quick & easy installation of entrance mats with Quickmat Tile (Ref. 1725)

More information on gerflor.com

Your sustainable flooring solution!

Circular Economy


- •100% recyclable product
- Recycled content: backing made with recycled PET



= 1m²

Indoor Air Quality


Adhesive Free installation means virtually no VOC!





Taralay Libertex

Taralay Libertex



TARALAY LIBERTEX is ideal for fast track installation or renovations in commercial buildings. It is a multi-layered vinyl floorcovering with a printed design protected by a 0.70 mm thick transparent wear layer. The product features a high density foam complexed with fiber glass, an acoustic foam layer and a reinforced textile backing. It offers 19 dB sound insulation.

It is available in 2 m and 4 m wide sheet, offers a R10 slip resistance and a group T wear rating. It is mechanically embossed, benefits from Protecsol® surface treatment and has an ultra matt look.

TARALAY LIBERTEX is a worry-free looselay solution. It is laid without glue, simply applying a double-sided tape such as Fix&Free on room edge and at the joint. Its textile backing absorbs surface irregularities requiring minimal subfloor preparation on uneven floors. It is compatible with cold welding, hot welding, coving, and Vynaflex skirtings.

It includes at least 30% mineral materials and 20% renewable materials. Textile backing is made at 95% from recycled PET bottles. It is 100% recyclable and 100% REACH compliant. Its VOC emissions after 28 days (ISO 16000) are below 100 microgram/m3. It is classified A + (the best class) for indoor air quality.





19 dB Protecsol®



Fast track installation

- Minimal subfloor preparation: textile backing absorbs subfloor irregularities
- No shutdown, no odor, ideal for occupied rooms thanks to looselay installation
- No drying time, no glue

Hygienic and easy maintenance: Protecsol® surface treatment

Comfort: 19 dB sound reduction

| | | _ | |
|---|--|--------------------------|--------------|
| | | | Libertex |
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 3.65 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.70 |
| Weight | EN ISO 23997 | g/sqm | 2900 |
| Width of sheet | EN ISO 24341 | cm | 200/400 |
| Length of sheet | EN ISO 24341 | lm | 20 |
| Classification | | | |
| Norm / Product specification | = | - | EN ISO 11638 |
| European classification | EN ISO 10874 | class | 34-43 |
| Fire rating | EN 13501-1 | class | CfI-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 |
| Wear group | = | group | Т |
| Dimensional stability (requirement) | EN ISO 23999 | % | ≤ 0.40 |
| Dimensional stability (measured value) | - | - | ≤ 0.05 |
| Residual indentation (requirement) | EN ISO 24343-1 | mm | ≤ 0.20 |
| mpact sound insulation | EN ISO 717-2 | dB | 19 |
| Room impact | NF S 31 074 | dB | < 65 |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | Protecsol® |
| Chemical products resistance ⁽¹⁾ | EN ISO 26987 | - | OK |
| Environment / indoor air quality | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 100 |
| CE marking | | | |

((

EN 14041









⁽¹⁾ Regarding the resistance to chemicals, please download the corresponding leaflet from our website.

⁽²⁾ The implementation of an effective cleaning regime is the most important defence against infection.

Taralay Libertex - Wood





Taralay Libertex - Wood















Cocoon






Hossegor



2247 - Hossegor Latte <u>©</u>













| 2246 - Skandi Oak Toffee | |
|--------------------------|---------------|
| <u> </u> | 20 × 133,3 cm |

Pure Oak



0720 - Pure Oak Clear



1751 - Pure Oak Grey 16 × 100 cm 0

Taralay Libertex - Amsterdam / Paros








Taralay Libertex - Reflect







∧ Scale 1



Amsterdam



2151 Amsterdam Light Grey

∧ Scale 1







2153 Amsterdam Anthracite




Paros



2248 Paros Clear









2249 Reflect Sea

2252 Reflect Forest ©_





2251 Reflect Sunny

1785 Reflect Earth ©_




2252 Reflect Flower



Taralay Impression New


Taralay Impression Compact



TARALAY IMPRESSION COMPACT 0,7 is a multi-layered vinyl floorcovering, integrating a fiber glass and a printed design. It's available in 2 m wide sheet, with a group T wear rating. Total width of the product is 2 mm, including a transparent wear layer of 0.70 mm thick. It offers 8 dB sound insulation and an indentation resistance of ca. 0.03 mm. Its dimensional stability performs down to 0,08% (average measure).

TARALAY IMPRESSION COMPACT is made in France. It's 100% recyclable, and the floorcovering will have its individual EPD sheet. The flooring is equipped with **Protecsol® 2**, patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main products used in healthcare environment as betadine, eosin, hydro alcoholic solutions, making the maintenance easy and the floor long lasting. This treatment avoids applying any acrylic emulsion throughout the lifetime of the product. It is free of formaldehyde, heavy metals and CMR 1 & 2 or vPvB (very persistent and very bio accumulative) or PBT (persistent, bio-accumulative and toxic) and is 100% REACH compliant. Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (<10 µg / m³) and this product is classified A + (the best class) and Floorscore® & M1 certified for indoor air quality. Taralay Impression Compact has antibacterial efficacy (E.coli / S.aureus / MRSA): >99% after 24 hours according to ISO22196.

Taralay Impression Acoustic



TARALAY IMPRESSION ACOUSTIC 0,65 is a multi-layered vinyl floorcovering, integrating a Very High Density foam backing, reinforced with a fiber glass and a printed design. It's available in 2 m wide sheet, with a group T wear rating.

Total width of the product is 3,35 mm, including a transparent wear layer of 0.65 mm thick. It offers 19 dB sound insulation and an indentation resistance of ca. 0.08 mm. Its dimensional stability performs down to 0,08% (average measure).

TARALAY IMPRESSION ACOUSTIC is made in France, with green electricity. It's 100% recyclable, and the floorcovering will have its individual EPD sheet.

The flooring is equipped with Protecsol® 2, patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main products used in healthcare environment as betadine, eosin, hydro alcoholic solutions, making the maintenance easy and the floor long lasting. This treatment avoids applying any acrylic emulsion throughout the lifetime of the product.

It is free of formaldehyde, heavy metals and CMR 1 & 2 or vPvB (very persistent and very bio accumulative) or PBT (persistent. bio-accumulative and toxic) and is 100% REACH compliant. Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (<10 µg / m³) and this product is classified A + (the best class) and Floorscore® & M1 certified for indoor air quality. Taralay Impression Compact has antibacterial efficacy (E.coli / S.aureus / MRSA): >99% after 24 hours according to ISO22196.









Protecsol® 2



• Ultra-realistic designs:

Realistic embosses and plank dimensions for wood designs

- Matt effect
- Extreme stain resistance, easy maintenance: Protecsol® 2 surface treatment (patented technology by Gerflor)
- High traffic resistance, long-lasting appearance Available with a 0.7 mm wearlayer and available with a 0.9 mm wearlayer upon request (minimum order quantity of 800 sqm)
- The best acoustic / indentation performance on the market

COMPACT: 0.03 mm / 8 dB ACOUSTIC: 0.08 mm / 19 dB

• Eco-responsible solution Best in class for indoor air quality

(TVOC < 10 microgram/m³ after 28 days)

| | | _ | Taralay Impression
Compact | Taralay Impression
Acoustic |
|--|--|--------------------------|-------------------------------|--------------------------------|
| Description | | | | |
| Total thickness | EN ISO 24346 | mm | 2.00 | 3.35 |
| Wearlayer Thickness | EN ISO 24340 | mm | 0.70 | 0.65 |
| Weight | EN ISO 23997 | g/sqm | 2635 | 2825 |
| Width of sheet | EN ISO 24341 | cm | 200 | 200 |
| Length of sheet | EN ISO 24341 | lm | 25 | 25 |
| Classification | | | | |
| Norm / Product specification | - | - | EN ISO 10582 | EN ISO 11638 |
| European classification | EN ISO 10874 | class | 34-43 | 34-42 |
| Fire rating | EN 13501-1 | class | BfI-s1 | Bfl-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 | < 2 |
| Slip resistance | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 | R10 |
| Performances | | | | |
| Wear resistance | EN 660.2 | mm ³ | ≤ 2.0 | ≤ 2.0 |
| Wear group | - | group | T | T |
| Type Binder content | EN ISO 10582 | type | | - |
| Dimensional stability (requirement) | EN ISO 23999 | % | ≤ 0.40 | ≤ 0.40 |
| Dimensional stability (measured value) | - | % | 0,08 | 0,08 |
| Residual indentation (requirement) | EN ISO 24343-1 | mm | ≤ 0.10 | ≤ 0.20 |
| Residual indentation (average measured value) | - | mm | ≃ 0.03 | ≃ 0.08 |
| Impact sound insulation | EN ISO 717-2 | dB | 8 | 19 |
| Castor chair test (type H) | ISO 4918 | - | OK | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | ≥ 6 |
| Surface treatment | - | - | PROTECSOL® 2 | PROTECSOL® 2 |
| Chemical products resistance ⁽¹⁾ | EN ISO 26987 | - | OK | OK |
| Anti-bacterial activity
(E. coli - S. aureus - MRSA) after 24h ⁽²⁾ | ISO 22196 | - | > 99%
inhibits growth | > 99%
inhibits growth |
| Anti-viral activity
(human coronavirus) after 2h ⁽²⁾ | ISO 21702 | - | > 99.7%
virucidal activity | > 99.7%
virucidal activity |
| Environment / indoor quality air | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 | < 10 |
| Certification | - | - | Floorscore® | Floorscore® |
| CE Marking | | | | |

((

EN 14041









⁽¹⁾ Regarding the resistance to chemicals, please download the corresponding leaflet from our website. (2) The implementation of an effective cleaning regime is the most important defence against infection.

Taralay

Impression

Taralay Multilayered

Taralay Impression hop New: the looselay solution

Eco-design valued at each stage of the life cycle

GERFLOR COMMITED

to communicating transparently about the carbon impact of its products and focusing on eco-design, including the use of sustainable raw materials, the sustainability of its products and circular economy

1- Raw materials

Recycled content



TVOC < 10 micrograms/m³



Reach compliant*

4- A second life made easier



100% recyclable



Uninstall and re-use:

- Flooring can be uninstalled without damaging either the product or the surface undermeath
- Flooring can be re-used for another building



Easy to recycle

- Qualifies for the the Second Life Programme
- Flooring is incorporated back into our production lines



FLCOR A unique partnership with Paprec, recycling programmes that are certified by Europlast







Accelerating recycling is essential for building a more circular economy. Preserving resources and reducing the carbon footprint of our business are our commitments for Sustainable Development.

A solo a content

Easy to remove re-use & recycle

2-Installation

made easy in busy environments



hop Reinforced holding tape!



Adhesive free



Reduced downtime



Adhesive free installation

Qualifies for the Second Life Programme

3-Use

Long-lasting performance



Protecsol® 2: stain resistant water-repellent surface saves water and detergent



Withstands wheeling heavy loads (straight or circular) ut to 500 kg



Excellent resistance to indentation 0.03 mm (compact) / 0.08mm (acoustic)



Excellent stability, even during temperature changes: expansion < 0.03%



Improved resistance to moisture



^{*} Registration, Evaluation and Authorisation of Chemicals

Taralay Impression hop New

Taralay Impression hop Compact

TARALAY IMPRESSION HOP COMPACT 0,7 is a multi-layered vinyl floorcovering, integrating a double fiber frame and a printed design. It's available in 2 m wide sheet, with a group T wear rating. The system TARALAY IMPRESSION HOP COMPACT - floorcovering + holding tape « HOP tape », code 059E0001- enables to lay down flooring gluefree.

Thanks to its double fiber frame -fiber veil + fiber grid-, and its calendared interlayer, the floorcovering achieves a high level of **stability**, even under temperature variations and heavy rolling loads. It can be laid down onto various existing supports, including asbestos. Perfectly suitable for renovation or new buildings construction.

Without any glue, its end life removal is fast and easy. The Gerflor holding tape doesn't affect the support, to ease renovation. Re-use of the floorcovering, recycle or renovation are then facilitated. Total width of the product is 2,30 mm, including a transparent wear layer of 0.70 mm thick. It offers 8 dB sound insulation and an indentation resistance of ca. 0.03 mm. Its dimensional stability performs down to 0,03% (average measure).

TARALAY IMPRESSION HOP COMPACT is made in France.

It's made of 15% minimum post-consumed PVC, and goes up to

The flooring is equipped with **Protecsol® 2**, patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main products used in healthcare environment as betadine, eosin, hydro alcoholic solutions, making the maintenance easy and the floor long lasting. This treatment avoids applying any acrylic emulsion throughout the lifetime of the

It is free of formaldehyde, heavy metals and CMR1&2 or vPvB (very persistent and very bio accumulative) or PBT (persistent, bio-accumulative and toxic) and is 100% REACH compliant. Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (<10 µg / m³) and this product is classified A + (the best class) and Floorscore® & M1 certified for indoor air quality. Taralay Impression Compact has antibacterial efficacy (E.coli / S.aureus / MRSA): >99% after 24 hours according to ISO22196.

It's 100% recyclable, and the floorcovering will have its individual

Taralay Impression hop Acoustic

TARALAY IMPRESSION HOP ACOUSTIC 0,7 is a multi-layered vinyl floorcovering, integrating a double fiber frame, a Very High Density foam backing and a printed design. It's available in 2 m wide sheet, with a group T wear rating.

The system TARALAY IMPRESSION HOP ACOUSTIC floorcovering + holding tape « HOP tape », code 059E0001- enables to lay down flooring gluefree.

Thanks to its double fiber frame -fiber veil + fiber grid-, and its calendared interlayer, the floorcovering achieves a high level of **stability**, even under temperature variations and heavy rolling loads. It can be laid down onto various existing supports, including asbestos. Perfectly suitable for renovation or new buildings construction.


Without any glue, its end life removal is fast and easy. The Gerflor holding tape doesn't affect the support, to ease renovation. Re-use of the floorcovering, recycle or renovation are then facilitated. Total width of the product is 4,35 mm, including a transparent wear layer of 0.70 mm thick. It offers 19 dB sound insulation and an indentation resistance of ca. 0.08 mm. Its dimensional stability performs down to 0,03% (average measure).

TARALAY IMPRESSION HOP ACOUSTIC is made in France. It's made of 15% minimum post-consumed PVC, and goes up to 25%

The flooring is equipped with **Protecsol® 2**, patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main products used in healthcare environment as betadine, eosin, hydro alcoholic solutions, making the maintenance easy and the floor long lasting. This treatment avoids applying any acrylic emulsion throughout the lifetime of the

It is free of formaldehyde, heavy metals and CMR1&2 or vPvB (very persistent and very bio accumulative) or PBT (persistent, bio-accumulative and toxic) and is 100% REACH compliant. Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (<10 µg/m³) and this product is classified A + (the best class) and Floorscore® & M1 certified for indoor air quality. Taralay Impression Compact has antibacterial efficacy (E.coli / S.aureus / MRSA): >99% after 24 hours according to ISO22196.

It's 100% recyclable, and the floorcovering will have its individual EPD sheet.







19 dB Protecsol® 2



- Innovative & eco designed solution for looselay installation
- Gluefree solution means quick and easy : save up to 50% installation time
- 15% recycled content inside

- Protecsol®2 surface treatment: the best stain resistance thanks to water-repellent properties
- Acoustic version: VHD foam for an acoustic insulation (-19db) - walking wellness and low impact sound

| | | | Taralay Impression hop
Compact | Taralay Impression ho |
|--|--|--------------------------|-----------------------------------|-------------------------------|
| Description | | | | |
| Total thickness | EN ISO 24346 | mm | 2.30 | 4.35 |
| Wearlayer Thickness | EN ISO 24340 | mm | 0.70 | 0.70 |
| Weight | EN ISO 23997 | g/sqm | 3125 | 3670 |
| Width of sheet | EN ISO 24341 | cm | 200 | 200 |
| Length of sheet | EN ISO 24341 | lm | 20 | 20 |
| Classification | | | | |
| Norm / Product specification | - | - | EN ISO 10582 | EN ISO 11638 |
| European classification | EN ISO 10874 | class | 34-43 | 34-42 |
| Fire rating | EN 13501-1 | class | BfI-s1 | Bfl-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 | < 2 |
| Slip resistance | EN 16165:2021 -
Appendix B (DIN 51 130) | class | R10 | R10 |
| Performances | | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 | ≤ 2.0 |
| Wear group | - | group | Т | T |
| Type Binder content | EN ISO 10582 | type | I | 1 |
| Dimensional stability (requirement) | EN ISO 23999 | % | ≤ 0.40 | ≤ 0.40 |
| Dimensional stability (measured value) | - | % | 0,03 | 0,03 |
| Residual indentation (requirement) | EN ISO 24343-1 | mm | ≤ 0.10 | ≤ 0.20 |
| Residual indentation (average measured value) | - | mm | <i>≃</i> 0.03 | ≃ 0.08 |
| Impact sound insulation | EN ISO 717-2 | dB | 8 | 19 |
| Castor chair test (type H) | ISO 4918 | - | OK | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | ≥ 6 |
| Surface treatment | - | - | PROTECSOL® 2 | PROTECSOL® 2 |
| Chemical products resistance ⁽¹⁾ | EN ISO 26987 | - | OK | OK |
| Anti-bacterial activity
(E. coli - S. aureus - MRSA) after 24h ⁽²⁾ | ISO 22196 | - | > 99%
inhibits growth | > 99%
inhibits growth |
| Anti-viral activity
(human coronavirus) after 2h ⁽²⁾ | ISO 21702 | - | > 99.7%
virucidal activity | > 99.7%
virucidal activity |
| Environment / indoor quality air | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 | < 10 |
| | | - | Floorscore® | Floorscore® |

((

EN 14041



B_{fl}-s1







⁽¹⁾ Regarding the resistance to chemicals, please download the corresponding leaflet from our website. (2) The implementation of an effective cleaning regime is the most important defence against infection.

16,6 cm

16,6 cm

Taralay Multilayered

Taralay Impression / Taralay Impression hop New Wood Fusion / Rivau Nature
















Taralay Impression / Taralay Impression hop New Habana 3D / Raintree








Taralay Impression / Taralay Impression hop New Nature Oak / Noma











Taralay Impression / Taralay Impression hop New Charme / Walnut / Moon Island









Taralay Impression / Taralay Impression hop New Sycamore / Portobello
















Taralay Impression / Taralay Impression hop New Infinity






| | | Pattern Repeat | Planks Sizes | | | |
|------------------|----------------------|---------------------|----------------------------|--|--|--|
| Colour Reference | Colour Name | Width x Length (mm) | | | | |
| 0373 | Noma Ice | 1000×1000 | 166×1000 | | | |
| 0519 | Noma Beige | 1000×1000 | 166×1000 | | | |
| 0680 | Infinity Greige | 1000×1000 | No plank Continuous design | | | |
| 0720 | Infinity Aube | 1000×1000 | No plank Continuous design | | | |
| 0723 | Charme Pecan | 1000×1000 | 200×1000 | | | |
| 0725 | Sycamore Light Brown | 1000×1000 | No plank Continuous design | | | |
| 0727 | Sycamore Vanilla | 1000×1000 | No plank Continuous design | | | |
| 0760 | Moon Island | 1000×1000 | 166×1000 | | | |
| 0773 | Portobello | 1000×1000 | 166×1000 | | | |
| 0923 | Happy Road | 2000×6000 | - | | | |
| 1041 | Chess Black & White | 1000×1000 | 250×250 | | | |
| 1053 | Nature Oak Blond | 2000×1000 | 166×1000 | | | |
| 1054 | Nature Oak Brown | 2000×1000 | 166×1000 | | | |
| 1055 | Nature Oak Clear | 2000×1000 | 166×1000 | | | |
| 1056 | Nature Oak Dark | 2000×1000 | 166×1000 | | | |
| 1069 | Habana 3D Trinidad | 1000×1000 | 166×1000 | | | |
| 1070 | Habana 3D Vinales | 1000×1000 | 166×1000 | | | |
| 1076 | Raintree Grey | 1000×1000 | 25 random lenght | | | |
| 1077 | Raintree Natural | 1000×1000 | 25 random lenght | | | |
| 1093 | Charme Kraft | 1000×1000 | 200×1000 | | | |
| 1098 | Envol Black & White | 2000×6000 | - | | | |
| 1099 | Envol Forest | 2000×6000 | - | | | |
| 1100 | Habana 3D Blossom | 2000×6000 | 166×1000 | | | |
| 1101 | Happy Form | 2000×6000 | - | | | |
| 1102 | Happy Number Blue | 2000×3000 | - | | | |
| 1103 | Happy Number Grey | 2000×3000 | - | | | |
| 1104 | Wood Fusion Nature | 1000×6000 | 200 x random lenght | | | |
| 1110 | Rivau Nature | 1000×1000 | 70×350 | | | |
| 1314 | Walnut Brown | 1000×1000 | 100×1000 | | | |

Taralay Impression / Taralay Impression hop New Cemento / Terrazzo









Cemento





1024 Cemento Napoli O hop

















1025 Cemento Firenze

O O hop





Taralay Impression / Taralay Impression hop New Rough / Riverside














Terrazzo



1059 Terrazzo Brescia **Q O**









1060 Terrazzo Napoli



*Available in Taralay Impression hop



Riverside



∧ Scale 1

1057 Riverside <u>o</u> o

∧ Scale 1


Taralay Multilayered

Taralay Impression / Taralay Impression hop New Gentlemen / Pure Wool









Gentlemen










Black & White



1074 Pure Wool Teal

<u>o</u> o





Pure Wool









1073 Pure Wool Beige

*Available in Taralay Impression hop

Taralay Impression / Taralay Impression hop New Finesse





1066 Finesse Poudre **Q O**












Taralay Impression / Taralay Impression hop New Envol / Jungle









Envol





o o



Jungle



1039 Jungle Green

O

O



1038 Jungle Copper © ©




∧ Scale 1

1040 Jungle Grey ©

*Available in Taralay Impression hop

Taralay Impression / Taralay Impression hop New Nido / Rice









0736 Rice Champa

<u>O</u> <u>O</u>



0763 Rice Greige <u>O</u> <u>O</u>



0737 Rice Souris


<u>O</u> <u>O</u>


Taralay Impression New Kubes / Flipkube











1050 Kubes Indigo

© ©



∧ Scale 1





0755 Kubes White <u>O</u> <u>O</u>



1030 Kubes Fuschia

O

O



1031 Kubes Carmine

O

O



1047 Kubes Lemon <u>o</u> o

1046 Kubes Anis <u>O</u> O



<u>o</u> o



1044 Flipkube Lagoon

O

O







1042 Flipkube Indigo

O

O



1045 Flipkube White <u>O</u> <u>O</u> ∧ Scale 1



1075 Flipkube Purple

O

O



Taralay Impression / Taralay Impression hop New Metallic / Nest














<u>o</u> o





*Available in Taralay Impression hop

0745 Nest Metal

Q O

Taralay Impression / Taralay Impression hop New Chess Black & White





Taralay Impression New Happy Number / Happy Form















1103 Happy Number Grey <u>O</u> <u>O</u>

∧ Scale 5%







Happy Road



0923 Happy Road

<u>O</u> <u>O</u>


Taralay Impression / Taralay Impression hop New Uni Matt











My Taralay Impression New

Beyond the norm As you are unique and each of your projects represents a new challenge,

Gerflor gives you the chance to stand out, from 50sqm.

One atmosphere, one style, one floor, but several possibilities...

3 possibilities





1 - COLOUR

the possibility to recolour 32 designs in the Taralay Impression range as you wish



Select a design* from the Taralay Impression range



Change the colour



Receive your floor sample within 10 days of acceptance of your inquiry by Gerflor



Receive and install your customised flooring; delivery lead time: 6 weeks from receipt of your order

* from among 32 eligible designs (see Brochure My Taralay Impression)

"ENVOL" DESIGN STANDARD COLOUR SCHEME



CUSTOMISED COLOUR 1













My Taralay Impression New



2 - COLLECTION

the possibility to select from among **50 exclusive designs**




Draw inspiration from Gerflor's 50 exclusive designs and change, if you so wish, the design's colour scheme on www.myfloorbygerflor.com



View your customised design on your computer screen before approving it



Receive your floor sample within 10 days of acceptance of your inquiry by Gerflor



Receive and install your customised flooring; delivery lead time: 6 weeks from receipt of your order



3 - CUSTOMISATION

the possibility to make your floor unique



Send us your own file in accordance with the process described in our specifications



Approval by our technical team



Receive your floor sample within 10 days and before all of your floor is made



Receive and install your customised flooring; delivery lead time: 6 weeks from receipt of your order











File formats accepted



Files free from copyright only



300 DPI resolution



RAL, Pantone and NCS colour reference



To enhance the visual identity of your company or that of your clients, you can have your logo printed across the width of the roll.






- No metallic ink
- No printing on a plain background
- Design only across the width (2 m)
- No continuity of designs over several rolls



Taralay Initial

Taralay Initial Compact



TARALAY INITIAL COMPACT is a multi-layered vinyl floorcovering, available in 2 m wide sheet, with a group T wear rating.

The product comprises a compacted backing reinforced with a glass fibre and a printed design that is protected by a transparent wear layer (0.70 mm thick). It offers 6 dB sound insulation and an indentation resistance of 0.03 mm.

It is treated with **Protecsol®**, a UV cured surface treatment, which facilitates ease of maintenance and eliminates permanently the need for acrylic emulsion (metallisation).


According to ISO 21702, TARALAY INITIAL COMPACT has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.3% after 2h.

According to ISO 22196, TARALAY INITIAL COMPACT has antibacterial activity against E. coli, S. aureus and MRSA of 99%

These products do not contain any heavy metals or CMR 1&2 and are 100% compliant with REACH. The products emission rate of volatile organic compounds is < 10 microgram/m³ (TVOC after 28 days - ISO 16000-6).

It is 100% recyclable.

Taralay Initial Acoustic



TARALAY INITIAL ACOUSTIC is an acoustic multi-layered vinyl floorcovering, available in 2 m wide sheet, with a group T wear

The product comprises a foam backing reinforced with a glass fibre and a printed design that is protected by a transparent wear layer (0.65 mm thick). It offers 19 dB sound insulation and an indentation resistance of 0.10 mm.

It is treated with **Protecsol®**, a UV cured surface treatment, which facilitates ease of maintenance and eliminates permanently the need for acrylic emulsion (metallisation).

According to ISO 21702, TARALAY INITIAL ACOUSTIC has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.3% after 2h.

According to ISO 22196, TARALAY INITIAL ACOUSTIC has antibacterial activity against E. coli, S. aureus and MRSA of 99% after 24h.

It does not contain any heavy metals or CMR 1&2 and is 100% compliant with REACH. The products emission rate of volatile organic compounds is < 10 microgram/m³ (TVOC after 28 days -ISO 16000-6).

It is 100% recyclable.





19 dB Protecsol®



- All references are available in Compact and Acoustic
- High resistance to indentation 0.03 mm (Compact) and 0.10 mm (Acoustic)
- High impact insulation 6 dB (Compact) and 19 dB (Acoustic)
- Protecsol® Surface Treatment (easy maintenance & no wax)
- Highest performance in TVOC emission < 10 microgram/m³

| | | _ | Taralay Initial
Compact Pro | Taralay Initial
Acoustic Pro |
|--|--|--------------------------|--------------------------------|---------------------------------|
| Description | | | | |
| Total thickness | EN ISO 24346 | mm | 2.00 | 3.35 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.70 | 0.65 |
| Weight | EN ISO 23997 | g/sqm | 2635 | 2825 |
| Width of sheet | EN ISO 24341 | cm | 200 | 200 |
| Length of sheet | EN ISO 24341 | lm | 25 | 25 |
| Classification | | | | |
| Norm / Product specification | - | - | EN ISO 10582 | EN ISO 11638 |
| European classification | EN ISO 10874 | class | 34-43 | 34-42 |
| Fire rating | EN 13501-1 | class | Bfl-s1 | Bfl-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 | < 2 |
| Slip resistance wet | EN 16165:2021 -
Appendix B (DIN 51 130) | class | R10 | R10 |
| Performances | | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 | ≤ 2.0 |
| Wear group | - | group | Т | Т |
| Type Binder content | EN ISO 10582 | type | 1 | - |
| Dimensional stability | EN ISO 23999 | % | ≤ 0.40 | ≤ 0.40 |
| Residual indentation (requirement) | EN ISO 24343-1 | mm | ≤ 0.10 | ≤ 0.20 |
| Residual indentation (average measured value) | - | mm | <i>≃</i> 0.03 | ≃ 0.10 |
| Impact sound insulation | EN ISO 717-2 | dB | 6 | 19 |
| Castor chair test (type H) | ISO 4918 | - | OK | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | ≥ 6 |
| Surface treatment | | | Protecsol® | Protecsol® |
| Chemical products resistance | EN ISO 26987 | | OK | OK |
| Anti-bacterial activity
(E. coli - S. aureus - MRSA) ⁽¹⁾ | ISO 22196 | - | > 99% inhibits growth | > 99% inhibits growth |
| Anti-viral activity
(human coronavirus) after 2h ⁽¹⁾ | ISO 21702 | - | > 99.3%
virucidal activity | > 99.3%
virucidal activity |
| Environment / indoor air quality | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 | < 10 |
| | | | Floorscore® | Floorscore® |



EN 14041







⁽¹⁾ The implementation of an effective cleaning regime is the most important defence against infection.

Taralay Initial - Wood




104
















0590 Renzo Steel











Taralay Initial - Wood




















| Design | Colour Name | | Pattern | Planks Sizes in cm | | |
|-----------|-------------|---------------------|-------------|--------------------|-------|--|
| name | Reference | Coloui Name | Repeat in m | Length | Width | |
| Bostonian | 0959 | Brown | 1 m x 1 m | 100 | 20 | |
| Bostonian | 0960 | Grey | 1 m x 1 m | 100 | 20 | |
| Bostonian | 0961 | Honey | 1 m x 1 m | 100 | 20 | |
| Esterel | 0636 | Blond | 1 m x 1 m | 100 | 10 | |
| Habana | 0828 | Beige | 1 m x 1 m | 100 | 16.7 | |
| Habana | 0638 | lvory | 1 m x 1 m | 100 | 16.7 | |
| Noma | 0588 | Clair | 1 m x 1 m | 100 | 16.7 | |
| Noma | 0698 | Naturel | 1 m x 1 m | 100 | 16.7 | |
| Ranch | 0773 | Ranch | 1 m x 1 m | 100 | 16.7 | |
| Ranch | 0953 | Ranch
Anthracite | 1 m x 1 m | 100 | 16.7 | |
| Twist | 0978 | Blond | 1 m x 1 m | 100 | 16.7 | |
| Twist | 0980 | Brown | 1 m x 1 m | 100 | 16.7 | |
| Twist | 0977 | Grey | 1 m x 1 m | 100 | 16.7 | |
| Twist | 0979 | White | 1 m x 1 m | 100 | 16.7 | |

Taralay Initial - Urban / Strada













0035 Urban Gris <u>o</u> <u>o</u>

∧ Scale 1






0037 Urban Souris <u>o</u> <u>o</u>

0958 Urban Beige

o

o



Strada



0791 Strada Metallic <u>o</u> <u>o</u>



0790 Strada Chrome <u>©</u> <u>Q</u>



0465 Strada Ciment

o

o





0974 Spider Saphir

O

O



0976 Spider Quartz

o

o





0956 Spider Grenat <u>o</u> <u>o</u>








109

0957 Spider Cuivre

o

o

<u>©</u> **©**




Taralay Initial - Diversion

















0963 Miami Perle

0968 Miami Ciel

0967 Miami Mer <u>O</u> <u>O</u>

<u>o</u> <u>o</u>


0952 Miami Soleil <u>O</u> <u>O</u>



0950 Miami Sable <u>o</u> <u>o</u>



0966 Miami Abricot <u>o</u> <u>o</u>



0951 Miami Litchee <u>©</u> **©**



0970 Miami Taupe <u>o</u> **o**




0965 Miami Foret <u>o</u> <u>o</u>



0969 Miami Paon <u>©</u> **©**

Nerok 55/70

Nerok 55/70



NEROK is a multilayered vinyl floor covering available in 2m and 4m wide sheet, with a group T wear rating.

The product comprises a compacted backing reinforced with a glass fiber veil and a printed design that is protected by a transparent wearlayer. It offers a -6 dB sound insulation and a resistance to indentation of 0.05 mm.

This flooring is protected by the surface treatment, PUR+ MAT, ensuring easy maintenance and no required polish for the entire lifetime of the product.

It does not contain any heavy metals or CMR 1&2 components, 100% compliant with REACH. The product emission rate of volatile organic compounds is <100 microgram/m³ (TVOC after 28 days ISO 16000-6).

It is 100% recyclable.









• Available in 4 and 2m width

• Nerok 55: Class 33 • Nerok 70: Class 34 • 100 % Recyclable

• PUR+ Polyurethane surface treatment:

- Easy maintenance

| | | - | Nerok 55 | Nerok 55
Acoustic | Nerok 70 | Nerok 70
Acoustic |
|---|--|---------------------------|--------------|--------------------------|--------------|--------------------------|
| Description | | | | | | |
| Total Thickness | EN ISO 24346 | mm | 2.00 | 3.35 | 2.00 | 3.45 |
| Thickness of the wearlayer | EN ISO 24340 | mm | 0.55 | 0.55 | 0.70 | 0.70 |
| Weight | EN ISO 23997 | g/m² | 2560 | 2400 | 2670 | 2500 |
| Width of sheet | EN ISO 24341 | cm | 200 /400 | 200 /400 | 200 /400 | 200 /400 |
| Length of sheet | EN ISO 24341 | ml | 20 | 20 | 20 | 20 |
| Classification | | | | | | |
| Norm/Product Specification | - | - | EN ISO 10582 | EN ISO 11638
(EN 651) | EN ISO 10582 | EN ISO 11638
(EN 651) |
| European Classification | EN ISO 10874 | Class | 33-42 | 33-42 | 34-43 | 34-42 |
| Fire Rating | EN 13501-1 | Class | Bfl-s1 | Bfl-s1 | Bfl-s1 | BfI-s1 |
| Static Electrical Propensity | EN 1815 | kV | < 2 | < 2 | < 2 | < 2 |
| Slip Resistance Wet | EN 16165:2021 -
Appendix B (DIN 51 130) | Class | R10 | R10 | R10 | R10 |
| Performances | Appendix B (Birt of 100) | | | | 1 | |
| Wear Resistance | EN 660.2 | mm³ | ≤ 2.0 | ≤ 2.0 | ≤ 2.0 | ≤ 2.0 |
| Wear Group | QB 30 | group | Т | Т | Т | Т |
| Type Binder content | EN ISO 10582 | type | I | - | 1 | - |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.40 | ≤ 0.40 | ≤ 0.40 | ≤ 0.40 |
| Residual Indentation | EN ISO 24343-1 | mm | ≤ 0.10 | ≤ 0.20 | ≤ 0.10 | ≤ 0.20 |
| Residual Indentation (average measured value) | - | mm | ≈ 0.05 | ≈ 0.10 | ≈ 0.05 | ≈ 0.10 |
| Impact sound insulation | EN ISO 717-2 | dB | 6 | 19 | 6 | 19 |
| Castor chair test (type H) | ISO 4918 | - | OK | OK | OK | OK |
| Thermal Conductivity | EN ISO 10456 | W/(m.k) | 0.25 | 0.25 | 0.25 | 0.25 |
| Colour Fastness | EN ISO 105-B02 | degree | ≥ 6 | ≥ 6 | ≥ 6 | ≥ 6 |
| Surface Treatment | - | - | PUR+ | PUR+ | PUR+ | PUR+ |
| Chemical Products Resistance (1) | EN ISO 26987 | - | OK | OK | OK | OK |
| Environment/indoor air qua | lity | | | | | |
| TVOC after 28 days | ISO 16000-6 | micrograms/m ³ | <100 | <100 | <100 | <100 |
| Certification | - | - | Floorscore® | Floorscore® | Floorscore® | Floorscore® |
| CE marking | | | | | | |










(1) Regarding the resistance to chemicals, please download the corresponding leaflet from our website.

Nerok 55/70

















Nerok 55/70













2153 Shade Anthracite

117

2152 Shade Grey

<u>O</u>

<u>O</u>





Nerok 55/70





Ompact 6 dB PUR+ Ompact 100% recyclable



Leone



2131 Leone Mouse <u>©</u>

∧ Scale 1





2132 Leone Metal <u>©</u>

2133 Leone Anthracite





2135 Leone Cream

O

2134 Leone Brown







∧ Scale 1








0639 Pixel Sand






0632 Pixel Anthracite

2182 Pixel Ocean

2179 Pixel Black ©

Tarastep Pro New

Tarastep Pro



TARASTEP PRO is an heterogenous, sound-absorbing solution with reinforced layer and transparent wearlayer, used to recover indoor stairs in a single element.

TARASTEP PRO is an all-in-one covering that covers the tread, the stair nosing - with a reinforced non-slip surface, and the riser. It has a total thickness of 3.45 mm, with a wear layer of 1 mm which gives it great resistance to traffic and a residual indentation of 0.10 mm (value measured).

With a high-density foam backing, TARASTEP PRO provides 17dB of sound insulation and 63dB of walking noise.


It complies with accessibility regulations. The stair nosing specially designed to facilitate movement presents a tactile contrast and a visual contrast of at least 70% on each color.

TARASTEP PRO is suitable for premises classified 34/42 European

According to standard NF EN 13501-1, the coating is classified Bfls1. It is phthalate-free and complies with the European REACH regulation. TVOC air emissions at 28 days (NF EN 16000) of the selected coating are $< 100 \mu g / m^3$.

It is 100% recyclable.

Access for all (More details - See page 338)







- Complete solution for stairs : more durable
- Concrete design with 70% minimum contrast with stair nose
- Mix & match with Taralay and Premium ranges: colors harmony stair & floor
- High thickness: comfort underfoot
- 1 mm wearlayer: high resistance to traffic

| | | | Tarastep Pro |
|--|--|--------------------------|-------------------------------|
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 3.45 |
| Thickness of wearlayer | EN ISO 24340 | mm | 1 |
| Weight | EN ISO 23997 | g/sqm | 3005 |
| Width of sheet | EN ISO 24341 | cm | 100 |
| Length of sheet | EN ISO 24341 | lm | 20 |
| Classification | | ' | |
| Norm / Product specification | - | - | EN ISO 11638 |
| European classification | EN ISO 10874 | class | 34-42 |
| Impact sound insulation | EN ISO 717-2 | dB | 17 |
| Walking sound | NFS 31 074 | dB | < 65 |
| Fire rating | EN 13501-1 | class | Bfl-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip Resistance Wet | EN 16165:2021 –
Appendix B (DIN 51 130) | classe | R10 |
| Performances | | , | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 |
| Wear group | - | group | Т |
| Dimensional stability | EN ISO 23999 | % | ≤ 0.40 |
| Residual indentation (requirement) | EN ISO 24343-1 | mm | ≤ 0.20 |
| Residual indentation (average measured value) | - | - | ≈ 0.10 |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface Treatment | - | - | Protecsol® |
| Chemical products resistance ⁽¹⁾ | EN ISO 26987 | - | OK |
| Anti-bacterial activity
(E. coli - S. aureus - MRSA) ⁽²⁾ | ISO 22196 | - | > 99%
inhibits growth |
| Anti-viral activity
(human coronavirus) after 2h ⁽²⁾ | ISO 21702 | - | > 99.3%
virucidal activity |
| Environment / indoor quality air | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 100 |
| Certification | - | - | Floorscore® |



EN 14041







⁽¹⁾ Regarding the resistance to chemicals, please download the corresponding leaflet from our website.

⁽²⁾ The implementation of an effective cleaning regime is the most important defence against infection.

Tarastep Pro New





CUTTING SERVICE AVAILABLE

CUTTING SERVICE AVAILABLE







2335 Capri & Black
79%
contrast



2342 Genova & Dark Grey
90%
contrast



2336 Brescia & Black

34%
contrast



2343 Light Grey & Black

85%
contrast



2341 Black & Light Grey
77%
contrast



2332 Silver & Dark Grey

86%
contrast



2339 Dark Grey & Yellow
73%
contrast




2334 Blue Grey & Clear
73%
contrast



2337 Deep Blue & Clear
77%
contrast



2344 Silver & Green
73%
contrast





2340 Warm Grey & Black
77%
contrast



pages 124-213

| 130. | Creation 70 |
|------|--|
| 130. | Creation 70 |
| 132. | Creation 70 Clic |
| 134. | Creation 70 Looselay |
| 136. | Creation 70 Connect New |
| 152. | Saga ² |
| 158. | Creation 55 |
| 158. | Creation 55 |
| 160. | Creation 55 Solid Clic |
| 162. | Creation 55 Rigid Acoustic |
| 164. | Creation 55 Looselay |
| 166. | Creation 55 Looselay Acousti |
| 182. | Creation 40 |
| 182. | Creation 40 |
| 184. | Creation 40 Solid Clic |
| 186. | Creation 40 Rigid Acoustic |
| 196. | Creation 30 |
| 196. | Creation 30 |
| 198. | Creation 30 Solid Clic |
| 210. | My Creation New My Saga ² New |

213. More than a floor... wall & finishes

Creation

|
Fraffic – | <u>†</u> | < | <u> </u> | \rightarrow | | <u></u> <u>†</u> ; | \longrightarrow | < | <u>*</u> | |
|---------------|---------------------------|-------------|----------|--|-------------|----------------------|----------------------------|-------------|----------------------|---------------------|
| Glue Down | Interlocking Clic | Glue Down | Looselay | Interlocking Clic | Glue Down | Looselay | Interlocking Clic | Glue Down | Looselay | Interlocking Cli |
| Creation 30 | Creation 30
Solid Clic | Creation 40 | | Creation 40
Solid Clic | Creation 55 | | Creation 55
Solid Clic | Creation 70 | | Creation 70
Clic |
| | <u> </u> | | | <u> </u> | | | <u> </u> | | | |
| | | | | | | | | | | Creation 70 Connect |
| | | | | | | Looselay | | | | |
| | | | | | | Creation 55 | | | | |
| | | | | | | | | | Looselay | |
| | | | | | | | | | Creation 70 | |
| | | | | | | | | | | |
| | | | | X///////////////////////////////////// | | Saga ² 55 | | | Saga ² 70 | |
| | | | | | | | | | | |
| | | | | | | Looselay
Acoustic | Nigiu Acoustic | | | |
| | | | | Creation 40 Rigid Acoustic | | Creation 55 | Creation 55 Rigid Acoustic | | | |
| | | | | 了
Creation 40 | | \Diamond | 玉 | | | |
| | 1 | | | | I | | 1 | | | |




Visualize your design in any room setting on gerflor.com > Services > Interior Designer

Our Commitments

for a Sustainable future

All Gerflor product ranges are developped according to a life cycle analysis model





Third-party verified life cycle analysis of our products can be found in their Environmental Product Declaration (EPD)

Creation

the reference in sustainability




Carbon footprint

- Manufacturing Footprint in Europe
- ISO 14001 & 50001 certifications
- Renewable energy



3 factories in Europe





Circularity

- 100% recyclable products
- High % of recycled content
- Adhesive Free solutions
- Packaging using 100% recycled cardboard



Health and safety

- 100% Reach compliant
- Phthalate free*
- Formaldehyde Free
- Indoor Air Quality: TVOC <10 µg/m3 after 28 days



we care / we act

^{*} Except recycled content

Creation 70



RESILIENT COMFORT

Noise absorption

CORE

DIAMOND

BACKLAYER

BODY & STRENGTH

Easy handling

BACK EMBOSS

Better subfloor adhesion

Easy positioning

PUR+ MATT

4D DESIGN





Natural look



CRISTAL **WEAR LAYER**



High definition design & color

STRUCTURED EMBOSS & BEVEL





Ultra realistic surface

DESIGNS



Wide variety of planks or tiles

VREACH

100% reach



100% recyclable Up to 35% recycled content



TVOC emissions below detection level (TVOC < 10 yg/m³ after 28 days)

Creation 70

Creation 70 Design is a synthetic, decorative, flexible, antistatic abrasion group T floorcovering available in tile or plank, with beveled edges. It consists in a 0.70 mm thick transparent wear layer, a design film and a Resilient Comfort Core to provide softness and comfort surface. The overall thickness is 2.5 mm.

It benefits from a cross-linked polyurethane surface treatment (PUR+ Matt), making maintenance easier and eliminating the need for initial polishes.

Creation 70 Design is a glued floorcovering, resistant to use (commercial / industrial use) of 34-43 according to EN-ISO 10874 and has BfI-s1 class for smoke emission according to EN 13501-1.

Creation 70 Design is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 35% of recycled content. It is REACH compliant. The product emission rate of organic compounds is < 10 microgram/m³ (TVOC < 28 days -ISO 16000-6).





| atıo | |
|------|--|
| | |

| | | | Creation 70 Design | | | | | Creation 70 | | | |
|--|---|--------------------------|---------------------------------------|-------------|----------------------------------|-------------|-------------|-------------|--------------|----------------------------------|--------------|
| Description | | | | | | | | | | | |
| Total thickness | EN ISO 24346 | mm | | | | 2.50 | | | | | 2.50 |
| Thickness of wearlayer | EN ISO 24340 | mm | | | | 0.70 | | | | | 0.70 |
| Weight | EN ISO 23997 | g/sqm | | | | 4100 | | | | | 3960 |
| Size | EN ISO 24342 | mm | 184×1219 | 230×1500 | Mix planks
76/152/
228×914 | 610×610 | 914×914 | 457×914 | 228×914 | Mix tiles
152/305/
457×914 | 208×1243 |
| Number of planks / tiles and sqm per box | - | - | 14 ⁽¹⁾ / 15
3.14 / 3.36 | 9 /
3.11 | 8+8+8 /
3.34 m | 9 /
3.35 | 5 /
4.18 | 9 /
3.76 | 17 /
3.54 | 4+4+4 /
3.34 | 14 /
3.62 |
| Classification | | | | | | | | | | | |
| Norm / Product specification | - | - | | | | N ISO 10 |)582 | | | | EN ISO 10582 |
| European classification | EN ISO 10874 | class | | | | 34-43 | 3 | | | | 34-43 |
| Fire rating | EN 13501-1 | class | | | | BfI-s' | 1 | | | | BfI-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 | | | | < 2 | | | | |
| Slip resistance wet (2) | EN 16165:2021 –
Appendix B
(DIN 51 130) | class | R10 | | | | R10 | | | | |
| Performances | | | | | | | | | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 | | | | ≤ 2.0 | | | | |
| Wear group | - | group | T | | | | Т | | | | |
| Type Binder content | ISO 10582 | type | | | | 1 | | | | | I |
| Room impact | NF S 31074 | dB | 76 | | | | 76 | | | | |
| Sound Insulation | EN ISO 717-2 | dB | | | | 4 | | | | | 4 |
| Dimensional stability (norm) | EN ISO 23999 | % | | | | ≤ 0.2 | 5 | | | | ≤ 0.25 |
| Dimensional stability (average measured value) | - | % | ≤ 0.10 | | | | ≤ 0.10 | | | | |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 | | | | ≤ 0.10 | | | | |
| Castor chair test (type H) | ISO 4918 | - | OK | | | | OK | | | | |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 | | | | 0.25 | | | | |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | | | | | ≥ 6 | | | |
| Surface treatment | - | - | | | | PUR+ N | latt | | | | PUR+ Matt |
| Chemical products resistance | EN ISO 26987 | - | | | | OK | | | | | OK |
| Environment / indoor air qu | ıality | | | | | | | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | | | | < 10 | | | | | < 10 |
| CE marking | | - | | | | | | | | | |

LVT decoratives strips

Format (mm) 4×914mm



Code: 3203 + Color code

130

(1) Regimental Picadilly 0807

(2) Ramp test with oil 131

EN 14041









Creation 70 Clic



PUR+ MATT



4D DESIGN

MATT SURFACE



Natural look

CRYSTAL WEAR LAYER



High definition

STRUCTURED



Ultra realistic surface

2 M PATTERN DESIGN

Wide variety of

DUOCORE TECHNOLOGY

RESILIENT COMFORT CORE



Noise absorption







The best stability





Renovation ceramic 4 mm joint

REVOLUTION 100 % VERTICAL



30% Faster



Durable clic



Heavy load



Waterproof joints



Easy to change a plank



100% Reach



Up to 55% recycled content



detection level (TVOC < 10ųg/m³ after 28 days) Formats (mm)

PUR+ Matt



Creation 70 Clic _

Creation 70 Clic is a synthetic, decorative, flexible, antistatic, abrasion group T floorcovering available in tiles and planks, with bevelled edges. It consists in a 0.70 mm thick transparent wear layer, a design film of 2 m width to have more variety in the design and a Duo Core Technology, made with a rigid core back layer reinforced with a fiber veil, combined with a flexible core top layer to provide softness and comfort surface. The overall thickness is 6 mm. They benefit from a cross-linked polyurethane surface treatment (PUR+ Matt), making maintenance easier and eliminating the need for initial polishes.

Creation 70 Clic is an interlocking floorcovering assembled with a vertical system on the long and short side for a quick and solid installation. The resistance to use (commercial / industrial use) of 34-43 according to EN-ISO 10874 and has BfI -s1 class for smoke emission according to EN 13501-1. Creation 70 Clic is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 55% of recycled content. It is REACH compliant.

The product emission rate of organic compounds is

< 10 microgram/m³ (TVOC < 28 days – ISO 16000-6).

To be combined with Gerflor acoustic underlayers

Gerflor Acoustic 15dB <u>O</u>



Code: 1798 - Format: 1m x 15ml

Please refer to Gerflor's installation guidelines



Anti-bounce mallet / Fitter Knife - LVT Roller

Romus Tools

| Cr | eatio | n 70 | Clic |
|----|-------|------|------|
| | | | |

| | | | Creation 70 Clic | | |
|--|--|--------------------------|------------------|--------------|-----------|
| Description | | | | | |
| Total thickness | EN ISO 24346 | mm | | 6 | |
| Thickness of wearlayer | EN ISO 24340 | mm | | 0.70 | |
| Weight | EN ISO 23997 | g/sqm | | 9850 | |
| Size | EN ISO 24342 | mm | 214 × 1239 | 242 × 1461 | 391 × 729 |
| Number of planks / tiles and sqm per box | - | - | 6 / 1.59 | 5 / 1.77 | 5 / 1.43 |
| Classification | | | | | |
| Norm / Product specification | - | - | | EN ISO 10582 | |
| European classification | EN ISO 10874 | class | | 34-43 | |
| Fire rating | EN 13501-1 | class | | BfI-s1 | |
| Static electrical propensity | EN 1815 | kV | | < 2 | |
| Slip resistance wet: ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | | R10 | |
| Performances | | | | | |
| Wear resistance | EN 660.2 | mm³ | | ≤ 2.0 | |
| Wear group | - | group | | Т | |
| Type Binder content | ISO 10582 | type | | I | |
| Dimensional stability (norm) | EN ISO 23999 | % | | ≤ 0.15 | |
| Dimensional stability (average measured value) | - | % | | ≤ 0.05 | |
| Residual indentation | EN ISO 24343-1 | mm | | ≤ 0.10 | |
| Impact sound insulation | EN ISO 717-2 | dB | | 5 | |
| Room impact | NF S 31074 | dB | | 78 | |
| Castor chair test (type H) | ISO 4918 | - | | OK | |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | | 0.25 | |
| Colour fastness | EN ISO 105-B02 | degree | | ≥ 6 | |
| Surface treatment | - | - | | PUR+ Matt | |
| Chemical products resistance | EN ISO 26987 | - | | OK | |
| Environment / indoor air quality | | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | | < 10 | |
| CE marking | | | | | |
| | | | | | |



EN 14041



PUR+ MATT



4D DESIGN



Natural look

CRISTAL WEAR LAYER



High definition design & color

STRUCTURED





Ultra realistic surface

MIX&MATCH DESIGNS



Easy mix&match of designs & formats

DUOCORE TECHNOLOGY

RESILIENT COMFORT CORE



Soft underfoot

RIGID CORE



The best stability / Fiber glass inside



Renovation ceramic

GRIP-WAVE BACKLAYER

ANTI-SKID BACKING



Super strong suction to the subfloor

Air circulation:

Humidity circulation:



Easily removable:

V_{REACH}

100% Reach



100% Recyclable Up to 35% recycled content



TVOC emissions below detection level (TVOC < 10ųg/m³ after 28 days)

Creation 70 Looselay

Formats (mm)


Creation 70 Looselay is a synthetic, decorative, flexible, antistatic, abrasion group T floorcovering available in tiles and planks, with bevelled edges. It consists in a 0.70 mm thick transparent wear layer, a design film and a Duo Core Technology, made with a rigid core back layer reinforced with a fiber veil, combined with a flexible core top layer to provide softness and comfort surface. The overall thickness is 6 mm. It also includes anti-skid backing to allow an easy installation. It benefits from a cross-linked polyurethane surface treatment (PUR+ Matt), making maintenance easier and eliminating the need for initial polishes.

Creation 70 Looselay is a looselay floorcovering, resistant to use (commercial / industrial use) of 34-43 according to EN-ISO 10874 and has Bfl-s1 class for smoke emission according to EN 13501-1.

Creation 70 Looselay is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 35% of recycled content. It is REACH


The product emission rate of organic compounds is <10 microgram/m³ (TVOC < 28 days – ISO 16000-6).


Explore the world of possibilities
















Quick & easy to install





Apply planks or tiles







Installation with tackifier Please refer to Gerflor's installation guidelines

((

Easy to replace a plank

Creation 70 Looselay

| | | | Creation 70 Looselay | | |
|--|--|--------------------------|----------------------|--------------|-----------|
| Description | | | | | |
| Total thickness | EN ISO 24346 | mm | | 6.00 | |
| Thickness of wearlayer | EN ISO 24340 | mm | | 0.70 | |
| Weight | EN ISO 23997 | g/sqm | | 10000 | |
| Size | EN ISO 24342 | mm | 229 × 1220 | 600 × 600 | 914 × 914 |
| Number of planks / tiles and sqm per box | - | _ | 6 / 1.68 | 4 / 1.44 | 2 / 1.67 |
| Classification | | | | | |
| Norm / Product specification | - | - | | EN ISO 10582 | |
| European classification | EN ISO 10874 | class | 34-43 | | |
| Fire rating | EN 13501-1 | class | Bfl-s1 | | |
| Static electrical propensity | EN 1815 | kV | < 2 | | |
| Slip resistance wet: ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 | | |
| Performances | | | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 | | |
| Wear group | = | group | Т | | |
| Type Binder content | ISO 10582 | type | 1 | | |
| Room impact | NF S 31074 | dB | 73 | | |
| Impact sound insulation | EN ISO 717-2 | dB | 9 | | |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.15 | | |
| Dimensional stability (average measured value) | - | % | ≤ 0.05 | | |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 | | |
| Castor chair test (type H) | ISO 4918 | - | OK | | |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 | | |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | | |
| Surface treatment | - | - | PUR+ Matt | | |
| Chemical products resistance | EN ISO 26987 | - | OK | | |
| Environment / indoor air quality | | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | | < 10 | |
| CE marking | | | | 1 | |





135

Interlocking

installation with dovetails

Adhesive free

10

Creation 70 Connect

Creation 70 Connect is a synthetic, decorative, flexible, antistatic, abrasion group T floorcovering available in tiles. It consists in a 0.70 mm thick transparent wear layer, a design film, a calendered layer and a PVC compact sublayer reinforced with fibers.

The overall thickness is 5 mm.

It benefits from a cross-linked polyurethane surface treatment (PUR+ Matt), making maintenance easier eliminating the need for initial polishes.

All over effect


Creation 70 Connect is an interlocking floorcovering, resistant to use (commercial / industrial use of 34-43 according to EN-ISO 10874 and has Bfl-s1 class for smoke emission according to EN 13501-1.

Creation 70 Connect is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with









PUR+ MATT

Luxury Vinyl Tile

Creation 70 Connect



4D DESIGN



Natural look

CRISTAL WEAR LAYER



High definition design & color

STRUCTURED EMBOSS



Ultra realistic surface

DESIGNS

Designs selected to hide dovetails - all over effect

REINFORCED CORE



Glass particles for better stability



Noise absorption



Soft underfoot



Renovation ceramic 5 mm joint



EXCLUSIVE

DOVETAILS

Avoid mistakes installation







| ce
er and | 55% of recycled content. It is REACH compliant. The product emission rate of organic compounds is < 10 microgram/m³ (TVOC < 28 days – ISO 16000-6). | | | | |
|--------------|---|--|--|--|--|
| | | | | | |

| | | | Creation 70 Connect |
|------------------------------------|--|--------------------------|---------------------|
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 5.00 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.70 |
| Weight | EN ISO 23997 | g/sqm | 8235 |
| Tile size | EN ISO 24342 | mm | 701.3 × 701.3 |
| Number of tiles and sqm per box | - | - | 20 / 9.83 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 10582 |
| European classification | EN ISO 10874 | class | 34-43 |
| Fire rating | EN 13501-1 | class | B _f -s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet ⁽¹⁾ | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 |
| Wear group | - | group | T |
| Type Binder content | ISO 10582 | group | I |
| Room impact | NF-S 31074 | dB | 75 |
| Impact sound insulation | EN ISO 717-2 | dB | 5 |
| Dimensional stability | EN ISO 23999 | % | ≤ 0.15 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 |
| Castor chair test (type H) | ISO 4918 | - | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | PUR+ Matt |
| Chemical products resistance | EN ISO 26987 | - | OK |
| Environment / indoor air quality | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 |
| CE marking | | | |
| ((| EN 14041 | | |

(1) Ramp test with oil

Creation 70





Cervino Oak Cold Grey 1187 DB 230 × 1500



Onka Pearl 1056 **DB** 230 × 1500 | **CLIC** 242 × 1461



Muse Smocked 1051 **DB** 208 × 1243 | **CLIC** 214 × 1239




CLIC

Creation 70 Creation 70 Clic Creation 70 Creation 70 Clory Back)

LL CO
Creation 70 Creation 70 Creation 70
Looselay Connect

Travertino Grey 1189 **DB** 228 × 914



Grace Bay Black 1050 DB 208 × 1243 | CLIC 214 × 1239



Toasted Wood Ash 1053 **DB** 230 × 1500 | **CLIC** 242 × 1461

138 Design shade variation: Light Medium high











Wild Oak 0359 **DB** 208 × 1243 | **CLIC** 214 × 1239



Toasted Wood Roadster 0800 **DB** 230 × 1500 | **CLIC** 242 × 1461



Toasted Wood Cafe 0799 **DB** 230 × 1500 | **CLIC** 242 × 1461



Onka Coffee 1057 **DB** 230 × 1500 | **CLIC** 242 × 1461



Onka Natural 1055 **DB** 230 × 1500 | **CLIC** 242 × 1461



Onka Honey 1054 DB 230 × 1500 | CLIC 242 × 1461 | LL 229 × 1220



Serena 0545 **DB** 208 × 1243 | **CLIC** 214 × 1239



Diesel Nala 1075 **DB** 230 × 1500 | **LL** 229 × 1220



Diesel Burnt 1074 **DB** 230 × 1500 | **LL** 229 × 1220



Muse Sand 1052 **DB** 208 × 1243 | **CLIC** 214 × 1239



Clifton Honey 1190 **DB** 208 × 1243



Albion 0577 **DB** 208 × 1243 | **CLIC** 214 × 1239



Clifton Chestnut 1191 **DB** MIX : 152 × 914 / 76 × 914 / 228 × 914



Deep Forest 0360 **DB** 208 × 1243 | **CLIC** 214 × 1239

Creation 70

Creation 70

Looselay

Luxury Vinyl Tile

Creation 70



Clifton Grey 1192 **DB** 208 × 1243



Grace Bay Cream 1049 **DB** 208 × 1243



Solid Glam Picadilly 0803 **DB** 184 × 1219



Regimental Picadilly 0807 **DB** 184 × 1219



Travertino Beige 1188 **DB** 228 × 914



Denim Wood 0356 **DB** 208 × 1243 | **LL** 229 × 1220



Portobello 0357 **DB** 208 × 1243 | **CLIC** 214 × 1239 | **LL** 229 × 1220



Moon Island 0358 **DB** 208 × 1243 | **CLIC** 214 × 1239 | **LL** 229 × 1220



Osb Natural 0091 **CO** 701,3 × 701,3



Silversands 0324 **DB** 208 × 1243



Midwest 0538 **DB** 208 × 1243 | **CLIC** 214 × 1239 | **LL** 229 × 1220



Oak Light 0090 **CO** 701,3 × 701,3



Oak Golden 1492 **CO** 701,3 × 701,3



Douglas 0535 **DB** 208 × 1243



Creation 70 Clic

CLIC

Creation 70

(Dry Back)

Limed Oak 0329 **DB** 208 × 1243



Cervino Oak Beige 0797 DB 230 × 1500 | CLIC 242 × 1461



Cervino Oak Nature 0798 **DB** 230 × 1500 | **CLIC** 242 × 1461



Cervino Oak Honey Clear 1186 **DB** 230 × 1500



Clifton 0556

DB MIX: 152 × 914 / 76 × 914 / 228 × 914





Gentleman Taupe 1083 **DB** 228 × 914 | **LL** 229 × 1220 | **CO** 701,3 × 701,3




Tatami Smoked 1079 **DB** 610 × 610 | **LL** 600 × 600




Prado Terracotta 1065 **DB** 457 × 914 | **CLIC** 391 × 729



Gentleman Tweed 1076 **DB** 228 × 914 | **LL** 229 × 1220



Dalma Burgundy 1089 **CO** 701,3 × 701,3




CLIC

Pure Concrete Beige 1063 **DB** 914 × 914 | **CLIC** 391 × 729



Rough Textile Beige 0062 **CO** 701,3 × 701,3



Tatami Savane 1077 **DB** 610 × 610 | **LL** 600 × 600



Tatami Raffia 1078 **DB** 610 × 610 | **LL** 600 × 600



Oxyd Pure 0088 **DB** 457 × 914 | **CLIC** 391 × 729



144 Design shade variation: Light Medium high

Creation 70 Creation 70

Luxury Vinyl Tile

Creation 70



Pure Concrete Light 1060 **DB** 914 × 914 | **CLIC** 391 × 729 | **LL** 914 × 914




Secret Garden White 1059 **DB** 457 × 914 | **CLIC** 391 × 729



Etna Beige 1068 **DB** 457 × 914 / MIX : 152 × 914 / 305 × 914 / 457 × 914 (on demand)



Dock Taupe 0087 **DB** 457 × 914 | **CLIC** 391 × 729 | **LL** 914 × 914 **CO** 701,3 × 701,3 (0089)






Pure Concrete Medium 1061 **DB** 914 × 914 | **CLIC** 391 × 729 | **LL** 914 × 914



Rough Textile Grey 0063 **CO** 701,3 × 701,3




Dock Grey 0085 **DB** 457 × 914 | **CLIC** 391 × 729 | **LL** 914 × 914 | **CO** 701,3 × 701,3



Carassi 0561 **DB** 228 × 914



Oxyd Iron 0089 **DB** 457 × 914 | **CLIC** 391 × 729



CLIC

Creation 70 Clic

Creation 70

(Dry Back)

Dalma Grey 1088 **CO** 701,3 × 701,3



East Village 0522 **DB** 610 × 610



Halifax 0531 **DB** 610 × 610



Etna Dark 1069 **DB** 457 × 914 | **CLIC** 391 × 729



147

Pure Concrete Dark 1062 **DB** 914 × 914 | **CLIC** 391 × 729 | **LL** 914 × 914

146 Design shade variation: Light Medium high





MASKING DESIGN




Creation 70

Luxury Vinyl Tile





Terrazzo Nature* 1067 **DB** 914 × 914 | **CLIC** 391 × 729



Terrazzo Ocre* 1066 **DB** 914 × 914 | **CLIC** 391 × 729

* Scale : 1/5th





Gentleman Garance 1080 **DB** 610 × 610 | **LL** 600 × 600



Gentleman Indigo 1081 **DB** 610 × 610 | **LL** 600 × 600



Gentleman Peppermint 1082 DB 610 × 610 | LL 600 × 600



Gentleman Grey 1058 **DB** 457 × 914 | **CLIC** 391 × 729 | **LL** 914 × 914 **CO** 701,3 × 701,3 (0089)



Prado Green 1064 **DB** 457 × 914 | **CLIC** 391 × 729

Terrazzo Nature

Creation 70

| | Dry Back | Clic | Looselay | Connect | Skirting
Matching
Design | Emboss | NCS | LRV |
|---|-----------------------------------|--------------------|------------|----------------------------|--------------------------------|------------------|---------------------|--------------|
| Code Color Design | | _' <u>-</u> | \Diamond | \bigcirc | | | | |
| 0085 Dock Grey | 457×914 | 391×729 | 914×914 | 701,3×701,3 | S111 | Hammered | 6500-N | 20.1 |
| 0087 Dock Taupe | 457×914 | 391×729 | 914×914 | 701,3×701,3 | S020 | Hammered | 6005-Y50R | 19.2 |
| 1058 Gentleman Grey | 610×610 | 391×729 | 600×600 | 701,3×701,3 (0088) | White | Textile | 7500-N | 12.7 |
| 0538 Midwest | 208×1243 | 214×1239 | 229×1220 | - | S039 | Natural | 3010-Y30R | 38.9 |
| 0358 Moon Island | 208×1243 | 214×1239 | 229×1220 | - | S034 | Brushed | 4010-Y30R | 24.8 |
| 1054 Onka Honey | 230×1500 | 242×1461 | 229×1220 | - | S121 | Natural | 4020-Y40R | 26.6 |
| 0357 Portobello | 208×1243 | 214×1239 | 229×1220 | - | S053 | Brushed | 5005-Y50R | 23.5 |
| 1062 Pure Concrete Dark | 914×914 | 391×729 | 914×914 | - | White | Hammered | 7500-N | 11.1 |
| 1060 Pure Concrete Light | 914×914 | 391×729 | 914×914 | - | White | Hammered | 3500-N | 39.1 |
| 1061 Pure Concrete Medium | 914×914 | 391×729 | 914×914 | - | White | Hammered | 4502-B | 28.4 |
| 0577 Albion | 208×1243 | 214×1239 | - | - | S108 | Natural | 4020-Y30R | 21.8 |
| 0797 Cervino Oak Beige | 230×1500 | 242×1461 | - | - | S011 | Natural | 3010-Y30R | 40.1 |
| 0798 Cervino Oak Nature | 230×1500 | 242×1461 | - | - | S109 | Natural | 5020-Y20R | 28.3 |
| 0360 Deep Forest | 208×1243
457×914 / MIX 152×914 | 214×1239 | - | - | S110 | Brushed | 6010-Y50R | 15.8 |
| 1068 Etna Beige | 305×914 / 457×914
on demand | 391×729 | - | - | White | Hammered | 4005-Y80R | 36.6 |
| 1069 Etna Dark | 457×914 | 391×729 | - | - | White | Hammered | 6502-R | 12.9 |
| 1050 Grace Bay Black | 208×1243 | 214×1239 | - | - | White | Natural | 2500-N | 32.0 |
| 1049 Grace Bay Cream | 208×1243 | - | - | - | White | Natural | 2005-Y80R | 49.1 |
| 1052 Muse Sand | 208×1243 | 214×1239 | - | - | S117 | Natural | 3010-Y40R | 39.4 |
| 1051 Muse Smoked | 208×1243 | 214×1239 | - | - | S118 | Natural | 5005-Y80R | 21.3 |
| 1057 Onka Coffee | 230×1500 | 242×1461 | - | - | White | Natural | 8005-Y80R | 7.0 |
| 1055 Onka Natural | 230×1500 | 242×1461 | - | - | S122 | Natural | 3020-Y60R | 31.1 |
| 1056 Onka Pearl | 230×1500 | 242×1461 | - | - | S120 | Natural | 4005-R20B | 32.9 |
| 0089 Oxyd Iron | 457×914 | 391×729 | - | - | White | Perforated | 8000-N | 9.4 |
| 0088 Oxyd Pure | 457×914 | 391×729 | - | - | White | Perforated | 6020-Y30R | 17.2 |
| 1063 Pure Concrete Beige | 914×914 | 391×729 | - | - | White | Hammered | 4005-Y50R | 34.3 |
| 1064 Prado Green | 457×914 | 391×729 | - | - | White | Stone | 7502-G | 12.1 |
| 1065 Prado Terracotta | 457×914 | 391×729 | - | - | White | Stone | 4010-Y90R | 23.1 |
| 1059 Secret Garden White | 457×914 | 391×729 | - | - | White | Stone | 2502-Y | 50.2 |
| 0545 Serena | 208×1243 | 214×1239 | - | - | S132 | Natural | 6010-Y30R | 16.7
64.4 |
| 1067 Terrazzo Nature | 914×914
914×914 | 391×729
391×729 | | - | White
White | Stone | 2000-N | 54.5 |
| 1066 Terrazzo Ocre
1053 Toasted Wood Ash | 230×1500 | 242×1461 | | - | White | Stone
Natural | 2002-Y50R
7502-R | 10.6 |
| 0799 Toasted Wood Cafe | 230×1500 | 242×1461 | | | White | Natural | 8010-Y30R | 8.4 |
| 0800 Toasted Wood Roadster | 230×1500 | 242×1461 | | | White | Natural | 7010-Y30R | 13.6 |
| 0359 Wild Oak | 208×1243 | 214×1239 | | - | S075 | Brushed | 4020-Y30R | 26.8 |
| 0356 Denim Wood | 208×1243 | | 229×1220 | | S026 | Natural | 2502-Y | 41.4 |
| 1074 Diesel Burnt | 230×1500 | | 229×1220 | | White | Natural | 8010-Y30R | 8.1 |
| 1075 Diesel Nala | 230×1500 | - | 229×1220 | | White | Natural | 5020-Y30R | 16.7 |
| 1080 Gentleman Garance | 610×610 | | 600×600 | | White | Textile | 5030-Y90R | 13.7 |
| 1081 Gentleman Indigo | 610×610 | | 600×600 | | White | Textile | 5030-R90B | 16.3 |
| 1082 Gentleman Peppermint | 610×610 | | 600×600 | | White | Textile | 6020-G | 16.3 |
| 1083 Gentleman Taupe | 228×914 | - | 229×1220 | 701,3×701,3 (0089) | White | Textile | 5502-Y | 21.2 |
| 1076 Gentleman Tweed | 228×914 | - | 229×1220 | - | White | Textile | 6010-Y50R | 16.2 |
| 1077 Tatami Savane | 610×610 | - | 600×600 | - | White | Stone | 3010-Y20R | 31.6 |
| 1079 Tatami Smoked | 610×610 | - | 600×600 | _ | White | Stone | 7005-Y20R | 12.2 |
| 1078 Tatami Raffia | 610×610 | - | 600×600 | - | White | Stone | 4020-Y30R | 24.4 |
| 0561 Carassi | 228×914 | _ | - | | White | Rib Wood | 5502-G | 21.7 |
| 1187 Cervino Oak Cold Grey | 230×1500 | _ | | _ | White | Natural | 3502-R | 33.8 |
| 1186 Cervino Oak Honey Clear | 230×1500 | - | - | _ | White | Natural | 4020-Y30R | 27.6 |
| 0556 Clifton | Mix 152×914 / 76×914 / 228×914 | - | _ | _ | S144 | Natural | 5010-Y10R | 23.2 |
| 1191 Clifton Chesnut | Mix 152×914 / 76×914 / 228×914 | - | - | - | White | Natural | 4020-Y40R | 25.2 |
| 1192 Clifton Grey | 208×1243 | - | - | - | White | Natural | 3005-R20B | 45.7 |
| 1190 Clifton Honey | 208×1243 | - | - | - | White | Natural | 4020-Y40R | 24.2 |
| 0535 Douglas | 208×1243 | - | - | - | White | Natural | 4005-Y50R | 29.1 |
| 0522 East Village | 610×610 | - | - | - | S154 | Stone | 4502-G | 22.0 |
| 0531 Halifax | 610×610 | - | - | - | S032 | Stone | 6502-Y | 16.7 |
| 0329 Limed Oak | 208×1243 | - | - | - | S147 | Natural | 2010-Y20R | 42.0 |
| 0807 Regimental Picadilly | 184×1219 | - | - | - | White | Natural | 4005-Y20R | 20.6 |
| 0324 Silversands | 208×1243 | - | - | - | S146 | Natural | 3010-Y20R | 33.1 |
| 0803 Solid Glam Picadilly | 184×1219 | - | - | - | White | Natural | 5005-Y20R | 27.8 |
| 1188 Travertino Beige | 228×914 | - | - | - | White | Stone | 3005-Y80R | 46.9 |
| 1189 Travertino Grey | 228×914 | - | - | - | White | Stone | 3502-R | 36.7 |
| 1089 Dalma Burgundy | - | - | - | 701,3×701,3 | White | Hammered | 6005-Y80R | 24.7 |
| 1088 Dalma Grey | - | | | 701,3×701,3 | White | Hammered | 7005-R80B | 19 |
| 1492 Oak Golden | <u> </u> | | | 701,3×701,3 | White | Natural | 4020-Y30R | 27.9 |
| 0090 Oak Light | <u> </u> | | | 701,3×701,3
701,3×701,3 | White | | 5500-N | 21.1 |
| | | | | | | Natural | | |
| 0091 Osb Natural | - | | - | 701,3×701,3 | White | Hammered | 5500-N | 21.1 |
| 0062 Rough Textile Beige | - | - | - | 701,3×701,3 | White | Textile | 5005-Y20R | 25.4 |
| 0063 Rough Textile Grey | | - | - | 701,3×701,3 | White | Textile | 5500-N | 21.1 |

Packaging .

| Product size (mm) | m²/box | m²/palette |
|-------------------|--------|------------|
| Creation 70 | | |
| 184 × 1219 | 3,36 | 215,32 |
| 184 × 1219* | 3,14 | 213,53 |
| 208 × 1243 | 3,62 | 195,46 |
| 228 × 914 | 3,54 | 212,65 |
| 230 × 1500 | 3,11 | 204,93 |
| 457 × 914 | 3,76 | 203,09 |
| 610 × 610 | 3,35 | 187,54 |
| 914 × 914 | 4,18 | 204,84 |
| MIX Planks | 3,34 | 213,49 |
| MIX Tiles | 3,34 | 200,58 |
| | | |

| Product size (mm) | m²/box | m²/palette |
|----------------------|--------|------------|
| Creation 70 Clic | | |
| 214 × 1239 | 1,59 | 85,86 |
| 242 × 1461 | 1,77 | 84,96 |
| 391 × 729 | 1,43 | 85,80 |
| Creation 70 Looselay | | |
| 229 × 1220 | 1,67 | 80,2 |
| 600 × 600 | 1,44 | 72,0 |
| 914 × 914 | 1,67 | 80,2 |
| Creation 70 Connect | | |
| 701,3 × 701,3 | - | 49,14 |

Natural

Exclusive embosses _







Brushed



Hammered

Ultra Realistic Embossing


Rib Wood

Textile

^{*} Regimental Picadilly 0807

Saga²

Luxury Vinyl Tile



PROTECSOL®



4D DESIGN

MATT SURFACE



Natural look

CRISTAL WEAR LAYER



High definition design & color

STRUCTURED



Ultra realistic surface

DESIGNS

Exclusive designs

RESILIENT CORE



Noise absorption

15 dB

Environmental

Easily removable







Renovation ceramic 5 mm joint

Saga²

Saga² is a synthetic, decorative, flexible, antistatic, abrasion group T floorcovering available in tiles. It consists in a 0.70 mm thick transparent wear layer, a design film, a calendered layer and a PVC/Cork sublayer which provides acoustic properties with 15 dB impact sound insulation and a walking noise < 65 dB. The overall thickness is 4.6 mm.

It benefits from a **Protecsol®** surface treatment, making maintenance easier and eliminating the need for initial polishes. Saga² is a looselay floorcovering, resistant to use (commercial / industrial use) of 34-43 according to EN-ISO 10874 and has Bfl-s1 class for smoke emission according to EN 13501-1. Saga² is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 55% of recycled content. It is REACH compliant. The product emission rate of organic compounds is < 10 microgram/m³ (TVOC < 28 days - ISO 16000-6).







<u>↑</u>

Acoustic

Renovation ceramic 5 mm joint



90°installation



| | | | Saga ² |
|------------------------------------|--|--------------------------|-------------------|
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 4.6 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.70 |
| Weight | EN ISO 23997 | g/sqm | 5595 |
| Tile size | EN ISO 24342 | mm | 500 × 500 |
| Number of tiles and sqm per box | - | - | 10 / 2.50 |
| Classification | | | |
| Norm / Product specification | - | - | EN 652 |
| European classification | EN ISO 10874 | class | 34-42 |
| Fire rating | EN 13501-1 | class | BfI-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet ⁽¹⁾ | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 |
| Wear group | - | group | T |
| Dimensional stability | EN ISO 23999 | % | ≤ 0.15 |
| Residual indentation | EN ISO 24343-1 | mm | < 0.13 |
| Castor chair test (type H) | ISO 4918 | - | OK |
| Impact sound insulation | EN ISO 717-2 | dB | 15 |
| Room impact | NF-S 31074 | dB | < 65 |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | Protecsol® |
| Chemical products resistance | EN ISO 26987 | - | OK |
| Environment / indoor air quality | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 |
| Certification | - | - | Floorscore® |
| CE marking | | | |


((

EN 14041




(1) Ramp test with oil 153 152

Luxury Vinyl Tile Saga²










Gentleman Grey 0088



Kadina City 0017



Barma Sweet 0021




Barma Mystery 0023




Gentleman Blue 0030




Fiber Silver METAL EFFECT 0028



Dock Grey 0085




Spider Blue 0039



Mozaic Grey 0032




Fiber Heavy METAL EFFECT
Metal 0027



Dalma Grey 1088

Scale: 1/5th

Saga²










Fiber Copper METAL EFFECT 0026



Gentleman Taupe 0089



Rough Textile Beige 0062



Dock Taupe 0087

Gentleman Beige 0029



Dalma Burgundy 1089

Spider Beige 0033



Amarante 0579



Barma Beige 0025




Albion 0577

Scale: 1/5th

159

Luxury Vinyl Tile



PROTECSHIELD™

ENHANCED PERFORMANCES



Micro scratch resistance



Easy maintenance

ULTRA MATT SURFACE



Natural look

4D DESIGN

CRYSTAL WEAR LAYER



Authentic Look





Ultra realism





Ultra realistic surface

BEVELLED EDGES



Tiles & Planks effect

RESILIENT COMFORT CORE









Easy cutting

LVT decoratives strips

Format (mm) 4×914mm



Code: 3203 + Color code



100% Reach Phthalate free



100% Recyclable Up to 35% recycled content



TVOC emissions below detection level (TVOC < 10ųg/m³ after 28 days)

Creation 55

Creation 55 is a synthetic, decorative, flexible, antistatic abrasion group T floorcoverings available in tile or plank, with bevelled edges. It consists in a 0.55 mm thick transparent wear layer, a design film and a Resilient Comfort Core to provide softness and comfort surface. The overall thickness is 2.5 mm.

They benefit from a cross-linked polyurethane surface treatment (**Protecshield™**), making maintenance easier and prevent from micro scratches.

Creation 55 is a glued floorcovering, resistant to use (commercial / industrial use) of 33 / 42 according to EN-ISO 10874 and has Bfl -s1 class for smoke emission according to EN 13501-1.

Creation 55 is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 35% of recycled content. It is 100% compliant with REACH. The product emission rate of organic compounds is < 10 microgram/m³ (TVOC < 28 days – ISO 16000-6).

Can be combined with pre-adhesive underlayer

Gerflor Smart Fix 16dB O





Code: 1698 - Format: 1m x 7.5ml



Creation 55

| | | | Creation 55 | Creation 55
Trend | Creation 55
Design | | |
|--|--|--------------------------|--------------------|--|-----------------------|--|--|
| Description | | | | | | | |
| Total thickness | EN ISO 24346 | mm | 2.50 | | | | |
| Thickness of wearlayer | EN ISO 24340 | mm | | 0.55 | | | |
| Weight | EN ISO 23997 | g/sqm | 38 | 50 | 4 410 | | |
| Size | EN ISO 24342 | mm | | 219,2 / 914,4×914,4 / 15
- 457,2×914,4 / 609,6× | | | |
| Number of planks / tiles
and sqm per box | - | - | 3,3 | 15-5-33-9-9-9/
86-4,18-3,82-3,11-3,76-3 | ,35 | | |
| Classification | | | | | | | |
| Norm / Product specification | - | - | | EN ISO 10582 | | | |
| European classification | EN ISO 10874 | class | | 33-42 | | | |
| Fire rating | EN 13501-1 | class | | B _{fl} -s1 | | | |
| Static electrical propensity | EN 1815 | kV | < 2 | | | | |
| Slip resistance wet:
ramp test with oil | EN 16165:2021 – Appendix B
(DIN 51 130) | class | R10 | | | | |
| Performances | | | | | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 | | | | |
| Wear group | - | group | Т | | | | |
| Type Binder content | ISO 10582 | type | 1 | | | | |
| Room impact | NF S 31074 | dB | | 77 | | | |
| mpact sound insulation | EN ISO 717-2 | dB | | 4 | | | |
| Dimensional stability (norm) | EN ISO 23999 | % | | ≤ 0.25 | | | |
| Dimensional stability (average measured value) | - | % | | ≤ 0.10 | | | |
| Residual indentation | EN ISO 24343-1 | mm | | ≤ 0.10 | | | |
| Castor chair test (type H) | ISO 4918 | - | | OK | | | |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | | 0.25 | | | |
| Colour fastness | EN ISO 105-B02 | degree | | ≥ 6 | | | |
| Surface treatment | - | - | | ProtecShield™ | | | |
| Chemical products resistance | EN ISO 26987 | - | | OK | | | |
| Environment / indoor air | quality | | | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | | < 10 | | | |
| Certification | = | - | Floorscore® | | | | |
| CE marking | <u> </u> | | | | | | |

TO THE BIRTH OF TH EN 14041

158

((

Creation 55 Solid Clic



PROTECSHIELD™

ENHANCED PERFORMANCES



Micro scratch resistance



Easy maintenance

ULTRA MATT SURFACE



Natural look

4D DESIGN

CRYSTAL WEAR LAYER



Authentic Look





Ultra realism





Ultra realistic surface



Tiles & Planks effect

RESILIENT COMFORT CORE



TECHNOLOGY





NEW RIGID CORE



Renovation over ceramic tiles



Resistance against high temperature variation

INTERLOCKING

ANGULAR ON LONG SIDE

SYSTEM



Quiet installation

VERTICAL ON SHORT SIDE



Traffic resistance Durability



Fast & easy to install





100% Reach



100% Recyclable Up to 55% recycled conto



TVOC emissions below detection level (TVOC < 10ųg/m³ after 28 days)

Formats (mm)











Creation 55 Solid Clic

Creation 55 Solid Clic is a decorative, flexible, abrasion group T floorcoverings available in tiles and planks, with bevelled edges. It consists in a 0,55 mm thick transparent wear layer, a design film of 2 m width printed in high definition to have more variety in the design and the technology "Duo Core 2.0": combination of a rigid core back layer for easy renovation and a flexible core top layer to provide softness and comfort surface, the whole with a double reinforcement for enhanced durability. The overall thickness is 5 mm.

They benefit from a cross-linked polyurethane surface treatment (Protecshield™), making maintenance easier and avoiding microscratches.

Creation 55 Solid Clic is an interlocking floorcovering assembled with a vertical system on the short side and a horizontal system on long side for a quick and solid installation. It has a European class (commercial / industrial use) 33/42 according to EN-ISO 10874 and has BfI -s1 class for smoke emission according to EN 13501-1. Creation 55 Solid Clic is made with phthalate free plasticizers (except recycled content). It is 100% recyclable and made with a recycled content up to 55%. It is 100% compliant with REACH. The product emission rate of organic compounds is < 10 microgram/m³ (TVOC < 28 days – ISO 16000-6).

To be combined with Gerflor acoustic underlayers

Gerflor Acoustic 15 dB



Code: 1798 - Format: 1m x 15ml

((



Code: 0704 - Format: 0.98m x 15.3ml



Code: 5949 - Format: 1.18m x 8.5ml

| | | | Creation 55 Solid Clic |
|--|--|--------------------------|---|
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 5.00 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.55 |
| Weight | EN ISO 23997 | g/sqm | 7781 |
| Size | EN ISO 24342 | mm | Planks - 212×1238,8 / 239,6×1460,8
Tiles - 388,8×728,7 |
| Number of planks / tiles and sqm per box | EN ISO 24342 | mm | 7-6-6 /
1,84-2,10-1,70 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 10582 |
| European classification | EN ISO 10874 | class | 33-42 |
| Fire rating | EN 13501-1 | class | BfI-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet: ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | < 2.0 |
| Wear group | - | group | T |
| Type Binder content | ISO 10582 | type | I |
| Room impact | NF S 31074 | dB | 79 |
| Impact sound insulation | EN ISO 717-2 | dB | 4 |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.15 |
| Dimensional stability (average measured value) | - | % | ≈ 0.05 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 |
| Castor chair test (type H) | ISO 4918 | - | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | ProtecShield™ |
| Chemical products resistance | EN 423 | - | OK |
| Environment / indoor air quality | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 |
| Certification | - | - | Floorscore® |
| CE marking | | | |

DS BH-SI EN 14041

163

Luxury Vinyl Tile Creation 55 Rigid Acoustic

INTEGRATED

PROTECSHIELD™

ENHANCED PERFORMANCES



Micro scratch



Easy maintenance





Natural look

4D DESIGN





Authentic Look





Ultra realism

STRUCTURED EMBOSS



Ultra realistic surface

BEVELLED EDGES



Tiles & Planks effect

RIGID CORE TECHNOLOGY



Renovation over ceramic tiles 8mm/3mm



Resistance against high temperature

ACOUSTIC UNDERLAY





Sound insulation 19dB



INTERLOCKING SYSTEM

ANGLE TO ANGLE LOCKING SYSTEM



Standard laminate



Absorbs default of the subfloor (up to 1mm uneveness)

100% REACH

REACH



100% RECYCLABLE Up to 35% recycled cont



TVOC emissions below detection level (TVOC < 10ųg/m³ after 28 days)









Creation 55 Rigid Acoustic

Creation 55 Rigid Acoustic is a decorative flooring, rigid interlocking with acoustic layer, antistatic, abrasion group T floorcoverings available in tiles and planks, with bevelled edges.

It is made with:

- a 0,55 mm thick transparent wear layer to provide durability
- a high definition printing film to provide an hyper realistic design aspect
- a Full Rigid Board to provide high performances for heavy renovations
- an integrated underlayer 100% recyclable which provides a 19 dB sound reduction market.

The total thickness of the product is 6 mm. The produce is also using a cross-linked polyurethane surface treatment

(Protecshied™), making maintenance easier, durability longer, protecting from micro scratches, and providing an ultra-mat effect for more realistic look.

Creation 55 Rigid Acoustic is an interlocking floorcovering assembled with an angle/angle locking system to provide robust and easy installation. It has an European class (commercial/industrial) of 33/42 according to EN-ISO 10874 and has Bfl -s1 class for smoke emission according to EN 13501-1.

Creation 55 Rigid Acoustic is made with phthalate free plasticizers. It is 100% recyclable and made with up to 35% of recycled content. It is 100% compliant with REACH.

The product emission rate of organic compounds is <10 microgram/m³ (TVOC < 28 days – ISO 16000-6).



| Creation | ~ EE Di | aid A | a a u a ti a |
|----------|---------|-------|--------------|
| Creatio | пээкі | uiu A | COUSTI |

| | | | orcation oo higia Accastic |
|--|--|--------------------------|---|
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 6.00 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.55 |
| Weight | EN ISO 23997 | g/sqm | 9480 |
| Size | EN ISO 24342 | mm | Planks - 125×750 / 177×1219 / 225×1524
Tiles - 457×914 |
| Number of planks / tiles and sqm per box | EN ISO 24342 | mm | 16-8-5-4 /
1,50-1,73-1,71-1,67 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 10582 |
| European classification | EN ISO 10874 | class | 33-42 |
| Fire rating | EN 13501-1 | class | BfI-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet: ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | < 2.0 |
| Wear group | - | group | Т |
| Type Binder content | ISO 10582 | type | 1 |
| Room impact | NF S 31074 | dB | 81 |
| Impact sound insulation | EN ISO 717-2 | dB | 19 |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.15 |
| Dimensional stability (average measured value) | - | % | ≤ 0.05 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 |
| Castor chair test (type H) | ISO 4918 | - | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | ProtecShield™ |
| Chemical products resistance | EN 423 | - | OK |
| Environment / indoor air quality | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 |
| Certification | - | - | Floorscore® |


(



Creation 55 Looselay

Luxury Vinyl Tile





PROTECSHIELD™



Micro scratch resistance



Easy maintenance

ULTRA MATT SURFACE



Natural look

4D DESIGN

CRYSTAL WEAR LAYER



Authentic Look

HIGH DEFINITION



Ultra realism





Ultra realistic surface



 $\underline{\Upsilon}$

Tiles & Planks effect

RESILIENT CORE BOARD

WAFFLE

BACKING

Perfect adherence to the subfloor

No moisture if water

RENOVATION



Over ceramic tiles 4mm/2mm

DIMENSIONAL STABILITY



Free adhesive installation up to 30sqm

RESILIENT COMFORT CORE



Acoustic comfort



Walking comfort

REMOVABLE



suitable for raised access Floor

V_{REACH}

100% Reach



100% Recyclable Up to 35% recycled content



TVOC emissions below detection level (TVOC < 10ųg/m³ after 28 days)







Creation 55 Looselay

Creation 55 Looselay is a synthetic, decorative, flexible, antistatic, abrasion group T floorcovering available in tiles and planks. It consists in a 0.55 mm thick transparent wear layer, a design film and a Duo Core Technology, made with a rigid core back layer reinforced with a fiber veil, combined with a flexible core top layer to provide softness and comfort surface. The overall thickness is 4.5 mm. It also includes anti-skid backing to allow an easy installation and a glue-free installation up to 30 sqm. It benefits from a cross-linked polyurethane surface treatment (Protecshield™), making maintenance easier and eliminating the need for initial polishes.

Creation 55 Looselay is a looselay floorcovering, resistant to use (commercial / industrial use) of 33-42 according to EN-ISO 10874 and has BfI-s1 class for smoke emission according to EN 13501-1.

Creation 55 Looselay is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 35% of recycled content. It is REACH compliant. The product emission rate of organic compounds is < 10 microgram/m3 (TVOC < 28 days -ISO 16000-6).

Explore the world of possibilities
















Quick & Easy to install











Installation with tackifier Apply planks or tiles

Pressure roller

Easy to replace a plank

| Please refer to Gerflor's installation guidelines. | | | |
|--|--|--------------------------|--|
| ricase reier to cernor o motamation gardennee. | | | Creation 55 Looselay |
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 4.50 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.55 |
| Weight | EN ISO 23997 | g/sqm | 7500 |
| Size | EN ISO 24342 | mm | Planks - 229×1220
Tiles - 500×500 / 600 × 600 |
| Number of planks / tiles and sqm per box | - | - | 8-8-6 / 2,23-2,0-2,16 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 10582 |
| European classification | EN ISO 10874 | class | 33-42 |
| Fire rating | EN 13501-1 | class | BfI-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet: ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 |
| Wear group | - | group | Т |
| Type Binder content | ISO 10582 | type | I |
| Room impact | NF S 31074 | dB | 73 |
| Room sound insulation | EN ISO 717-2 | dB | 7 |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.15 |
| Dimensional stability (average measured value) | EN ISO 23999 | % | ≈ 0.05 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.05 |
| Castor chair test (type H) | ISO 4918 | - | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | ProtecShield™ |
| Chemical products resistance | EN ISO 26987 | - | OK |
| Environment / indoor air quality | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 |
| Certification | - | - | Floorscore® |
| CE marking | | | |


 ϵ

EN 14041



Luxury Vinyl Tile Creation 55 Looselay Acoustic





PROTECSHIELD™



Micro scratch resistance



ENHANCED

Easy maintenance

ULTRA MATT SURFACE



Natural look

4D DESIGN

CRYSTAL WEAR LAYER



Authentic Look

HIGH DEFINITION PRINTED FILM



Ultra realism

STRUCTURED EMBOSS



Ultra realistic surface

BEVELLED EDGES

 \simeq

Tiles & Planks effect

RESILIENT CORE BOARD

RENOVATION



Over ceramic tiles

DIMENSIONAL



Free adhesive installation up to

RESILIENT



Acoustic comfort



Walking comfort

REMOVABLE



suitable for raised access Floor

WAFFLE **BACKING**



Perfect adherence to the subfloor



No moisture if water

INTEGRATED ACOUSTIC UNDERLAY

ACOUSTIC UNDERLAYER



Sound insulation 19dB

V_{REACH}

100% Reach



100% Recyclable Up to 35% recycled conten



TVOC emissions below detection level (tvoc < 10ųg/m³ after 28 days)

Creation 55 Looselay Acoustic


Creation 55 Looselay Acoustic is a synthetic, decorative, flexible, antistatic, abrasion group T floorcoverings available in tiles and planks with bevelled edges. It consists in a 0.55 mm thick transparent wear layer, a design film and a Duo Core Technology, made with a rigid core back layer reinforced with a fiber veil, combined with a flexible core top layer to provide softness and comfort surface. The backing integrates an acoustic core reaching 19 dB acoustic impact noise reduction. The overall thickness is

They benefit from a cross-linked polyurethane surface treatment (**Protecshield™**), making maintenance easier and eliminating the need for initial polishes.


Creation 55 Looselay Acoustic is a looselay floorcovering, resistant to use (commercial / industrial use) of 33-42 according to EN-ISO 10874 and has Bfl-s1 class for smoke emission according to EN 13501-1.


Creation 55 Looselay Acoustic is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 35% of recycled content. It is REACH compliant. The product emission rate of organic compounds is < 10 microgram/m³ (TVOC < 28 days -ISO 16000-6).

Explore the world of possibilities













Quick & Easy to install



Installation with tackifier







Easy to replace a plank

Please refer to Gerflor's installation guidelines.

Creation 55 Looselay Acoustic

| Description | | | |
|--|--|--------------|--------------------------------------|
| Total thickness | EN ISO 24346 | mm | 5.50 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.55 |
| Weight | EN ISO 23997 | g/sqm | 7600 |
| Size | EN ISO 24342 | mm | Planks - 229×1220
Tiles - 500×500 |
| Number of planks / tiles and sqm per box | - | - | 8-8 / 2,23-2,0 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 11638 (EN 651) |
| European classification | EN ISO 10874 | class | 33-42 |
| Fire rating | EN 13501-1 | class | BfI-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet: ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 |
| Wear group | - | group | Т |
| Room impact | NF S 31074 | dB | 70 |
| Room sound insulation | EN ISO 717-2 | dB | 19 |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.15 |
| Dimensional stability (average measured value) | EN ISO 23999 | % | ≈ 0.05 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.20 |
| Castor chair test (type H) | ISO 4918 | - | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | ProtecShield™ |
| Chemical products resistance | EN ISO 26987 | - | OK |
| Environment / indoor air quality | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m³ | < 10 |
| Certification | - | - | Floorscore® |
| CE marking | | | |

(€

DS Briest EN 14041

Creation 55 HB





Quartet 0503 DB 152 × 762 | RIGID AC 125 × 750



Quartet Fauve 0859 DB 152 × 762



Ballerina 0347 **DB** 152 × 762 | **RIGID** AC 125 × 750



Twist 0504 **DB** 152 × 762



Bostonian Oak Beige 0853 **DB** 152 × 762



SOLID CLIC Creation 55 Solid Clic

RIGID AC Creation 55 Rigid Acoustic

Creation 55 Looselay

LL AC Creation 55 Looselay Acoustic









Creation 55 EIR





EIR: Emboss In Register



Charming Oak Brown 1280 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219



Charming Oak Nature 1277 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219







Charming Oak Beige 1278 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219



Charming Oak Grey 1279 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219



Creation 55 (Dry Back)

SOLID CLIC Creation 55 Solid Clic

RIGID AC Creation 55 Rigid Acoustic

Creation 55 Looselay





Lounge Oak Chestnut 1274 **DB** 230 × 1500 | **SOLID CLIC** 240 × 1461 | **RIGID AC** 225 × 1524



Lounge Oak Golden 1271 **DB** 230 × 1500 | **SOLID CLIC** 240 × 1461 | **RIGID AC** 225 × 1524



Lounge Oak Natural 1273 **DB** 230 × 1500 | **SOLID CLIC** 240 × 1461 | **RIGID AC** 225 × 1524



Lounge Oak Beige 1272 **DB** 230 × 1500 | **SOLID CLIC** 240 × 1461 | **RIGID AC** 225 × 1524



White Lead Oak Shadow Grey 1290 **DB** 184 × 1219

White Lead Oak Blond 1288

DB 184 × 1219










Creation 55





Bostonian Oak 0871 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219



Michigan 0461 **DB** 184 × 1219 || **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219



Quartet 0503 **DB** 184 × 1219 / 152 × 762 | **SOLID CLIC** 212 × 1239 **RIGID AC** 177 × 1219 / 125 × 750



Buffalo 0457 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Amarante 0579 **DB** 184 × 1219



Cedar Brown 0850 **DB** 230 × 1500 | **SOLID CLIC** 240 × 1461 | **RIGID AC** 225 × 1524



Bostonian Oak Honey 0851 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219



Creation 55

(Dry Back)

SOLID CLIC

Creation 55

Solid Clic

RIGID AC

Long Board 0455 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219 **LL** 229 × 1220 | **LL AC** 229 × 1220



DB 184 × 1219 / 152 × 762 | SOLID CLIC 212 × 1239 RIGID AC 177 × 1219 / 125 × 750 | LL 229 × 1220 | LL AC 229 × 1220



Quartet Honey 0870 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219 **LL** 229 × 1220



Honey Oak 0441 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219 **LL** 229 × 1220 | **LL AC** 229 × 1220



LL AC Creation 55

Looselay Acoustic

Luxury Vinyl Tile

Creation 55





DB 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219



Cambridge 0465 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Quartet Fauve 0859 **DB** 184 × 1219 / 152 × 762 | **SOLID CLIC** 212 × 1239 **RIGID AC** 177 × 1219 | **LL** 229 × 1220



Swiss Oak Golden 0796 DB 184 × 1219 | SOLID CLIC 212 × 1239 | RIGID AC 177 × 1219 LL 229 × 1220 | LL AC 229 × 1220



Creation 55 (Dry Back)

SOLID CLIC

Creation 55

Solid Clic

RIGID AC

Creation 55

Rigid Acoustic

Mansfield Natural 0069 **DB** 184 × 1219



Swiss Oak Beige 0848 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219



DB 184 × 1219 / 152 × 762 | SOLID CLIC 212 × 1239 RIGID AC 177 × 1219 | LL 229 × 1220 | LL AC 229 × 1220



Salento Light Grey 1287 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219



Creation 55

Looselay

Bostonian Oak Beige 0853 **DB** 184 × 1219 / 152 × 762 | **SOLID CLIC** 212 × 1239 **RIGID AC** 177 × 1219 | **LL** 229 × 1220



Malua Bay 0448 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219 **LL** 229 × 1220 | **LL AC** 229 × 1220



Cedar Pure 0849 **DB** 230 × 1500 | **SOLID CLIC** 240 × 1461 | **RIGID AC** 225 × 1524




Salento Beige 1286 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219

LL AC Creation 55

Looselay Acoustic

Luxury Vinyl Tile

Creation 55



Swiss Oak Pearl 0846 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219 **LL** 229 × 1220 | **LL AC** 229 × 1220



Oxford 0061 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Palissandro Grey 1281 DB 230 × 1500 | SOLID CLIC 240 × 1461



Amador 0447 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219 **LL** 229 × 1220 | **LL AC** 229 × 1220



White Lime 0584 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 177 × 1219



Mansfield Light 0068 **DB** 184 × 1219



Arena 0060 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 LL 229 × 1220 | LL AC 229 × 1220



Ranch 0456 **DB** 184 × 1219 / 230 × 1500 | **SOLID CLIC** 212 × 1239 / 240 × 1461 **RIGID AC** 177 × 1219 | **LL** 229 × 1220 | **LL AC** 229 × 1220



Creation 55

(Dry Back)

SOLID CLIC

Creation 55

Solid Clic

RIGID AC

Creation 55

Rigid Acoustic

LL

Creation 55

Urban Street Beige 1285 **DB** 914 × 914

Looselay

Stripe Oak Ice 0858 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Palissandro Beige 1282 DB 230 × 1500 | SOLID CLIC 240 × 1461




Paint Wood Taupe 0856 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239





Bloom Uni Taupe 0868 **DB** 610 × 610 | **SOLID CLIC** 389 × 729 **RIGID AC** 457 × 914 | **LL** 600 × 600



Fabrik Mix Jute 1268 **DB** 610 × 610 | **SOLID CLIC** 389 × 729



Curton Stone Light Grey 1275 **DB** 457 × 914 | **SOLID CLIC** 389 × 729 **RIGID AC** 457 × 914


176 Design shade variation: Light Medium high







Creation 55



Fabrik Mix Indigo 1270 **DB** 610 × 610 | **LL** 600 × 600



Silver City 0373 **DB** 610 × 610



Parker Station 0374 DB 610 × 610 | SOLID CLIC 389 × 729 **RIGID AC** 457 × 914 **LL** 500 × 500 | **LL AC** 500 × 500



Ponto Cruz City 0878 **LL** 500 × 500




Riverside 0436 **DB** 610 × 610 | **SOLID CLIC** 389 × 729 **RIGID AC** 457 × 914 | **LL** 600 × 600



Fabrik Mix Dark Grey 1269 **DB** 610 × 610 | **SOLID CLIC** 389 × 729 **LL** 600 × 600




Ponto Cruz Navy 0876 **LL** 500 × 500



Carmel 0618 **DB** 457 × 914 | **SOLID CLIC** 389 × 729 **RIGID AC** 457 × 914 | **LL** 500 × 500 **LL AC** 500 × 500



Bloom Uni Grey 0869 **DB** 610 × 610 | **SOLID CLIC** 389 × 729 **RIGID AC** 457 × 914 | **LL** 600 × 600



Urban Street Medium 1284 **DB** 914 × 914 | **SOLID CLIC** 389 × 729 **LL** 600 × 600



Urban Street Light 1283 DB 914 × 914 | SOLID CLIC 389 × 729 **LL** 600 × 600



SOLID CLIC Creation 55 Solid Clic

RIGID AC Creation 55 Rigid Acoustic

Creation 55 Looselay

LL AC Creation 55 Looselay Acoustic



Creation 55

| | Dry Back | Solid
Clic | Rigid
Acoustic | Looselay | Looselay
Acoustic | Skirting
Matching
Design | Coverstrip
Matching
Design | Emboss | NCS | LRV |
|---|--------------------------|--------------------------|--------------------------|---------------|----------------------|--------------------------------|----------------------------------|---------------------------------------|------------------------|------|
| Code Color Design | | 置 | | \Diamond | \bigcirc | | | | | |
| 0447 Amador | 184 × 1219 | 212 × 1239 | 177 × 1219 ** | 229 × 1220 ** | 229 × 1220 ** | S004 | S004 | Saw Effect | 5005-Y50R | 25.1 |
| 0579 Amarante | 184 × 1219 | - | - | - | | S005 | S001 | Brushed | 5010-Y30R | 21.3 |
| 0060 Arena | 184 × 1219 | 212 × 1239 | - | 229 × 1220 ** | 229 × 1220 ** | S026 | S001 | Saw Effect | 4005-Y20R | 37.2 |
| 0347 Ballerina | 184 × 1219
152 × 762 | 212 × 1239 | 177 × 1219
125 × 750 | 229 × 1220 | 229 × 1220 | S008 | S008 | Natural | 4040-Y20R | 28.4 |
| 0869 Bloom Uni Grey | 610 × 610 | 389 × 729 | 457 × 914 | 600 × 600 | - | S071 | S071 | Hammered | 5005-B20G | 23. |
| 0868 Bloom Uni Taupe | 610 × 610 | 389 × 729 | 457 × 914 | 600 × 600 | - | S072 | S072 | Hammered | 4502-Y | 28. |
| 0871 Bostonian Oak | 184 × 1219 | 212 × 1239 | 177 × 1219 | 229 × 1220 | - | S016 | S016 | Natural | 5020-Y20R | 26.4 |
| 0853 Bostonian Oak Beige | 184 × 1219
152 × 762 | 212 × 1239 | 177 × 1219 | 229 × 1220 | - | S017 | S017 | Natural | 4005-Y20R | 36. |
| 0851 Bostonian Oak Honey | 184 × 1219 | 212 × 1239 | 177 × 1219 | - | - | S019 | S019 | Natural | 4020-Y20R | 29. |
| 0459 Brownie | 184 × 1219 | - | - | - | - | S073 | S001 | Natural | 6020-Y30R | 10. |
| 0457 Buffalo | 184 × 1219 | 212 × 1239 | - | - | - | S075 | S001 | Brushed | 6010-Y10R | 16. |
| 0465 Cambridge | 184 × 1219 | 212 × 1239 | - | - | - | S065 | S001 | Natural | 3030-Y20R | 39. |
| 0618 Carmel | 457 × 914 | 389 × 729 | 457 × 914 | 500 × 500 | 500 × 500 | S020 | S020 | Hammered | 6005-Y50R | 19.1 |
| 0850 Cedar Brown | 230 × 1500 | 240 × 1461 | 225 × 1524 | - | - | S024 | S024 | Natural | 5020-Y20R | 21.3 |
| 0849 Cedar Pure | 230 × 1500 | 240 × 1461 | 225 × 1524 | - | - | S025 | S025 | Natural Chaming Ook | 3010-Y30R | 39. |
| 1278 Charming Oak Beige 1280 Charming Oak Brown | 184 × 1219
184 × 1219 | 212 × 1239
212 × 1239 | 177 × 1219
177 × 1219 | - | - | S160
S161 | S001
S001 | EIR - Charming Oak EIR - Charming Oak | 4010-Y50R
6010-Y70R | 31. |
| 1279 Charming Oak Grey | 184 × 1219 | 212 × 1239
212 × 1239 | 177 × 1219 | | | S162 | S001 | EIR-Charming Oak | 3000-N | 36. |
| 1277 Charming Oak Nature | 184 × 1219 | 212 × 1239 | 177 × 1219 | _ | _ | S163 | S001 | EIR - Charming Oak | | 18.6 |
| 1276 Curton Stone Light Beige | 457 × 914 | 389 × 729 | 457 × 914 * | - | - | S184 | S184 | Stone | 2010-Y40R | 48. |
| 1275 Curton Stone Light Grey | 457 × 914 | 389 × 729 | 457 × 914 * | - | - | S185 | S185 | Stone | 3005-Y20R | 45.9 |
| 1269 Fabrik Mix Dark Grey | 610 × 610 | 389 × 729 | - | 600 × 600 | - | S165 | S001 | Hammered | 6005-R50B | 13.4 |
| 1270 Fabrik Mix Indigo | 610 × 610 | - | - | 600 × 600 | - | S166 | S001 | Hammered | 5020-B | 17.1 |
| 1268 Fabrik Mix Jute | 610 × 610 | 389 × 729 | - | - | - | S167 | S001 | Hammered | 5005-Y50R | 26. |
| 0441 Honey Oak | 184 × 1219 | 212 × 1239 | 177 × 1219 | 229 × 1220 | 229 × 1220 | S033 | S033 | Natural | 4020-Y20R | 27. |
| 0455 Long Board | 184 × 1219 | 212 × 1239 | 177 × 1219 | 229 × 1220 | 229 × 1220 | S034 | S034 | Brushed | 4010-Y30R | 24. |
| 1272 Lounge Oak Beige | 230 × 1500 | 240 × 1461 | 225 × 1524 | - | - | S168 | S001 | EIR - Lounge Oak | 4010-Y30R | 33. |
| 1274 Lounge Oak Chestnut | 230 × 1500 | 240 × 1461 | 225 × 1524 | - | - | S169 | S001 | EIR - Lounge Oak | 5010-Y30R | 20. |
| 1271 Lounge Oak Golden 1273 Lounge Oak Natural | 230 × 1500
230 × 1500 | 240 × 1461
240 × 1461 | 225 × 1524
225 × 1524 | | - | S170
S171 | S001
S001 | EIR - Lounge Oak EIR - Lounge Oak | 5020-Y20R
4020-Y30R | 30. |
| 0448 Malua Bay | 184 × 1219 | 212 × 1239 | 177 × 1219 | 229 × 1220 | 229 × 1220 | S035 | S035 | Brushed | 2502-Y | 47. |
| 0068 Mansfield Light | 184 × 1219 | - | - | - | - | S036 | S001 | Brushed | 4502-Y | 31.8 |
| 0069 Mansfield Natural | 184 × 1219 | - | - | - | - | S037 | S001 | Brushed | 3010-Y20R | 37. |
| 0461 Michigan | 184 × 1219 | 212 × 1239 | 177 × 1219 | - | - | S038 | S038 | Brushed | 6020-Y30R | 13. |
| 0061 Oxford | 184 × 1219 | 212 × 1239 | - | - | - | S043 | S001 | Brushed | 5502-Y | 19. |
| 0856 Paint Wood Taupe | 184 × 1219 | 212 × 1239 | - | - | - | S046 | S001 | Brushed | 5502-Y | 18.9 |
| 1282 Palissandro Beige | 230 × 1500 | 240 × 1461 | - | - | - | S176 | S001 | Stone | 4010-Y50R | 32. |
| 1281 Palissandro Grey | 230 × 1500 | 240 × 1461 | - | - | - | S177 | S001 | Stone | 4005-R20B | 38.4 |
| 0374 Parker Station | 610 × 610 | 389 × 729 | 457 × 914 | 500 × 500 | 500 × 500 | S047 | S047 | Hammered | 8000-N | 12.6 |
| 0878 Ponto Cruz City | - | - | - | 500 × 500 | - | - | | - | 5502-B | 26.3 |
| 0876 Ponto Cruz Navy | -
184 × 1219 | - | -
177 × 1219 | 500 × 500 | - | | | | 3502-B | 33.9 |
| 0503 Quartet | 152 × 762 | 212 × 1239 | 125 × 750 | - | - | S056 | S056 | Natural | 5020-Y20R | 19.4 |
| 0859 Quartet Fauve | 184 × 1219
152 × 762 | 212 × 1239 | 177 × 1219 | 229 × 1220 | - | S057 | S057 | Natural | 4030-Y20R | 23.9 |
| 0870 Quartet Honey | 184 × 1219 | 212 × 1239 | 177 × 1219 | 229 × 1220 | - | S058 | S058 | Natural | 3040-Y20R | 28.2 |
| 0456 Ranch | 184 × 1219
230 × 1500 | 212 × 1239
240 × 1461 | 177 × 1219 | 229 × 1220 | 229 × 1220 | S053 | S053 | Brushed | 5005-Y50R | 23. |
| 0436 Riverside | 610 × 610 | 389 × 729 | 457 × 914 | 600 × 600 | - | S032 | S032 | Hammered | 6502-Y | 16.7 |
| 0445 Rustic Oak | 184 × 1219 | 212 × 1239 | 177 × 1219 | - | - | S062 | S062 | Natural | 4030-Y20R | 20. |
| 1286 Salento Beige | 184 × 1219 | 212 × 1239 | 177 × 1219 | - | - | S186 | S186 | Natural | 2010-Y40R | 37.0 |
| 1287 Salento Light Grey | 184 × 1219 | 212 × 1239 | 177 × 1219 | - | - | S187 | S187 | Natural | 2005-Y40R | 46. |
| 0373 Silver City | 610 × 610 | - | - | - | - | S048 | S001 | Hammered | 6502-Y | 19. |
| 0858 Stripe Oak Ice | 184 × 1219 | 212 × 1239 | - | - | - | S009 | S001 | Natural | 3502-Y | 37.3 |
| 0848 Swiss Oak Beige | 184 × 1219 | 212 × 1239 | 177 × 1219 | - | - | S011 | S011 | Natural | 3010-Y30R | 40. |
| 0796 Swiss Oak Golden | 184 × 1219 | 212 × 1239 | 177 × 1219 | 229 × 1220 | 229 × 1220 | S015 | S015 | Natural | 4030-Y20R | 25. |
| 0846 Swiss Oak Pearl | 184 × 1219 | 212 × 1239 | 177 × 1219 | 229 × 1220 | 229 × 1220 | S014 | S014 | Natural | 3502-Y | 36. |
| 0504 Twist | 184 × 1219
152 × 762 | 212 × 1239 | 177 × 1219 | 229 × 1220 | 229 × 1220 | S039 | S039 | Natural | 3010-Y30R | 38. |
| 1285 Urban Street Beige | 914 × 914 | - | - | - | - | S178 | S001 | Hammered | 4005-Y50R | 31. |
| 1283 Urban Street Light | 914 × 914 | 389 × 729 | - | 600 × 600 | - | S094 | S001 | Hammered | 3502-R | 42. |
| 1284 Urban Street Medium | 914 × 914 | 389 × 729 | - | 600 × 600 | - | S180 | S001 | Hammered | 4502-R | 26. |
| 1288 White Lead Oak Blond | 184 × 1219 | - | - | - | - | S181 | S001 | EIR - White Lead Oak | | 29. |
| 1289 White Lead Oak Dark Beige | 184 × 1219 | - | - | - | - | S182 | S001 | EIR - White Lead Oak | 5010-Y10R | 25. |
| 1290 White Lead Oak
Shadow Grey | 184 × 1219 | - | - | - | - | S183 | S001 | EIR - White Lead Oak | 3502-Y | 34. |
| 0584 White Lime | 184 × 1219 | 212 × 1239 | 177 × 1219 ** | - | - | S074 | S074 | Saw Effect | 4005-Y20R | 36. |
| | | | | | | C001: | C001: | | | |

^{*} Hammered emboss in Rigid Acoustic / ** Brushed emboss in Rigid Acoustic / Looselay / Looselay Acoustic

Available with Creation 40

Packaging

| m²/box | m²/palette | | | | | | | |
|-------------------|---|--|--|--|--|--|--|--|
| Creation 55 Trend | | | | | | | | |
| 3.36 | 215.04 | | | | | | | |
| 3.11 | 214.59 | | | | | | | |
| 3.82 | 213.92 | | | | | | | |
| 3.76 | 218.08 | | | | | | | |
| 3.35 | 187.60 | | | | | | | |
| esign | | | | | | | | |
| 3.36 | 215.04 | | | | | | | |
| 3.11 | 214.59 | | | | | | | |
| 4.18 | 192.28 | | | | | | | |
| | 3.36
3.11
3.82
3.76
3.35
esign
3.36
3.11 | | | | | | | |

| Product size (mm) | m²/box | m²/palette | | | | |
|-------------------|------------------------|------------|--|--|--|--|
| Creation 55 S | Creation 55 Solid Clic | | | | | |
| 212 × 1238.8 | 1.84 | 104.8 | | | | |
| 239.6 × 1460.8 | 2.1 | 100.8 | | | | |
| 388.8 × 728.7 | 1.7 | 102 | | | | |
| Creation 55 R | igid Acou | ustic | | | | |
| 125 × 750 | 1.50 | 84 | | | | |
| 177 × 1219 | 1.73 | 96.88 | | | | |
| 225 × 1524 | 1.71 | 92.34 | | | | |
| 457 × 914 | 1.67 | 93.52 | | | | |
| | | | | | | |

| Product size (mm) | m²/box | m²/palette |
|-------------------|------------------|------------|
| Creation 55 L | ooselay | |
| 229 × 1220 | 2.23 | 124.88 |
| 500 × 500 | 2 | 128 |
| 600 × 600 | 2.16 | 95.04 |
| Creation 55 L | ooselay <i>i</i> | Acoustic |
| 229 × 1220 | 2.23 | 124.88 |
| | 2 | 128 |

Exclusive embosses for enhanced designs







EIR - Charming Oak

Stone

Hammered








EIR - White Lead Oak

Saw effect

Natural






Emboss in register

EIR - Lounge Oak

Brushed

Creation 40





PROTECSHIELD™

ENHANCED PERFORMANCES



Micro scratch resistance



Easy maintenance

ULTRA MATT SURFACE



Natural look

4D DESIGN





Authentic Look

HIGH DEFINITION PRINTED FILM



Ultra realism

STRUCTURED EMBOSS



Ultra realistic surface

BEVELLED EDGES



Tiles & Planks effect

RESILIENT COMFORT CORE



Acoustic comfort



Jalking comfort



Easy installation




Easy cutting

LVT decoratives strips

Format (mm) 4×914mm







100% Reach



100% Recyclable Up to 35% recycled content



TVOC emissions below detection level (TVOC < 104g/m³ after 28 days) No formaldehyde

Formats (mm)

84×1219



Protec shield



Creation 40

Creation 40 Trend is a synthetic, decorative, flexible, antistatic abrasion group T floorcoverings available in tile or plank, with bevelled edges. It consists in a 0,4 mm thick transparent wear layer, a design film and a Resilient Comfort Core to provide softness and comfort surface. The overall thickness is 2 mm.

They benefit from a cross-linked polyurethane surface treatment (**Protecshield** TM), making maintenance easier and prevent from micro scratches.

Creation 40 Trend is a glued floorcovering, resistant to use (residential / commercial use) of 23 / 32 according to EN-ISO 10874 and has Bfl -s1 class for smoke emission according to EN 13501-1.

Creation 40 Trend is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 35% of recycled content. It is 100% compliant with REACH.

The product emission rate of organic compounds is < 10 microgram/m³ (TVOC < 28 days – ISO 16000-6).

Can be combined with pre-adhesive underlayer

Gerflor Smart Fix 16 dB

((





Code: 1698 - Format: 1m x 7.5ml

Please refer to Gerflor's installation guidelines

| Please refer to Gerflor's installation | n guidelines. | | |
|--|--|--------------------------|--|
| | | | Creation 40 |
| | | | Creation 40 Trend |
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 2 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.40 |
| Weight | EN ISO 23997 | g/sqm | 3 180 |
| Size | EN ISO 24342 | mm | Planks - 184,15×1219,2 / 230×1500
Tiles - 457,2×914,4 / 609,6×609,6 |
| Number of planks / tiles and sqm per box | - | - | 21-13-11-13 /
4,71-4,49-4,6-4,83 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 10582 |
| European classification | EN ISO 10874 | class | 23 - 32 - 41 |
| Fire rating | EN 13501-1 | class | B _{fl} -s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet:
ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 |
| Wear group | - | group | Т |
| Type Binder content | ISO 10582 | type | 1 |
| Room impact | NF S 31074 | dB | 77 |
| Impact sound insulation | EN ISO 717-2 | dB | 4 |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.25 |
| Dimensional stability (average measured value) | - | % | ≤ 0.10 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 |
| Castor chair test (type H) | ISO 4918 | - | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | = | = | ProtecShield™ |
| Chemical products resistance | EN ISO 26987 | - | OK |
| Environment / indoor air qu | uality | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 |
| Certification | - | - | Floorscore® |
| CE marking | | | |
| | | | |

EN 14041

185

Creation 40 Solid Clic

Luxury Vinyl Tile



PROTECSHIELD™

ENHANCED PERFORMANCES



Micro scratch resistance



Easy maintenance

ULTRA MATT SURFACE



184

Natural look

4D DESIGN

CRYSTAL WEAR LAYER



Authentic Look





Ultra realism





Ultra realistic surface



 \simeq Tiles & Planks effect

DUOCORE 2.0 TECHNOLOGY



RESILIENT

COMFORT CORE



NEW RIGID CORE



Renovation over



Resistance against high temperature

EXCLUSIVE INTERLOCKING SYSTEM

ANGULAR ON LONG SIDE



Quiet installation

VERTICAL ON SHORT SIDE



Traffic resistance Durability



Fast & easy to install



Waterproof Joints

Creation 40 Solid Clic

Creation 40 Solid Clic is a decorative, flexible, abrasion group T floorcoverings available in tiles and planks, with bevelled edges. It consists in a 0,45 mm thick transparent wear layer, a design film of 2 m width printed in high definition to have more variety in the design and the technology "Duo Core 2.0": combination of a rigid core back layer for easy renovation and a flexible core top layer to provide softness and comfort surface, the whole with a double reinforcement for enhanced durability. The overall thickness is 4,5 mm.

They benefit from a cross-linked polyurethane surface treatment (**Protecshield™**), making maintenance easier and avoiding microscratches.

Creation 40 Solid Clic is an interlocking floorcovering assembled with a vertical system on the short side and a horizontal system on long side for a quick and solid installation. It has a European class (residential / commercial / industrial use) 23/32/41 according to EN-ISO 10874 and has

BfI -s1 class for smoke emission according to EN 13501-1. Creation 40 Solid Clic is made with phthalate free plasticizers (except recycled content). It is 100% recyclable and made with a recycled content up to 55%. It is 100% compliant with REACH. The product emission rate of organic compounds is < 10 microgram/m³ (TVOC < 28 days – ISO 16000-6).

To be combined with Gerflor acoustic underlayers.

Gerflor Acoustic 15 dB



Code: 1798 - Format: 1m x 15ml

Please refer to Gerflor's installation guidelines.



Code: 0704 - Format: 0.98m x 15.3ml

Gerflor Silence Plus 19 dB

Code: 5949 - Format: 1.18m x 8.5ml

Creation 40 Solid Clic

| | | | ordation 40 dolla ollo |
|--|--|--------------------------|---|
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 4.50 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.45 |
| Weight | EN ISO 23997 | g/sqm | 7118 |
| Size | EN ISO 24342 | mm | Planks - 212×1238,8 / 239,6×1460,8
Tiles - 388,8×728,7 |
| Number of planks / tiles and sqm per box | EN ISO 24342 | mm | 8-7-7/
2,10-2,45-1,98 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 10582 |
| European classification | EN ISO 10874 | class | 23 - 32 -41 |
| Fire rating | EN 13501-1 | class | BfI-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet: ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | < 2.0 |
| Wear group | - | group | Т |
| Type Binder content | ISO 10582 | type | 1 |
| Room impact | NF S 31074 | dB | 79 |
| Impact sound insulation | EN ISO 717-2 | dB | 4 |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.15 |
| Dimensional stability (average measured value) | - | % | ≤ 0.05 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 |
| Castor chair test (type H) | ISO 4918 | - | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | ProtecShield™ |
| Chemical products resistance | EN 423 | - | OK |
| Environment / indoor air quality | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 |
| Certification | - | - | Floorscore® |
| CE marking | | | |
| | | | |

100% Recyclable Up to 55% recycled content



REACH

detection level (TVOC < 10µg/m³ after 28 days)

DS BHIST ((EN 14041



PROTECSHIELD™

ENHANCED PERFORMANCES



Micro scratch



ULTRA MATT SURFACE



Natural look

4D DESIGN

CRYSTAL WEAR LAYER



Authentic Look

HIGH DEFINITION PRINTED FILM



Ultra realism

STRUCTURED EMBOSS



 \longrightarrow

Ultra realistic surface



Tiles & Planks effect

RCB-TECHNOLOGY PATENTED



Renovation over ceramic tiles 8mm/3mm

EASY INSTALLATION



Easy to handle (7kg/m²) and easy to install (30 % lighter than standard rigid planks)



Resistance against

INTEGRATED ACOUSTIC UNDERLAY





Sound insulation 19dB



INTERLOCKING

ANGLE TO ANGLE



SYSTEM

Standard laminate



Absorbs default of the subfloor (up to 1mm uneveness)



100% Reach



100% Recyclable Up to 35% recycled content



detection level (TVOC < 10ųg/m³ after 28 days)

Creation 40 Rigid Acoustic

Creation 40 Rigid Acoustic is a decorative flooring, rigid interlocking with acoustic layer, antistatic, abrasion group T floorcoverings available in tiles and planks, with bevelled edges.

- a 0,40 mm thick transparent wear layer to provide durability
- a high definition printing film to provide high quality design
- a Rigid Composite Board Technology, new generation of rigid board with patented production process which provides a 30% less heavier product than comparable products on the market
- an integrated underlayer 100% recyclable and which provides a 19 dB sound reduction.

The total thickness of the product is 5,7 mm. It also

uses a cross-linked polyurethane surface treatment (Protecshied™), making maintenance easier, durability longer, protecting from micro scratches, and providing an ultra-mat effect for more realistic look.

Creation 40 Rigid Acoustic is an interlocking floorcovering assembled with an angle/angle locking system to provide robust and easy installation. It has an European class (residential/commercial) of 23/32 according to EN-ISO 10874 and has BfI -s1 class for smoke emission according to EN 13501-1.

Creation 40 Rigid Acoustic is made with phthalate free plasticizers. It is 100% recyclable and made with up to 35% of recycled content. It is 100% compliant with REACH.

The product emission rate of organic compounds is <10 microgram/m³ (TVOC < 28 days – ISO 16000-6).



| Creation | 40 | Rigid | Acoustic |
|----------|----|-------|-----------------|

| | | | Creation 40 Rigid Acoustic |
|--|--|--------------------------|---|
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 5.70 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.40 |
| Weight | EN ISO 23997 | g/sqm | 7000 |
| Size | EN ISO 24342 | mm | Planks - 229×1250 / 229×1492
Tiles - 399×730 |
| Number of planks / tiles and sqm per box | EN ISO 24342 | mm | 7-7-7/
2-2,39-2,04 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 10582 |
| European classification | EN ISO 10874 | class | 23 - 32 - 41 |
| Fire rating | EN 13501-1 | class | BfI-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet: ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | < 2.0 |
| Wear group | - | group | Т |
| Type Binder content | ISO 10582 | type | I |
| Room impact | NF S 31074 | dB | 80 |
| Impact sound insulation | EN ISO 717-2 | dB | 19 |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.15 |
| Dimensional stability (average measured value) | - | % | ≤ 0.10 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 |
| Castor chair test (type H) | ISO 4918 | - | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | ProtecShield™ |
| Chemical products resistance | EN 423 | - | OK |
| Environment / indoor air quality | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 |
| CE marking | | | |

EN 14041

(



187

Creation 40



DB 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



DB 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Bostonian Oak 0871 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



DB 230 × 1500 | **SOLID CLIC** 240 × 1461 | **RIGID AC** 229 × 1492



Rustic Oak 0445 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Honey Oak 0441 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Quartet Honey 0870 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Quartet Fauve 0859 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Bostonian Oak Honey 0851 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



RIGID AC

Creation 40 Rigid Acoustic

SOLID CLIC

Creation 40 (Dry Back) Creation 40 Solid Clic

Long Board 0455 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Ballerina 0347 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Swiss Oak Golden 0796 **DB** 184 \times 1219 \mid **SOLID CLIC** 212 \times 1239 \mid **RIGID AC** 229 \times 1250











Creation 40



Twist 0504 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Swiss Oak Beige 0848 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250




Salento Beige 1286 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Cedar Pure 0849 **DB** 230 × 1500 | **SOLID CLIC** 240 × 1461 | **RIGID AC** 229 × 1492



Malua Bay 0448 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Salento Light Grey 1287 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Bostonian Oak Beige 0853 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



DB 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Amador 0447 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250

SOLID CLIC

Creation 40 (Dry Back) Creation 40 Solid Clic

RIGID AC

Creation 40 Rigid Acoustic



White Lime 0584 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239 | **RIGID AC** 229 × 1250



Swiss Oak Pearl 0846 **DB** 184 \times 1219 | **SOLID CLIC** 212 \times 1239 | **RIGID AC** 229 \times 1250






Creation 40



Parker Station 0374 DB 610 × 610 | SOLID CLIC 389 × 729 **RIGID AC** 399 × 730



Carmel 0618 **DB** 457 × 914 | **SOLID CLIC** 389 × 729 **RIGID AC** 399 × 730



Curton Stone Light Beige 1276 **DB** 457 × 914 | **SOLID CLIC** 389 × 729 **RIGID AC** 399 × 730



Riverside 0436 **DB** 610 × 610 | **SOLID CLIC** 389 × 729 **RIGID AC** 399 × 730




Bloom Uni Taupe 0868 **DB** 610 × 610 | **SOLID CLIC** 389 × 729 **RIGID AC** 399 × 730



Curton Stone Light Grey 1275 **DB** 457 × 914 | **SOLID CLIC** 389 × 729 **RIGID AC** 399 × 730



Bloom Uni Grey 0869 **DB** 610 × 610 | **SOLID CLIC** 389 × 729 **RIGID AC** 399 × 730



192 Design shade variation: Light Medium high



Creation 40

| | | Dry Back | Solid Clic | Rigid
Acoustic | Skirting
Matching
Design | Coverstrip
Matching
Design | Emboss | NCS | LRV |
|------|--------------------------|------------|------------|-------------------|--------------------------------|----------------------------------|--------------|-----------|------|
| Code | Color Design | | <u> </u> | 五 | | | | | |
| 0447 | Amador | 184 × 1219 | 212 × 1239 | 229 × 1250 | S004 | S004 | Saw Effect * | 5005-Y50R | 25.1 |
| 0347 | Ballerina | 184 × 1219 | 212 × 1239 | 229 × 1250 | S008 | S008 | Natural | 4040-Y20R | 28.4 |
| 0869 | Bloom Uni Grey | 610 × 610 | 389 × 729 | 399 × 730 | S071 | S071 | Hammered | 5005-B20G | 23.2 |
| 0868 | Bloom Uni Taupe | 610 × 610 | 389 × 729 | 399 × 730 | S072 | S072 | Hammered | 4502-Y | 28.5 |
| 0871 | Bostonian Oak | 184 × 1219 | 212 × 1239 | 229 × 1250 | S016 | S016 | Natural | 5020-Y20R | 26.4 |
| 0853 | Bostonian Oak Beige | 184 × 1219 | 212 × 1239 | 229 × 1250 | S017 | S017 | Natural | 4005-Y20R | 36.7 |
| 0851 | Bostonian Oak Honey | 184 × 1219 | 212 × 1239 | 229 × 1250 | S019 | S019 | Natural | 4020-Y20R | 29.8 |
| 0618 | Carmel | 457 × 914 | 389 × 729 | 399 × 730 | S020 | S020 | Hammered | 6005-Y50R | 19.2 |
| 0850 | Cedar Brown | 230 × 1500 | 240 × 1461 | 229 × 1492 | S024 | S024 | Natural | 5020-Y20R | 21.3 |
| 0849 | Cedar Pure | 230 × 1500 | 240 × 1461 | 229 × 1492 | S025 | S025 | Natural | 3010-Y30R | 39.8 |
| 1276 | Curton Stone Light Beige | 457 × 914 | 389 × 729 | 399 × 730 | S184 | S184 | Stone ** | 2010-Y40R | 48.9 |
| 275 | Curton Stone Light Grey | 457 × 914 | 389 × 729 | 399 × 730 | S185 | S185 | Stone ** | 3005-Y20R | 45.9 |
|)441 | Honey Oak | 184 × 1219 | 212 × 1239 | 229 × 1250 | S033 | S033 | Natural | 4020-Y20R | 27.7 |
|)455 | Long Board | 184 × 1219 | 212 × 1239 | 229 × 1250 | S034 | S034 | Brushed | 4010-Y30R | 24.8 |
| 0448 | Malua Bay | 184 × 1219 | 212 × 1239 | 229 × 1250 | S035 | S035 | Brushed | 2502-Y | 47.1 |
|)461 | Michigan | 184 × 1219 | 212 × 1239 | 229 × 1250 | S038 | S038 | Brushed | 6020-Y30R | 13.5 |
| 0374 | Parker Station | 610 × 610 | 389 × 729 | 399 × 730 | S047 | S047 | Hammered | 8000-N | 12.6 |
| 0503 | Quartet | 184 × 1219 | 212 × 1239 | 229 × 1250 | S056 | S056 | Natural | 5020-Y20R | 19.4 |
| 0859 | Quartet Fauve | 184 × 1219 | 212 × 1239 | 229 × 1250 | S057 | S057 | Natural | 4030-Y20R | 23.9 |
| 0870 | Quartet Honey | 184 × 1219 | 212 × 1239 | 229 × 1250 | S058 | S058 | Natural | 3040-Y20R | 28.2 |
| 0456 | Ranch | 184 × 1219 | 212 × 1239 | 229 × 1250 | S053 | S053 | Brushed | 5005-Y50R | 23.5 |
| 0436 | Riverside | 610 × 610 | 389 × 729 | 399 × 730 | S032 | S032 | Hammered | 6502-Y | 16.7 |
|)445 | Rustic Oak | 184 × 1219 | 212 × 1239 | 229 × 1250 | S062 | S062 | Natural | 4030-Y20R | 20.4 |
| 286 | Salento Beige | 184 × 1219 | 212 × 1239 | 229 × 1250 | S186 | S186 | Natural | 2010-Y40R | 37.0 |
| 1287 | Salento Light Grey | 184 × 1219 | 212 × 1239 | 229 × 1250 | S187 | S187 | Natural | 2005-Y40R | 46.6 |
| 0848 | Swiss Oak Beige | 184 × 1219 | 212 × 1239 | 229 × 1250 | S011 | S011 | Natural | 3010-Y30R | 40.1 |
| 0796 | Swiss Oak Golden | 184 × 1219 | 212 × 1239 | 229 × 1250 | S015 | S015 | Natural | 4030-Y20R | 25.8 |
| 0846 | Swiss Oak Pearl | 184 × 1219 | 212 × 1239 | 229 × 1250 | S014 | S014 | Natural | 3502-Y | 36.1 |
| 0504 | Twist | 184 × 1219 | 212 × 1239 | 229 × 1250 | S039 | S039 | Natural | 3010-Y30R | 38.9 |
| 0584 | White Lime | 184 × 1219 | 212 × 1239 | 229 × 1250 | S074 | S074 | Saw Effect * | 4005-Y20R | 36.0 |

194

Packaging

| Product size (mm) | m²/box | m²/pallet |
|-------------------|--------|-----------|
| Creation 40 T | rend | |
| 457.2×914.4 | 4.60 | 230 |
| 609.6×609.6 | 4.83 | 202.86 |
| 184.15×1219.2 | 4.71 | 263.76 |
| 230×1500 | 4.49 | 255.93 |

| Product size (mm) | m²/box | m²/pallet |
|-------------------|------------|-----------|
| Creation 40 | Solid Clic | |
| 212×1238.8 | 2.10 | 113.50 |
| 239.6×1460.8 | 2.45 | 117.60 |
| 388.8×728.7 | 1.98 | 107.10 |

| Product size (mm) | m²/box | m²/pallet |
|-------------------|-----------|-----------|
| Creation 40 R | igid Acou | ustic |
| 229×1250 | 2 | 96.4 |
| 229×1492 | 2.39 | 114.8 |
| 399×730 | 2.04 | 114.2 |
| | | |

Exclusive embosses







Hammered



Saw effect



Natural



Brushed

^{*} Brushed emboss in Rigid Acoustic ** Hammered emboss in Rigid Acoustic

197

Luxury Vinyl Tile



PROTECSHIELD™

ENHANCED PERFORMANCES



Micro scratch resistance



Easy maintenance

ULTRA MATT SURFACE



Natural look

4D DESIGN

CRYSTAL WEAR LAYER



Authentic Look





Ultra realism

STRUCTURED EMBOSS



Ultra realistic surface

BEVELLED EDGES



Tiles & Planks effect

RESILIENT COMFORT CORE



Acoustic comfort



....



sv installation



asy cutting

LVT decoratives strips

Format (mm) 4×914mm





100% Reach Phthalate free



100% Recyclable Up to 35% recycled content



TVOC emissions below detection level (TVOC < 104g/m³ after 28 days) No formaldehyde

Creation 30

Creation 30 Design is a synthetic, decorative, flexible, antistatic abrasion group T floorcoverings available in tile or plank, with bevelled edges. It consists in a 0,3 mm thick transparent wear layer, a design film and a Resilient Comfort Core to provide softness and comfort surface. The overall thickness is 2 mm.

They benefit from a cross-linked polyurethane surface treatment (**Protecshield** TM), making maintenance easier and prevent from micro scratches.

Creation 30 Design is a glued floorcovering, resistant to

use (residential / commercial use) of 23 / 31 according to EN-ISO 10874 and has Bfl -s1 class for smoke emission according to EN 13501-1.

Creation 30 Design is made with phthalate free plasticizers, except recycled content. It is 100% recyclable and made with 35% of recycled content. It is 100% compliant


The product emission rate of organic compounds is

< 10 microgram/m³ (TVOC < 28 days – ISO 16000-6).

Can be combined with pre-adhesive underlayer.

Gerflor Smart Fix 16 dB





Code: 1698 - Format: 1m x 7.5ml

| | | | Creation 30 | |
|--|--|--------------------------|---|--|
| | | | Creation 30 Design | |
| Description | | | | |
| Total thickness | EN ISO 24346 | mm | 2 | |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.30 | |
| Weight | EN ISO 23997 | g/sqm | 3 460 | |
| Size | EN ISO 24342 | mm | Planks - 184 × 1219 / 230×1500
Tiles - 457×914 / 610×610 | |
| Number of planks / tiles and sqm per box | - | - | 15-11-9-9 /
3.36-3.80-3.76-3.35 | |
| Classification | | | | |
| Norm / Product specification | - | - | EN ISO 10582 | |
| European classification | EN ISO 10874 | class | 23 - 31 | |
| Fire rating | EN 13501-1 | class | B _{fl} -s1 | |
| Static electrical propensity | EN 1815 | kV | < 2 | |
| Slip resistance wet: ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 | |
| Performances | | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 | |
| Wear group | = | group | T | |
| Type Binder content | ISO 10582 | type | I | |
| Room impact | NF S 31074 | dB | 77 | |
| Impact sound insulation | EN ISO 717-2 | dB | 4 | |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.25 | |
| Dimensional stability (average measured value) | - | % | ≤ 0.10 | |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 | |
| Castor chair test (type H) | ISO 4918 | - | OK | |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 | |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | |
| Surface treatment | - | - | ProtecShield™ | |
| Chemical products resistance | EN ISO 26987 | - | OK | |
| Environment / indoor air qu | uality | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 | |
| Certification | | | Floorscore® | |
| CF marking | | | | |

CE marking

((



Creation 30 Solid Clic

Luxury Vinyl Tile

4.5 mm _{0.30 mm} **EXCLUSIVE** INTERLOCKING

PROTECSHIELD™

ENHANCED PERFORMANCES



Micro scratch resistance



ULTRA MATT SURFACE



Natural look

4D DESIGN

CRYSTAL WEAR LAYER



Authentic Look





Ultra realism





Ultra realistic surface

BEVELLED EDGES



Tiles & Planks effect

DUOCORE 2.0 TECHNOLOGY

RESILIENT COMFORT CORE





NEW RIGID CORE



Renovation over ceramic tiles



Resistance against high temperature

CUTTING





100% Reach

SYSTEM

ANGULAR

 \mathcal{A}

ON LONG SIDE

Quiet installation

VERTICAL ON SHORT SIDE

众众众

Traffic resistance Durability

Fast & easy to install

Waterproof Joints



100% Recyclable Up to 55% recycled content



detection level (TVOC < 10µg/m³ after 28 days)

Creation 30 Solid Clic

Creation 30 Solid Clic is a decorative, flexible, abrasion group T floorcoverings available in tiles and planks, with bevelled edges. It consists in a 0,3 mm thick transparent wear layer, a design film of 2 m width printed in high definition to have more variety in the design and the technology "Duo Core 2.0": combination of a rigid core back layer for easy renovation and a flexible core top layer to provide softness and comfort surface, the whole with a double reinforcement for enhanced durability. The overall thickness is 4,5 mm.

They benefit from a cross-linked polyurethane surface treatment (**Protecshield™**), making maintenance easier and avoiding microscratches.

Creation 30 Solid Clic is an interlocking floorcovering assembled with a vertical system on the short side and a horizontal system on long side for a quick and solid installation. It has a European class (residential / commercial use) 23/31 according to EN-ISO 10874 and has Bfl-s1 class for smoke emission according to EN 13501-1. Creation 30 Solid Clic is made with phthalate free plasticizers (except recycled content). It is 100% recyclable and made with a recycled content up to 55%. It is 100% compliant with REACH. The product emission rate of organic compounds is < 10 microgram/m³ (TVOC < 28 days – ISO 16000-6).

To be combined with Gerflor acoustic underlayers





Please refer to Gerflor's installation guidelines.

Code: 1798 - Format: 1m x 15ml

Code: 0704 - Format: 0.98m x 15.3ml

Gerflor Acoustic Plus 19 dB

Gerflor Silence Plus 19 dB

Code: 5949 - Format: 1.18m x 8.5ml

Creation 30 Solid Clic

| | | | Creation 30 Solid Clic |
|--|--|--------------------------|---|
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 4.50 |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.30 |
| Weight | EN ISO 23997 | g/sqm | 7118 |
| Size | EN ISO 24342 | mm | Planks - 212×1238,8 / 240 × 1461
Tiles - 389 × 729 |
| Number of planks / tiles and sqm per box | EN ISO 24342 | mm | 8-7-7/
2,10-2,45-1,98 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 10582 |
| European classification | EN ISO 10874 | class | 23 - 31 |
| Fire rating | EN 13501-1 | class | Bfl-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet: ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | < 2.0 |
| Wear group | - | group | Т |
| Type Binder content | ISO 10582 | type | I |
| Room impact | NF S 31074 | dB | 79 |
| Impact sound insulation | EN ISO 717-2 | dB | 4 |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.15 |
| Dimensional stability (average measured value) | - | % | ≈ 0.05 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 |
| Castor chair test (type H) | ISO 4918 | - | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | ProtecShield™ |
| Chemical products resistance | EN 423 | - | OK |
| Environment / indoor air quality | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 |
| Certification | = | = | Floorscore® |
| CE Marking | | | |

EN 14041



Creation 30



Brownie 0459 **DB** 184 × 1219



Bostonian Oak 0871 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Cedar Brown 0851 **DB** 230 × 1500 | **SOLID CLIC** 240 × 1461



SOLID CLIC

Creation 30 (Dry Back) Creation 30 Solid Clic

Oak Fantasy Honey 1296 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Oak Fantasy Brown 1294 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Oak Fantasy Grey 1295 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Bostonian Oak Honey 0851 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Quartet Honey 0870 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Michigan 0461 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Amarante 0579 **DB** 184 × 1219



Ballerina 0347 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Quartet Fauve 0859 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Quartet 0503 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Buffalo 0457 **DB** 184 × 1219



White Lead Oak Dark Beige 1289 **DB** 184 × 1219



Swiss Oak Golden 0796 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239

200 Design shade variation: Light Medium high









Creation 30



Honey Oak 0441 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Cedar Pure 0849 **DB** 184 × 1219 | **SOLID CLIC** 240 × 1239



Twist 0504 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Rustic Oak 0445 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Cambridge 0465 **DB** 184 × 1219



Northwood Mokaccino 0817 **DB** 184 × 1219



Long Board 0455 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



White Lead Oak Blond 1288 **DB** 184 × 1219



Salento Light Grey 1287 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Braukerne Natural 1292 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Braukerne Beige 1293 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Salento Beige 1286 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



DB SOLID CLIC
Creation 30 (Dry Back) Creation 30 Solid Clic

202 Design shade variation: Light Medium high










Creation 30



Chevron Hurricane 0809 **DB** 184 × 1219



Oxford 0061 **DB** 184 × 1219



Swiss Oak Beige 0848 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



SOLID CLIC

Creation 30 (Dry Back) Creation 30 Solid Clic

Malua Bay 0448 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Bostonian Oak Grey 0855 **DB** 184 × 1219



Amador 0447 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Arena 0060 **DB** 184 × 1219



Bostonian Oak Beige 0853 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



Ranch 0456 **DB** 184 × 1219 / 230×1500 | **SOLID CLIC** 212 × 1239



Paint Wood Taupe 0856 **DB** 184 × 1219



Swiss Oak Pearl 0846 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



White Lime 0584 **DB** 184 × 1219 | **SOLID CLIC** 212 × 1239



White Lead Oak Shadow Grey 1290 **DB** 184 × 1219



Swiss Oak Cashmere 0795 **DB** 184 × 1219



Stripe Oak Ice 0858 **DB** 184 × 1219



Northwood Macchiato 0816 **DB** 184 × 1219

Parker Station 0374 DB 610 × 610


SOLID CLIC 389 × 729



Creation 30

Luxury Vinyl Tile

Durango Taupe 0751 **DB** 610 × 610



Curton Stone Light Grey 1275 **DB** 457 × 914 **SOLID CLIC** 389 × 729



Durango Moka 0750 **DB** 610 × 610



Curton Stone Light Beige 1276 **DB** 457 × 914 **SOLID CLIC** 389 × 729



Bloom Uni Taupe 0868 **DB** 610 × 610 **SOLID CLIC** 389 × 729



Reggia Ivory 0861 **DB** 457 × 914



Back Street 0748 **DB** 457 × 914




Urban Street Beige 1285 **DB** 610 × 610








Riverside 0436 **DB** 610 × 610 **SOLID CLIC** 389 × 729



Silver City 0373 **DB** 610 × 610



Urban Street Medium 1284 **DB** 610 × 610



Carmel 0618 **DB** 457 × 914 **SOLID CLIC** 389 × 729



Bloom Uni Grey 0869 **DB** 610 × 610 **SOLID CLIC** 389 × 729



Urban Street Light 1283 **DB** 610 × 610

207

206 Design shade variation: Light Medium high



Oppland Stone

Creation 30

| | | Dry Back | Solid Clic | Skirting
Matching design | Coverstrip
Matching design | Emboss | NCS | LRV |
|-------------------|---|--------------------------|------------|-----------------------------|-------------------------------|--------------------|---------------------|--------------|
| Code | Color Design | | 弖 | 盂 | L | | | |
| 447 | Amador | 184 × 1219 | 212 × 1239 | S004 | S004 | Saw Effect | 5005-Y50R | 25.1 |
| 579 | Amarante | 184 × 1219 | - | S005 | S001 | Brushed | 5010-Y30R | 21.3 |
| 060 | Arena | 184 × 1219 | - | S026 | S001 | Saw Effect | 4005-Y20R | 37.2 |
| 748 | Back Street | 457 × 914 | - | S095 | S001 | Hammered | 4502-Y | 27.9 |
| 347 | Ballerina | 184 × 1219 | 212 × 1239 | S008 | S008 | Natural | 4040-Y20R | 28.4 |
| 869 | Bloom Uni Grey | 610 × 610 | 389 × 729 | S071 | S071 | Hammered | 5005-B20G | 23.2 |
| 868 | Bloom Uni Taupe | 610 × 610 | 389 × 729 | S072 | S072 | Hammered | 4502-Y | 28.5 |
| 871 | Bostonian Oak | 184 × 1219 | 212 × 1239 | S016 | S016 | Natural | 5020-Y20R | 26.4 |
| 853 | Bostonian Oak Beige | 184 × 1219 | 212 × 1239 | S017 | S017 | Natural | 4005-Y20R | 36.7 |
| 855 | Bostonian Oak Grey | 184 × 1219 | - | S018 | S001 | Natural | 6005-Y20R | 24.0 |
| 851 | Bostonian Oak Honey | 184 × 1219 | 212 × 1239 | S019 | S019 | Natural | 4020-Y20R | 29.8 |
| 293 | Braukerne Beige | 184 × 1219 | 212 × 1239 | S158 | S001 | Brushed | 3010-Y40R | 35.8 |
| 292 | Braukerne Natural | 184 × 1219 | 212 × 1239 | S159 | S001 | Brushed | 3020-Y60R | 29.3 |
| 459 | Brownie | 184 × 1219 | - | S073 | S001 | Natural | 6020-Y30R | 10.7 |
| 457 | Buffalo | 184 × 1219 | - | S075 | S001 | Brushed | 6010-Y10R | 16.3 |
| 465 | Cambridge | 184 × 1219 | - | S065 | S001 | Natural | 3030-Y20R | 39.8 |
| 618 | Carmel | 457 × 914 | 389 × 729 | S020 | S020 | Hammered | 6005-Y50R | 19.2 |
| 850 | Cedar Brown | 230 × 1500 | 240 × 1461 | S024 | S024 | Natural | 5020-Y20R | 21.3 |
| 849 | Cedar Pure | 230 × 1500 | 240 × 1461 | S025 | S025 | Natural | 3010-Y30R | 39.8 |
| 809 | Chevron Hurricane | 184 × 1219 | - | S030 | S001 | Natural | 6502-Y | 13.8 |
| 276 | Curton Stone Light Beige | 457 × 914 | 389 × 729 | S184 | S184 | Stone | 2010-Y40R | 48.9 |
| 275 | Curton Stone Light Grey | 457 × 914 | 389 × 729 | S185 | S185 | Stone | 3005-Y20R | 45.9 |
| 750 | Durango Moka | 610 × 610 | - | S164 | S001 | Hammered | 6005-Y50R | 20.5 |
| 751 | Durango Taupe | 610 × 610 | - | S093 | S001 | Hammered | 3005-Y20R | 37.7 |
| 441 | Honey Oak | 184 × 1219 | 212 × 1239 | S033 | S033 | Natural | 4020-Y20R | 27.7 |
| 455 | Long Board | 184 × 1219 | 212 × 1239 | S034 | S034 | Brushed | 4010-Y30R | 24.8 |
| 448 | Malua Bay | 184 × 1219 | 212 × 1239 | S035 | S035 | Brushed | 2502-Y | 47.1 |
| 461 | Michigan | 184 × 1219 | 212 × 1239 | S038 | S038 | Brushed | 6020-Y30R | 13.5 |
| 816 | Northwood Macchiato | 184 × 1219 | - | S040 | S001 | Brushed | 1502-Y50R | 67.8 |
| 817 | Northwood Mokaccino | 184 × 1219 | - | S041 | S001 | Brushed | 3010-Y30R | 39.3 |
| 294 | Oak Fantasy Brown | 184 × 1219 | 212 × 1239 | S172 | S001 | Brushed | 7010-Y90R | 8.7 |
| 295 | Oak Fantasy Grey | 184 × 1219 | 212 × 1239 | S173 | S001 | Brushed | 6010-Y70R | 11.4 |
| 296 | Oak Fantasy Honey | 184 × 1219 | 212 × 1239 | S174 | S001 | Brushed | 5020-Y50R | 19.5 |
| 291 | Oppland Stone | 457 × 914 | - | S175 | S001 | Hammered | 7500-N | 7.7 |
| 061 | Oxford | 184 × 1219 | - | S043 | S001 | Brushed | 5502-Y | 19.2 |
| 856 | Paint Wood Taupe | 184 × 1219 | - | S046 | S001 | Brushed | 5502-Y | 18.9 |
| 374 | Parker Station | 610 × 610 | 389 × 729 | S047 | S047 | Hammered | 8000-N | 12.6 |
| 503 | Quartet | 184 × 1219 | 212 × 1239 | S056 | S056 | Natural | 5020-Y20R | 19.4 |
| 859 | Quartet Fauve | 184 × 1219 | 212 × 1239 | S057 | S057 | Natural | 4030-Y20R | 23.9 |
| 870 | Quartet Honey | 184 × 1219 | 212 × 1239 | S058 | S058 | Natural | 3040-Y20R | 28.2 |
| 456 | Ranch | 184 × 1219 | 212 × 1239 | S053 | S053 | Brushed | 5005-Y50R | 23.5 |
| 861 | Reggia Ivory | 230 × 1500 | - | S054 | S001 | Stone | 3010-Y20R | 46.1 |
| 436 | Riverside | 457 × 914 | 389 × 729 | S032 | S032 | Hammered | 6502-Y | 16.7 |
| 445 | Rustic Oak | 610 × 610 | 212 × 1239 | S062 | S062 | Natural | 4030-Y20R | 20.4 |
| 286 | Salento Beige | 184 × 1219 | 212 × 1239 | S186 | S186 | Natural | 2010-Y40R | 37.0 |
| 287 | Salento Light Grey | 184 × 1219 | 212 × 1239 | S187 | S187 | Natural | 2005-Y40R | 46.6 |
| 373 | Silver City | 184 × 1219 | - | S048 | S001 | Hammered | 6502-Y | 19.1 |
| 858 | Stripe Oak Ice | 610 × 610 | | S009 | S001 | Natural | 3502-Y | 37.3 |
| 348 | Swiss Oak Beige | 184 × 1219 | 212 × 1239 | S011 | S011 | Natural | 3010-Y30R | 40.1 |
| 95 | Swiss Oak Cashmere | 184 × 1219 | | S012 | S001 | Natural | 4010-Y30R | 33.3 |
| 796 | Swiss Oak Golden | 184 × 1219 | 212 × 1239 | S015 | S015 | Natural | 4030-Y20R | 25.8 |
| 346 | Swiss Oak Pearl | 184 × 1219 | 212 × 1239 | S014 | S014 | Natural | 3502-Y | 36.1 |
| 504 | Twist | 184 × 1219 | 212 × 1239 | S039 | S039 | Natural | 3010-Y30R | 38.9 |
| 285 | Urban Street Beige | 184 × 1219 | - | S178 | S001 | Hammered | 4005-Y50R | 31.2 |
| 283 | Urban Street Light | 610 × 610 | - | S094 | S001 | Hammered | 3502-R | 42.3 |
| 284 | Urban Street Medium | 610 × 610 | - | S180 | S001 | Hammered | 4502-R | 26.5 |
| | White Lead Oak Blond | 610 × 610 | - | S181 | S001 | Brushed | 3010-Y40R | 29.6 |
| 288 | | | | | | | | |
| | White Lead Oak Dark Beige | 184 × 1219 | - | S182 | S001 | Brushed | 5010-Y10R | 25.3 |
| 288
289
290 | White Lead Oak Dark Beige
White Lead Oak Shadow Grey | 184 × 1219
184 × 1219 | - | S182
S183 | S001
S001 | Brushed
Brushed | 5010-Y10R
3502-Y | 25.3
34.6 |

Packaging

| Product size (mm) | m²/box | m²/pallet | | | | |
|--------------------|--------|-----------|--|--|--|--|
| Creation 30 Design | | | | | | |
| 457 × 914 | 3.76 | 248.16 | | | | |
| 610 × 610 | 3.35 | 234.50 | | | | |
| 184 × 1219 | 3.36 | 241.92 | | | | |
| 230×1500 | 3.80 | 250.80 | | | | |
| Chevron 184 × 1219 | 3.14 | 251.20 | | | | |

| Product size (mm) | m²/box | m²/pallet | | | |
|------------------------|--------|-----------|--|--|--|
| Creation 30 Solid Clic | | | | | |
| 212 × 1239 | 2.10 | 113.50 | | | |
| 240 × 1461 | 2.45 | 117.60 | | | |
| 389 × 729 | 1.98 | 107.10 | | | |
| | | | | | |

Exclusive embosses _







Stone

Saw effect

Brushed





Hammered

Natural

S001: S001: S001: White Aluminium 209

reation

Luxury Vinyl Tile

My Creation / My Saga² New

Beyond the norm

As you are unique and each of your projects represents a new challenge, Gerflor gives you the chance to stand out, from 200 sqm.

One atmosphere, one style, one floor, but several possibilities...

My Creation _____

Available installations:

My Creation 70 Glue Down My Creation 55 Glue Down

Available formats:


Lame 208 × 1243 mm Dalle 496,5 × 996,5 mm



My Saga²

Available formats:

Dalle 500 × 500 mm



3 Possibilities

New My Creation and My Saga² collections are available on

Do no thesitate to contact

your sales representative



1 - Colour

Set the tone of your project by recolouring the design of your choice in our Creation or Saga² ranges



2 - Collection

Leave a big impression on the atmosphere that you create thanks to our unique collection of 50 designs that reflect the major decorative trends that are popular today.

All of our customisable designs: myfloorbygerflor.com



3 - Customisation

Enhance the visual identity of your company or that of your clients by printing a logo and/or your own designs.



My Creation, My Saga²

Let's bring your inspiration to life together!



Luxury vinyl tile

More than a floor...

Underlayer

Creation Solid Clic









Creation (Dry Back)*

Code: 1798 Format: 1m x 15ml

Code: 0704 Format: 0.98m x 15.3ml

Format: 1.18m x 8.5ml

Code: 1698 Format: 1m x 7.5ml

Design skirting







Vinyl Code: 6086 + Color code / MDF Code: 5947 + Color code

Design coverstrip







Code: 0647 + Color code - Format: 45mm x 0.90m Available colors on gerflor.com

Expansion gap

Threshold

Entrance mat.

Quickmat Tiles: Pre-adhesived planks (12mm thick)





^{*} Except Creation 70




Technical Tiles


pages 214-229

218. Technical tiles - GTI®218. GTI® Max
218. GTI® Pure
222. GTI® EL5

226. Technical tiles - Attraction®

Traffic





216


Technical tiles

GTI® Max - GTI® Pure

GTI® Max Connect & Cleantech







GTI® Max is a multi-layered interlocking looselay vinyl tile with polyurethane treatment (PUR+), 6 mm thick with a dovetail joint for the **Connect** configuration and with welded joints for the **Cleantech** configuration.

GTI® is manufactured by Gerflor using a continuous high pressure process, abrasion group T. The **GTI® Max** wearlayer is reinforced by specific oblong fillers that offers an outstanding resistance to traffic.

GTI[®] **Max** is reinforced with 2 glass fibre grids on either side of an intermediate pressed homogeneous layer.

GTI® Max backing is a 4 mm thick black pressed homogeneous sheet, its surface is a coloured and reinforced homogeneous sheet 2 mm thick. The product is 100% recyclable.

GTI® Max is made with a phthalate free plasticizer.


GTI® Access are ramps that provide continuity between the tile and the existing floor.

GTI° **Corner** enable covering of inaccessible corners or finishing central patterns.





GTI® Pure Connect



GTI° **Pure** is a multi-layered interlocking looselay vinyl tile with polyurethane treatment **(PUR+)**, 6 mm thick with a dovetail joint for the **Connect** configuration.

GTI® Pure is manufactured by Gerflor using a continuous high pressure process, abrasion group T. The GTI® Pure wearlayer is a Pure vinyl homogeneous wear layer with no filler, incorporating very densely pressed coloured chips and without any transparent wear layer. It offers an outstanding abrasion and scratch resistance and an high resistance to traffic.

GTI® Pure is reinforced with 2 glass fibre grids on either side of an intermediate pressed homogeneous layer.

GTI® Pure backing is a 5 mm thick black pressed homogeneous sheet, its surface is a colored and reinforced homogeneous sheet 1 mm thick. The product is 100% recyclable.

GTI® Pure is made with a phthalate free plasticizer.





Removable R10 PUR+



- Resistant to heavy traffic
- Fast renovation: can be installed over existing floorcovering
- No subfloor preparation, no adhesive and no production stop (no loss of money)
- Polyurethane surface treatment PUR+ for ease of maintenance
- 6 Standard logos: Mix and match colours to create corners and walkways

| | | | GTI° M | lax | GTI° Pure |
|--|--|----------------|---|--|-------------------|
| Description | | | | | |
| Total thickness | EN ISO 24346 | mm | 6 | | 6 |
| Wearlayer thickness | EN ISO 24340 | mm | 2 | | 1 |
| Weight | EN ISO 23997 | g/m² | 9365 | | 8935 |
| Size | EN ISO 24342 | mm | 635 × 635 (
600 × 600 Cleantech (| | 635 × 635 Connect |
| Classification | | | | | |
| Norm / Product specification | - | - | EN ISO 10 |)582 | EN ISO 10582 |
| European classification | EN ISO 10874 | class | 34-4 | 3 | 34-43 |
| Fire rating | EN 13501-1 | class | Bfl-s | 1 | Bfl-s1 |
| Static electrical propensity | EN 1815 | kV | < 2 | | < 2 |
| Slip resistance wet:
ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 | | R10 |
| Pendulum test | BS7976 | - | Concrete emboss ⁽²⁾ :
+36 PTV | Rice emboss ⁽²⁾
Soft emboss ⁽²⁾ | Soft emboss |
| Performances | | | , | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 |) | ≤ 2.0 |
| Wear group | - | group | Т | | Т |
| Type Binder content | EN ISO 10582 | type | I | | I |
| Dimensional stability | EN ISO 23999 | % | ≤ 0.1 | 5 | ≤ 0.15 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 |) | ≤ 0.10 |
| Castor chair test (type W) | ISO 4918 | - | OK | | OK |
| Shore Hardness | EN ISO 868 | H _D | ≥ 55 | | - |
| Shifting resistance | CAHIER CSTB 3562 | N/mm² | ≥ 30 | | - |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 | | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | | ≥ 6 |
| Surface treatment | - | - | PUR- | ÷ | PUR+ |
| Chemical products resistance | EN ISO 26987 | _ | OK | | OK |
| Environment / indoor ai | r quality | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m³ | < 10 | | < 10 |
| Certification | - | - | Floorsco | ore® | Floorscore® |
| CE marking | | | | | |

((

EN 14041





(1) Available upon request

(2) +36 PTV only for 7 references GTI® Max: Ermelino - Ora - Bora - Libeccio - Grecale - Sirocco - Tramontana

GTI® LOGOS













0001 Caution 000

0002 Forklift


0006 Pedestrian 0003

0003 Arrow


0005 No entry 00

0004 Stop

Rice Emboss



Concrete Emboss



On order Mog: 500 sqm

All these colours are available in GTI° MAX CLEANTECH. For more details please contact your Gerflor representative.

GTI[®] Max - GTI[®] Pure






Removable R10 PUR+



Soft Emboss



*On order Mog: 500 sqm




Removable R10 PUR+




100% recyclable

Soft Emboss




Accessories GTI® Max - GTI® Pure

Aluminium ramp 5-6 mm



Aluminium Ramp 5-6 mm / Ref. 0505 + Aluminium Corner 5-6 mm / Ref. 1513

See page 332



Ref. 0500 See page 332



Ref. 1700 See page 335

Corner & Access GTI° CORNER CONNECT 320 × 320 mm GTI® ACCESS CONNECT 635 × 320 mm **GTI° CORNER** CLEANTECH GTI® ACCESS CLEANTECH

Technical tiles

GTI® EL5


GTI® EL5 Connect & Cleantech







GTI® EL5 CLEANTECH



GTI° **EL5 Connect is a multi-layered looselay vinyl tile, 6 mm thick,** reinforced with 2 glass fibre grids.

GTI® EL5 Connect tiles can be installed using interlocking system with dove tails.

GTI® EL5 Cleantech is a multi-layered looselay vinyl tile, 6 mm thick, reinforced with 2 glass fibre grids.

GTI® EL5 Cleantech is available in **square format with welded joints** for clean environments and watertight systems requirements.

GTI® EL5 wearlayer is 2 mm vinyl homogeneous manufactured with continuous high pressure process, abrasion group P. It offers an outstanding resistance to traffic.

This floorcovering is treated with **Evercare™** technology: the latest improvements in polyurethane surface treatment obtained by UV laser cross-linking. Evercare™ offers **easy maintenance and resistance against staining** of chemical products used in healthcare like betadine, eosin or anti-bacterial hand gel; **and decontamination protocols.**

This treatment has excellent maintenance characteristics; it requires no wax for life!

The carbon encapsulated granules throughout its full thickness and the **conductive backing** and **conductive surface treatment** ensure optimal and consistent conductive properties throughout its full life expectancy.

• 5 × 10⁴ ≤ Rt ≤ 10⁶ according to EN 1081 It has permanent antistatic properties.

• < 2000 V according to EN 1815

The product is non-emissive of volatile organic compounds with < 10 microgram/m³ (TVOC after 28 days ISO 16000-6).

| Complementary Finishes | | | | | | |
|------------------------|------------------|------|-------------------------|--|--|--|
| | GTI® EL5 Connect | | GTI® EL5 Cleantech | | | |
| | | 2715 | Access | | | |
| 2717 | Access | 2716 | Corner | | | |
| | | 2722 | Conductive Welding Rods | | | |
| | | | | | | |







Removable R9 Evercare™



Connect

- Fast Installation
- Resistance to heavy traffic

Cleantech

- Watertight System (hot welding)
- Resistance to heavy traffic

| | | GTI [®] EL5 |
|--|---|---|
| | | |
| EN ISO 24346 | mm | 6 |
| EN ISO 24340 | mm | 2 |
| EN ISO 23997 | g/m² | 9240 |
| EN ISO 24342 | mm | 635 × 635 (Connect)
650 × 650 (Cleantech) |
| | | |
| - | - | EN ISO 10582 |
| EN ISO 10874 | class | 34-43 |
| EN 13501-1 | class | Bfl-s1 |
| EN 1081 | Ohm | 5×10 ⁴ ≤Rt≤10 ⁶ |
| EN 1815 | kV | < 2 |
| EN 16165:2021 –
Appendix B (DIN 51 130) | class | R9 |
| | | |
| EN 660.2 | mm³ | ≤ 4.0 |
| NF 189 | group | Р |
| EN ISO 10582 | type | I |
| EN ISO 23999 | % | ≤ 0.25 |
| ISO 4918 | - | OK |
| EN ISO 868 | H _D | ≥ 90 |
| EN ISO 10456 | W/(m.k) | 0.25 |
| EN ISO 105-B02 | degree | ≥ 6 |
| - | - | Evercare™ |
| EN ISO 26987 | - | OK |
| у | | |
| ISO 16000-6 | microgram/m ³ | < 10 |
| | | |
| | EN ISO 24340 EN ISO 23997 EN ISO 23997 EN ISO 24342 EN ISO 10874 EN 13501-1 EN 1081 EN 1815 EN 16165:2021 - Appendix B (DIN 51 130) EN 660.2 NF 189 EN ISO 10582 EN ISO 23999 ISO 4918 EN ISO 868 EN ISO 10456 EN ISO 10456 EN ISO 105-B02 EN ISO 26987 | EN ISO 24340 mm EN ISO 23997 g/m² EN ISO 24342 mm |

(€

EN 14041











⁽¹⁾ Measured before installation

∧ Scale 1

Technical tiles

GTI® EL5





0354 Blue

0351 Black

224

0352 Grey

Technical tiles

Attraction®

Attraction® Connect & Cleantech






Attraction® connect



Attraction® cleantech



ATTRACTION® is a semi-flexible tile constructed by compacting, at high temperature and over 3000 T, a 4 mm recycled backing and a 1 mm Pure vinyl wear layer. This wear layer is incorporating very densely pressed coloured chips, with a mat finishing and without a transparent wear layer. The product comprises a compact backing which is pressed and reinforced with two glass fibre grids.

ATTRACTION® has a unique dovetail joint which allows fast loose lay installation and replacement.

ATTRACTION® is treated with Protecsol® 2, a surface treatment obtained by UV laser crosslinking.

This **Protecsol® 2** ensures easy maintenance and eliminates permanently the need for acrylic emulsion (metallisation). It avoids staining of chemical products used in healthcare like iodine alcohol, Betadine, eosin and anti-bacterial hand gel.


It has a BfI-s1 fire classification in accordance with standard EN 13501-1. The products emission rate of volatile organic compounds is < 10 microgram/m³ (TVOC after 28 days - ISO 16000-6).

It is made with a phthalate free plasticizer.

It is made of 100% controlled recycled materials.

It does not contain any heavy metals or CMR 1&2 and they are 100% compliant with REACH.

It is 100% recyclable and made with up to 80% recycled content.



Attraction®





Removable R10 Protecsol® 2



The Taralay Premium range in the looselay Attraction® format for an easy and longlasting renovation!

- Fast track and easy installation
- No immobilisation of the premises and no loss of turnover
- Little or no subfloor preparation
- Low maintenance cost: UV cured polyurethane Protecsol® 2 treatment

| | | | Attraction® |
|---|--|--------------------------|--|
| Description | | | |
| Total thickness | EN ISO 24346 | mm | 5.00 |
| Wearlayer thickness | EN ISO 24340 | mm | 1.00 |
| Weight | EN ISO 23997 | g/m² | 7420 |
| Size | EN ISO 24342 | mm | 635 × 635 Connect
600 × 600 Cleantech (without dovetail) (1 |
| Classification | | | |
| Norm / Product specification | - | - | EN ISO 10582 |
| European classification | EN ISO 10874 | class | 34-43 |
| Fire rating | EN 13501-1 | class | B _{fl} -s1 |
| Static electrical propensity | EN 1815
IEC 61340-4-5 | kV
V | < 2 |
| Slip resistance wet: ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 |
| Performances | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 2.0 |
| Wear group | - | group | Т |
| Type Binder content | EN ISO 10582 | type | I |
| Dimensional stability | EN ISO 23999 | % | ≤ 0.25 |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 |
| Castor chair test (type W) | ISO 4918 | - | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 |
| Surface treatment | - | - | Protecsol® 2 |
| Chemical products resistance | EN ISO 26987 | - | OK |
| Environment / indoor air quality | 1 | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 |
| Certification | | - | Floorscore® |
| CE marking | | | |
| CF | EN 14041 | | |
| | EN 14041 | | (A) |

B_{fl}-s1

(1) Available upon request

2745 Plaza (Neopolis)


Technical tiles

Attraction®



Removable R10 Protecsol® 2 2 100% recyclable







All these colours are available in ATTRACTION® CLEANTECH. For more details please contact your Gerflor representative.

Attraction® - Neopolis






Removable R10 Protecsol® 2 2 7 100% recyclable





Accessories Attraction®



2740 Harlem Soft

For more information, please refer to our Attraction® brochure.



pages 230-255

| 234. | EL5 / EL7 Solutions |
|------|--|
| | Dissipative & conductive floors |

Dissipative floors 236. 236. 236. Mipolam EL7
Mipolam Robust EL7

Conductive floors 237.

Mipolam EL5 237. Technic EL5

GTI EL5 (See page 222)

238. Safety Floorings
240. Tarasafe Ultra Sparclean®

241. Tarasafe Standard - Plus - Super Tarasafe Ultra H₂O (See page 245)

242. Shower System
244. Elegance SD
245. Tarasafe Ultra H₂O
246. Tarasafe Design
248. Mural Calypso

250. Wallcoverings 252. Mural Ultra Design


254. Mural Club

Mural Calypso (See page 248)

EL5 / EL7 Solutions

Dissipative floors

Mipolam EL7 - Mipolam Robust EL7







Conductive floors







MIPOLAM EL7 is a dissipative flexible homogeneous vinyl floorcovering available in both sheet and tile form, calendered and compacted and comes in 10 colours. This floorcovering is treated with **EVERCARE™**: the latest improvements in polyurethane surface treatment obtained by UV laser cross-linking. Evercare™ avoids stain of chemical products used in healthcare like Betadine, eosin or anti-bacterial hand gel and increases the durability of the flooring. According to ISO 21702, MIPOLAM EL7 has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h. According to ISO 22196, MIPOLAM EL7 has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h. This treatment has excellent maintenance characteristics; it requires no wax for life! MIPOLAM EL7 acts as a continuous dissipater $10^6 \le Rt \le 10^8$. The product has to be grounded with an ESD copper strip (see finishes) to meet its full performance. The product is non-reactive to residual indentation with a value ≤ 0.02 mm. The flooring has a






<10 microgram/m³ (TVOC after 28 days ISO 16000-6).

binder content type II, is suitable for heavy duty traffic areas and has a BfI-s1 fire

resistance. The product is non-emissive of volatile organic compounds with



MIPOLAM ROBUST EL7 is a dissipative flexible homogeneous vinyl floorcovering available in both sheet and tile. Calendered and compacted. It acts as a continuous dissipater $10^6 \le Rt \le 10^8$ (EN 1081).

Mipolam EL5 - Mipolam Technic EL5




 $10^4 \le Rt \le 10^8 \Omega$






Mipolam EL5



Mipolam Technic EL5

234



MIPOLAM EL5 is a conductive flexible homogeneous vinyl floorcovering available in sheet. The 2 mm homogeneous material incorporates carbon encapsulated granules throughout its full thickness. It has a conductive backing to ensure optimal and consistent conductive properties throughout its full life expectancy. This floorcovering is treated with **Evercare**™: the latest improvements in polyurethane surface treatment obtained by UV laser cross-linking. Evercare[™] avoids stain of chemical products used in healthcare like Betadine, eosin or anti-bacterial hand gel and increases the durability of the flooring. According to ISO 21702, MIPOLAM EL5 has anti-viral activity against Human Coronaviruses: it reduces the number of virus by 99.7% after 2h. According to ISO 22196, MIPOLAM EL5 has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h. This treatment has excellent maintenance characteristics; it requires no wax for life! MIPOLAM EL5 acts as a continuous conductive $10^4 \le Rt \le 10^6$. The product has to be grounded with an ESD copper strip (see finishes) to meet its full performance. The product is non-reactive to residual indentation with a value ≤ 0.02 mm (EN ISO 24343-1). The flooring complies with the EN ISO 10874 (34-43) offering a binder content type II, is suitable for heavy duty traffic areas and has a BfI-s1 fire resistance. The product is non-emissive of volatile organic compounds with < 10 microgram/m³ (TVOC after 28 days ISO 16000-6).



 $10^4 \le Rt \le 10^8 \Omega$



MIPOLAM TECHNIC EL5 is a conductive flexible homogeneous compacted vinyl floorcovering available in tiles.

The conductive carbon coated PVC pellets create a perfect conductive network for permanent conductive and antistatic properties throughout its full

It acts as a continuous conductive 10⁴ ≤ Rt ≤ 10⁶ (EN 1081)







A complete range for Hi-tech applications: electronics and telecommunication areas, computer rooms, operating theatres, radiology...

- Compacted floorcovering for better hygiene, maintenance, and traffic resistance.
- Available in tiles and sheets with specific formats especially adapted to raised floors (608 × 608 mm).

| | | | Mipolam
EL7 | Mipolam
Robust EL7 | Mipolam
EL5 | Mipolam
Technic EL5 |
|---|--|--------------------------|----------------------------------|-----------------------------|-------------------------------|------------------------|
| Description | | | | | | |
| Total thickness | EN ISO 24346 | mm | 2 | 2 | 2 | 2 |
| Weight | EN ISO 23997 | g/sqm | 3100 | 3300 | 2985 | 3800 |
| Width of sheet | EN ISO 24341 | cm | 200 | 200 | 200 | - |
| Length of sheet | EN ISO 24341 | lm | 20 | 20 | 20 | - |
| Tile size | EN ISO 24342 | mm | 608 × 608 | 608 × 608 | - | 608 × 608 |
| Number of tiles per package | - | - | 20 | 20 | - | 20 |
| Classification | | | | | | |
| Norm / Product specification | - | - | EN ISO 10581 | EN ISO 10581 | EN ISO 10581 | EN ISO 10581 |
| European classification | EN ISO 10874 | class | 34-43 | 34-43 | 34-43 | 34-43 |
| Fire rating | EN 13501-1 | class | Bfl-s1 | Bfl-s1 | BfI-s1 | BfI-s1 |
| Electrical resistance ⁽¹⁾ | EN 1081 | Ohm | $10^6 \le Rt \le 10^8$ | $10^6 \le Rt \le 10^8$ | $10^4 \le Rt \le 10^6$ | $10^4 \le Rt \le 10^6$ |
| Static electrical propensity | EN 1815 | kV | < 2 | < 2 | < 2 | < 2 |
| Slip resistance wet | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R9 | - | R9 | - |
| Performances | | | | | | |
| Type Binder content | EN ISO 10581 | type | II | II | Ţ | II |
| Dimensional stability | EN ISO 23999 | % | Sheet ≤ 0.40
Tile ≤ 0.25 | Sheet ≤ 0.40
Tile ≤ 0.25 | ≤ 0.40 | ≃ 0.25 |
| Residual indentation (norm) | EN ISO 24343-1 | | ≤ 0.10 | ≤ 0.10 | ≤ 0.10 | ≤ 0.10 |
| Residual indentation (average measured value) | EN ISO 24343-1 | mm | ≃ 0.02 | ≃ 0.03 | ≃ 0.02 | ≃ 0.03 |
| Castor chair test (type W) | ISO 4918 | _ | OK | OK | OK | OK |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 | 0.25 | 0.25 | 0.25 |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | ≥ 6 | ≥ 6 | ≥ 6 |
| Surface treatment | - | | Evercare™ | - | Evercare™ | _ |
| Chemical products resistance ⁽²⁾ | EN ISO 26987 | _ | OK | OK | OK | OK |
| Anti-bacterial activity (E.coli –
S. aureus – MRSA) after 24h ⁽³⁾ | ISO 22196 | - | > 99% inhibits growth | - | > 99% inhibits growth | _ |
| Anti-viral activity
(human coronavirus) after 2h ⁽³⁾ | ISO 21702 | - | > 99.7%
virucidal
activity | - | > 99.7%
virucidal activity | - |
| Environment / indoor air q | uality | | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 | < 10 | < 10 | < 10 |
| Certification | - | _ | Floorscore® | - | Floorscore® | - |
| CE marking | | | | | | |

(€

EN 14041















- (1) Measured before installation.
- (2) Staining table available upon request.
- (3) The implementation of an effective cleaning method is the best defence against infection

Important: please refer to Gerflor installation guidelines - www.gerflor.com

Dissipative floors: Mipolam EL7 & Mipolam Robust EL7

Conductive floors: Mipolam EL5 / Technic EL5 / GTI EL5






GTI° EL5 (See page 222)

Safety Floorings - Tarasafe






Tarasafe Ultra: Sparclean® Treated



TARASAFE ULTRA is a slip resistant safety vinyl floorcoverings, wearlayer throughout the whole thickness and deeply inlaid mineral crystal particles (patented) and coloured chips for a decorative design. It is reinforced with a glass fibre grid and is available in a sheet format. The range is ideal for heavy traffic applications where slip resistance, durability, hygiene and easy maintenance are required. Suitable for most contract & commercial areas, this is a popular choice in the education and healthcare environments, the matt finish surface is also perfectly suitable for dementia care units. It is 100% recyclable, Floorscore® certified and do not contain any heavy metals or CMR 1&2. It is also 100% compliant with REACH. The product emission rate of volatile organic compounds is < 100 microgram/m³ (TVOC after 28 days - ISO 16000 -6). The SparClean® surface treatment improves the product performance in terms of stain and dirt resistance and designs last longer for extended durability. According to ISO 22196, TARASAFE ULTRA has anti-bacterial activity against MRSA of 99% after 24h.

Tarasafe Ultra H₂O ______ See page 245


Tarasafe Standard: PUR Treated



TARASAFE STANDARD with PUR surface treatment is a slip resistant safety vinyl floorcovering, wearlayer throughout the whole thickness and deeply inlaid mineral crystal particles (patented). It is reinforced by a glass fibre grid and available in a sheet format. It is an ideal solution for heavy traffic applications where slip resistance, durability, hygiene and easy maintenance are required. TARASAFE STANDARD is suitable for most contract & commercial areas. It is 100% recyclable, Floorscore® certified and does not contain any heavy metals or CMR 1&2, it is also 100% compliant with REACH.

The product emission rate of volatile organic compounds is < 100 microgram/m³ (TVOC after 28 days – ISO 16000 -6). The **PUR** surface treatment improves the product performance in term of stain resistance and durability. According to ISO 22196, **TARASAFE STANDARD** has **anti-bacterial activity** against MRSA of 99% after 24h.

Tarasafe Plus / Tarasafe Super: Non-Treated



TARASAFE PLUS and TARASAFE SUPER are slip resistant safety vinyl floorcoverings, wearlayer throughout the whole thickness and deeply inlaid mineral crystal particles (patented). They are reinforced by a glass fibre grid and available in a sheet format. They are an ideal solution for heavy traffic applications where slip resistance, durability, hygiene and easy maintenance are required. TARASAFE PLUS comprises a textile backing for better adherence in wet areas. It helps reducing telegraphing. TARASAFE SUPER and **PLUS** are suitable for most contract & commercial areas. They are 100% recyclable, Floorscore® certified and do not contain any heavy metals or CMR 1&2, they are also 100% compliant with REACH. The product emission rate of volatile organic compounds is < 100 microgram/m³ (TVOC after 28 days – ISO 16000 -6).

- Easy to clean and maintain: due to a compacted non porous surface made of vinyl content
- **Permanent slip resistance:** dense concentration of deep inlaid mineral crystal particles throughout the wear layer
- Enhanced colour, design and brightness: due to the mineral crystal particles
- Highest abrasion rating
- Indoor Air Quality: low VOC emission

| | | _ | Tarasafe | | | | |
|---|--|--------------------------|-----------------------|-----------------------|--------|---------|--|
| | | | Ultra | Standard | Super | Plus | |
| Description | | | | | | | |
| Total thickness | EN ISO 24346 | mm | 2.0 | 2.0 | 2.2 | 2.5 | |
| Thickness of wearlayer | EN ISO 24340 | mm | 0.85 | 0.85 | 1.12 | 1.14 | |
| Weight | EN ISO 23997 | g/sqm | 2460 | 2460 | 2880 | 3090 | |
| Width/Length of sheet | EN ISO 24341 | cm/ml | 200/20 | 200/20 | 200/20 | 200/20 | |
| Classification | | | | | | | |
| Norm/Product specification | - | - | EN ISC | 10582 | EN ISC | 0 10582 | |
| European classification | EN ISO 10874 | class | 34-43 | 34-43 | 34 | -43 | |
| Fire rating | EN 13501-1 | class | BfI-s1 | Bfl-s1 | Bf | l-s1 | |
| Static electrical propensity | EN 1815 | kV | < 2 | < 2 | < | < 2 | |
| Slip resistance: Pendulum Test
(dry & wet) | EN 16165:2021 -
Appendix C (BS 7976-2) | PTV | > 36 | > 36 | | - | |
| Surface roughness Rz | - | μm | Rz ≥ 20 | Rz ≥ 20 | | - | |
| Slip resistance wet: Ramp test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R10 | R10 | R12 | R10 | |
| Slip resistance wet: Ramp test with water | EN 16165:2021 –
Appendix A (DIN 51097) | class | В | В | | - | |
| Slip resistance : Ramp test | EN 13845 (annex C) | class | ESf / ESb | ESf / ESb | - | | |
| Performances | | | | | | | |
| Wear resistance | EN 660.2 | mm³ | ≤2 | ≤2 | 5 | ≤2 | |
| Type Binder content | EN ISO 10582 | type | 1 | I | | 1 | |
| Dimensional stability | EN ISO 23999 | % | ≤ 0.40 | ≤ 0.40 | ≤ (| 0.40 | |
| Residual indentation: exigency | EN ISO 24343-1 | mm | ≤ 0.10 | ≤ 0.10 | ≤ (| 0.10 | |
| Residual indentation (average measure) | - | mm | ≃ 0.03 | ≃ 0.05 | ~ (| 0.03 | |
| Castor chair test (type W) | ISO 4918 | - | OK | OK | (| OK | |
| Impact sound Insulation | EN ISO 717-2 | dB | - | - | | - | |
| Thermal conductivity | EN ISO 10456 | W/(m.K) | 0.25 | 0.25 | 0. | .25 | |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | ≥ 6 | ≥ | : 6 | |
| Surface treatment | - | - | SparClean® | PUR | - | | |
| Chemical products resistance | EN ISO 26987 | - | OK | OK | OK | | |
| Anti-bacterial activity
(MRSA) (1) | ISO 22196 | - | > 99% inhibits growth | > 99% inhibits growth | - | | |
| Environment / indoor air qu | uality | | | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 100 | < 100 | < ' | 100 | |
| Certification | - | - | Floorscore® | Floorscore® | Floor | score® | |

EN 14041

(1) The implementation of an effective cleaning regime is the most important defence against infection.

Tarasafe Ultra Sparclean®

Ompact 2 m R10 SparClean®



4472 Moonstone


4470 Sapphire


4463 Aqua

4460 Topaz


0















8013 Jasper











Color reference available as Tarasafe Ultra H2O (R11).

Tarasafe Standard - Plus - Super

Tarasafe Standard

O 2 m R10 PUR

Compact

Tarasafe Plus

Ompact
Textile Backing

Tarasafe Super

O 2 m R12

Compact










7801 Noir



7386 Savana(1) (2)




7767 Dove Grey^{(1) (2)}



7312 Dune <u>O</u>





7115 Flame

7508 Avocado



7107 Poppy <u>©</u>



7704 Sky Blue








(1) Tarasafe Plus - (2) Tarasafe Super


Shower System

Elegance SD



SHOWER SYSTEM ELEGANCE SD is a flexible homogeneous calendered compacted floorcovering available in 2 m sheet, with a non-directional polychrome design, to offer an even colour throughout the thickness. It should be hot welded with a CR 40 welding rod. SHOWER SYSTEM ELEGANCE SD is specifically embossed for wet barefoot traffic. ELEGANCE SD is compliant with antislip resistance norms (R9 according to DIN 51130 and B classification according to DIN 51097) for a safe usage in barefoot or shod applications such as showers. The Shower System enables access for all in showers especially for disabled people. It is made of 32% mineral material and 34% renewable material. It uses 100% controled recycled material. The TVOC emissions in the air at 28 days (EN 16000) are < 10 microgram/m³. It is 100% recyclable.

Tarasafe Ultra H₂O




TARASAFE ULTRA H20 is a slip resistant vinyl floorcovering, wearlayer throughout the whole thickness and deeply inlaid mineral particles and coloured chips for a decorative design together with a raised emboss for better slip resistance.

TARASAFE ULTRA H20 is an ideal solution for traffic applications where enhanced slip resistance with barefoot and durability are required such as wet areas. The specific embossing together with the mineral particles give a Class C barefoot slip resistance (DIN 51 097) and R11 slip resistance (DIN 51 130) which makes TARASAFE ULTRA H20 ideal for barefoot or shod applications. It is reinforced with a glass fibre grid in sheet form. Its homogeneous wear layer provides a group P of abrasion. According to ISO 22196, TARASAFE ULTRA H20 has anti-bacterial activity against MRSA of 99% after 24h. It does not contain any heavy metals or CMR 1&2 and it is 100% compliant with REACH. The product emission rate of volatile organic compounds is < 100 microgram/m³ (TVOC after 28 days – ISO 16000 -6).

This product is 100% recyclable and contents 18% of mineral material and 22% of inexhaustible material.

Tarasafe Design




TARASAFE COMPACT DESIGN is a slip resistant vinyl floorcovering in sheet, which transparent wear layer contains deeply inlaid mineral crystal particles for durable shod (R10 according to DIN 51130) and barefoot (B according to DIN 51097) antislip performances. It is available in 6 realistic wood or mineral designs thank to a printed layer.

It is reinforced with a glass fibre grid and treated with SparClean® surface treatment, a low maintenance cost effective solution providing extreme resistance from soiling and staining. According to ISO 22196, it has an **anti-bacterial activity** against MRSA of 99% after 24 hours. It is an ideal solution for applications where enhanced slip resistance, durability, hygiene and easy maintenance are required – such as for instance showers, changing rooms, sanitation facilities, laboratories...

It does not contain any heavy metals or CMR 1&2 and are 100% compliant with REACH. The product emission rate of volatile organic compounds is < 100 microgram/m³ (TVOC after 28 days – ISO 16000-6). It is 100% recyclable.

Mural Calypso



MURAL CALYPSO is a multilayered wall covering in 2 m width roll and with a B-s2,d0 fire classification according to EN 13501. It is hot welded with CR41 welding rods for a perfect water tightness. It is made of a printed transparent wear layer and a coloured under layer for a better aspect of the welding. This layer comprises 20% of recycled products.

According to ISO 22196, **MURAL CALYPSO** has **anti-bacterial activity** against E. coli, S. aureus and MRSA of 99% after 24h. It does not contain any CMR 1 & 2 component and is 100% compliant with REACH. It is 100% recyclable. This wall covering is specially recommended for wet room areas and makes the installation in angles easier thanks to its flexibility. The Shower System is compliant with most laws on "access for all" thanks to the installation in shower without tray.

Gerflor also recommends the Tarasafe compact ranges with surface treatments (SparClean*: Design & Ultra / PUR: Standard) for the use in wet room areas. See pages 240-241

Elegance SD / Tarasafe Ultra H₂O / Tarasafe Design / Mural Calypso





The SHOWER SYSTEM provides a safe and hygienic solution thanks to:

- Anti-slip resistance floorings
- 100% waterproof installation

| | | | Elegance SD | Tarasafe
Ultra H2O | Tarasafe
Design | Mural
Calypso |
|--|--|--------------------------|-----------------------|---|---|---------------------------------------|
| Description | | | | | | |
| Total thickness | EN ISO 24346 | mm | 2.4 (on
grainside) | 2.0 (on
grainside) | 2.0 | 0.92 |
| Thickness of wearlayer | EN ISO 24340 | mm | 2.40 | 1.0 | 0.80 | 0.10 |
| Weight | EN ISO 23997 | g/sqm | 3100 | 2400 | 2500 | 1610 |
| Width/Length of sheet | EN ISO 24341 | cm/ml | 200/20 | 200/20 | 200/20 | 200/30 |
| Classification | | | | | | |
| Product specification | = | - | EN ISO 10581 | EN ISO 10582 | EN ISO 10582 | EN 15 102 |
| European classification | EN ISO 10874 | class | 34-43 | 34-43 | 34-43 | - |
| Fire rating | EN 13501-1 | class | Bfl-s1 | Cfl-s1 | Bfl-s1 | B-s2,d0 |
| Static electrical propensity | EN 1815 | kV | < 2 | < 2 | < 2 | - |
| Slip resistance - Pendulum Test
(dry & wet) | EN 16165:2021 –
Appendix C (BS 7976-2) | PTV | - | > 36 | > 36 | - |
| Surface roughness | - | μm | - | Rz > 20 | - | - |
| Slip resistance wet - test with oil | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R9 | R11 | R10 | - |
| Slip resistance wet - bare foot | EN 16165:2021 –
Appendix A (DIN 51097) | class | В | С | В | _ |
| Slip resistance - ramp test | EN 13845 (annex C) | class | - | ESf / ESb | ESf / ESb | _ |
| Water tightness | EN 13553 | - | OK | OK | OK | - |
| Slip resistance wet - areas | CTE | class | - | 3 | - | _ |
| Performances | | | | | | |
| Wear resistance | EN 660.2 | mm³ | ≤ 4.0 | ≤ 4.0 | ≤ 2.0 | _ |
| Type Binder content | ISO 10581 | type | I | - | - | _ |
| Type Binder content | ISO 10582 | type | - | I | 1 | _ |
| Dimensional stability | EN ISO 23999 | % | ≤ 0.40 | ≤ 0.40 | ≤ 0.40 | _ |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.10 | ≤ 0.10 | ≤ 0.10 | - |
| Residual indentation (measure) | - | mm | ≃ 0.03 | ≤ 0.03 | ≤ 0.03 | - |
| Thermal conductivity | EN ISO 10456 | W/(m.k) | 0.25 | 0.25 | 0.25 | - |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | ≥ 6 | ≥ 6 | ≥ 6 |
| Surface treatment | - | - | - | - | SparClean® | - |
| Chemical products resistance | EN ISO 26987 | - | OK | OK | OK | OK |
| Anti-bacterial activity ⁽¹⁾
(E. coli - S. aureus - MRSA) | ISO 22196 | - | - | > 99% ⁽²⁾
inhibits growth | > 99% ⁽²⁾
inhibits growth | > 99% ⁽³⁾
inhibits grow |
| Environment / indoor air qua | ality | | | | | |
| TVOC after 28 days | ISO 16000-6 | microgram/m ³ | < 10 | < 100 | < 100 | _ |
| Certification | - | - | Floorscore® | Floorscore® | Floorscore® | - |
| CE marking | | | | | | |
| | EN 15102 | 2 | | - | | OK |
| ϵ | EN 1404 | 1 | | | | - |
| | | - | B ₁₁ -s1 | C ₁₁ -s1 | B _{fi-s1} | - |
| | | | | | | |

(1) The implementation of an effective cleaning regime is the most important defence against infection.

(2) Anti-bacterial activity (MRSA)


(3) Anti-bacterial activity (E. coli - S. aureus - MRSA)

Antislip Floorings - Elegance SD










0704 Raspberry Grey





0329 Hazelnut

0705 Patisson





0322 Jicama

Antislip Floorings - Tarasafe Ultra H₂O

















7418 Marine

7314 Sand

7413 Ocean Blue




245

7513 Seagrass

Antislip Floorings - Tarasafe Design











6078 Esterel Clear New



6083 Esterel Blossom New



5755 Lorca Natural New



6171 Lofter Dark Grey



6094 Infinity Sand



Mural Calypso







7004 Prism Haze Pearl <u>©</u>



∧ Scale 1



7734 Manhattan Concrete



7728 Manhattan Stone



7721 Manhattan Mist



7009 Fossil Haze



7008 Fossil Ice



7002 Bamboo Lotus



7000 Bamboo Snow Pearl <u>©</u>



7001 Bamboo Haze Pearl <u>©</u>



7740 Fabric Silk



7736 Fabric Wool



7414 Fabric Denim



7744 Nordic Milk



7753 Nordic Zen



7005 Blossom Snow Pearl <u>©</u>



7006 Blossom Haze Pearl



7007 Blossom Lichen



7011 Lichen




7611 Snow <u>©</u>



7104 Melon <u>©</u>



7201 Moonlight <u>©</u>



7309 Lotus 0



7311 Linen



7712 Shadow



7711 Ice <u>©</u>



7715 Crystal



7714 Frost <u>©</u>



7408 Skyline



7012 Breeze <u>O</u>




7010 Haze <u>©</u>

More information on accessories (drains, threshold...) on gerflor.com.

7004 Prism Haze Pearl

Wallcoverings Mural Ultra Design / Mural Club / Mural Calypso

Mural Ultra Design




MURAL ULTRA DESIGN is a 2m width flexible wall covering vinyl sheet which has a thickness of 1.5mm for an extended durability. Fully resistant to impact (EN 259), MURAL ULTRA DESIGN acts as a buffer against damage from beds, trolleys, indoor motorized vehicles and other transportation systems. It is therefore ideal for use as a cladding in large public buildings such as hospitals, care institutions, dental and veterinary surgeries, schools, clean rooms, stores and supermarkets, warehouse and storage areas.

It is made of a 0.10mm printed design layer and a 1.4mm coloured resistance layer which will ensure a perfect welding aspect. It has a B-s2,d0 fire classification (EN 13501-1) which complies with most European fire regulations.

According to ISO 22196, MURAL ULTRA DESIGN has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h00. It is made of a coloured backing which comprises up to 30% recycled products. It is 100 % recyclable, and the components are 100% compliant with Reach

MURAL ULTRA DESIGN benefits from the Protecsol® surface treatment which ensures easy maintenance (EN 233) and avoids staining of chemical products (EN ISO 26987) used in healthcare like iodine alcohol, Betadine, eosin and antibacterial hand gel. It is also resistant to decontamination (class 3 according to ISO 14644-1). The joints are hot-welded to ensure perfect water-tightness. MURAL ULTRA DESIGN can be welded with 2mm flooring to ensure a perfect hygiene by avoiding gaps.

Mural Club



MURAL CLUB is a homogeneous wall covering in 2 m width roll and with a B-s2,d0 fire classification. It is designed to be a permanent wall covering. It is hot welded with CR40 welding rods for better hygiene. It is made of calendered layer with colour throughout the whole thickness for an nicer aspect of the welding. This layer comprises at least 10% of recycled products. It does not contain any CMR 1 & 2 component and is 100% compliant with REACH. It is 100% recyclable.

MURAL CLUB benefits from a PUR surface treatment which provides good resistance to chemical products and makes maintenance easier.

According to ISO 22196, MURAL CLUB has anti-bacterial activity against E. coli, S. aureus and MRSA of 99% after 24h. Full resistant to impact, it acts as a buffer against damage from beds, trolleys and indoor motorized vehicles and other transportation systems. MURAL CLUB is fully impact resistant and is therefore ideal for use as a cladding in large public buildings such as hospitals care institutions dental and veterinary surgeries, clean rooms, stores and supermarkets, warehouse and storage areas.

Mural Calvoso See page 248

- Easily seam welded to produce continuous surfaces.
- Create a safe and hygienic environment.
- Flexible and easy to cove.
- Ideal for walls and ceilings.
- · Recyclable and Eco responsible.

| | | | Mural
Ultra Design | Mural
Club | Mural
Calypso | |
|--|------------------------|--------|------------------------------------|------------------------|------------------------|--|
| Description | | | | | | |
| Total thickness | EN ISO 24346 | mm | 1.5 | 1.00 | 0.92 | |
| Thickness of transparent
decorative layer | - | mm | 0.10 | - | 0.10 | |
| Thickness of resistance layer | - | mm | 1.4 | 1.00 | - | |
| Weight | EN ISO 23997 | g/sqm | 2450 | 1780 | 1610 | |
| Width/Length of sheet | EN ISO 24341 | cm/ml | 200 / 21 | 200 / 30 | 200 / 30 | |
| Classification | | | | | | |
| Product specification | - | - | EN 259-1 | EN 15 102 | EN 15 102 | |
| Fire rating | EN 13501-1 | class | B-s2,d0 | B-s2,d0 | B-s2,d0 | |
| Performances | | | | | | |
| Curving after exposure to heat | ISO 23999 -
EN 434 | - | ≤ 2 mm | - | - | |
| Colour fastness | EN ISO 105-B02 | degree | ≥ 6 | ≥ 6 | ≥ 6 | |
| Surface treatment | - | - | Protecsol® | PUR | - | |
| Chemical products resistance (1) | EN ISO 26987 | - | OK | OK | OK | |
| Cleanability | EN 233 | | Washable and brushable | Washable and brushable | Washable and brushable | |
| Emission of particles | ISO 14644-1 | class | Class 3 | - | - | |
| Anti-bacterial activity
(E. coli - S. aureus - MRSA) ⁽²⁾ | ISO 22196 | - | > 99% inhibits growth | > 99% inhibits growth | > 99% inhibits growth | |
| Resistance to impacts | EN 259-2 | - | No visible bursting or
cracking | - | - | |
| Scratch resistance | NF EN 14565
annex A | - | No visible deterioration | - | - | |
| Determination of flexibility | EN ISO 24344 | - | No damage, no
cracking | - | - | |
| Resistance of welded joints | EN 684 | N/50mm | ≥ 250 | - | - | |
| Environment / air quality | | | | | | |
| TVOC after 28 days | ISO 16516 | μg/ m³ | <10 | - | - | |
| Recyclability | - | - | 100% | - | - | |
| | | | Up to 30% | _ | - | |
| Recycled content | - | | OP 10 00% | | | |

⁽¹⁾ Regarding the resistance to chemicals, please download the corresponding leaflet from our website. (2) The implementation of an effective cleaning regime is the most important defence against infection.

Mural Ultra Design





IN STOCK



8408 Skyline



8011 Lichen <u>©</u>



8744 Nordic Milk



8309 Lotus



8002 Bamboo Lotus



8611 Snow <u>©</u>



8000 Bamboo Snow Pearl <u>©</u>



8711 Ice <u>©</u>



8740 Fabric Silk



8721 Manhattan Mist



8010 Haze <u>©</u>



8005 Blossom Snow Pearl

ON DEMANDMinimum order quantity 500sqm



8201 Moonlight

8104 Melon



8712 Shadow <u>©</u>

8311 Linen <u>©</u>

8414 Fabric Denim



8714 - Frost <u>©</u>






8003 Prism Ice




8004 Prism Haze Pearl ©









8728 Manhattan Stone ©





8009 Fossil Haze



8001 Bamboo Haze Pearl <u>©</u>

8007 Blossom Lichen <u>©</u>



8753 Nordic Zen






8408 Skyline


Mural Club

Ompact PUR 100% recyclable



Mural Calypso (See page 248)

Bs2d0 100% recyclable





DLW Linoleum

pages 256-285

| 266 | Compact I | inalaum |
|-----|-----------|----------|
| Zhh | Compact I | Incletim |

268. Marmorette271. Arabesque272. Colorette273. Uni Walton274. Lino Art

278. Acoustic Linoleum

280. Marmorette Acoustic
280. Marmorette AcousticPlus
281. Colorette AcousticPlus
281. Uni Walton AcousticPlus
281. Lino Art Urban AcousticPlus

282. Technic Linoleum

283. Linodur -

High Mechanical Traffic Resistance

283. Marmorette LCH -

Dissipative Linoleum for ESD areas

259

DLW Linoleum

Sustainable by Nature

Natural Composition



Eco labels












Indoor Air Quality





Cradle to Cradle Certified™ Silver(1)

Developed using cicular economy principles



(1) Marmorette, Arabesque, Colorette, Uni Walton, Lino Art Cradle Certified™ is a registered trademark of the Cradle to Cradle Products Innovation Institute.

Carbon neutral⁽²⁾

Third party certified EPD indicates carbon neutrality during the first stages of its life cycle.



(2) From Cradle to Gate: includes raw materials and manufacturing process (A1-A3 stages of EPD) Source: Environmental Performance Declaration (EPD). Certified by Evea. More information on gerflor.com

DLW Linoleum

Protective by Nature



New solvent-free surface protection, developed exclusively for linoleum

Extremely hard-wearing due to triple laser uv cross-linking technology



Indoor Air Quality



- Very low VOC emissions TVOC < 10 microgram/m³ after 28 days (ISO 16516)
- Certified according to the most demanding standards













Natural Design

Matt Effect




LPX / PUR / Others





Easy To Clean



- Dirt and stain barrier
- Cost effective maintenance
- Easy cleaning with a mop or any modern cleaning equipment

Detailed cleaning protocol available on www. gerfor.com



Neocare™


Hygiene

DLW Linoleum floorings contribute to lower the microbe load (bacteria, virus, ...) and to minimise the risk of a contamination chain.

- Excellent resistance against disinfection chemicalsAnti-viral and anti-bacterial activity



Durable



- No sealing and waxing needed
- Higher scratch resistance
- Easy to repair: in case of heavily damaged flooring, DLW linoleum can be easily repaired using the spray buffing method (red disk)

WAXING

Neocare™ is a high performing surface treatment protecting against dirt, stains and scratches and does not require any sealing & waxing throughout the life of the product. Waxing remains an option.



Uni Walton 0100 Ocean Blue

DLW Linoleum



DLW Linoleum


| | | | | | | | | | Marmorette Acoustic Plus | | |
|---|--|--------------|--------------------------|----------------------------|--------|--|---|------------------------------|---|------------------------------|--------------------------------------|
| | | | Mar | rmorette | | Arabesque /
Colorette /
Uni Walton | Lino Art
Urban / Flow /
Metallic / Star | Marmorette
Acoustic | Colorette Acoustic Plus
Uni Walton Acoustic Plus
Lino Art Urban Acoustic Plus | Linodur | Marmorette LCH |
| Description | | | | R10 | Bfl-s1 | | | | | | |
| Total thickness | EN ISO 24346 | mm | 2.0 / 2.5 / 3.2 | 2.5 | 2.5 | 2.5 | 2.5 | 4.0 | 4.0 | 4.0 | 2.5 |
| Backing | - | - | Ju | te fabric | | Jute fabric | Jute fabric | Cork and jute fabric backing | Foam backing | Jute fabric | Jute fabric |
| Thickness of cork/foam backing | EN ISO 24340 | - | | - | | | - | 2 | 1.5 | - | - |
| Weight | EN ISO 23997 | g/sqm | 2400 / 2900 /
3800 | 2900 | 2900 | 2900 | 2900 | 3900 | 3500 | 4700 | 3000 |
| Width of sheet | EN ISO 24341 | cm | | 200 | | 200 | 200 | 200 | 200* | 200 | 200 |
| Length of sheet | EN ISO 24341 | m | | 20-31 | | 20-31 | 20-31 | 20-31 | 20-31* | app. 28 | 20 - 31 |
| Classification | | | | | | | | | | | |
| Norm/Product specification | - | - | EN I | ISO 24011 | | EN ISO 24011 | EN ISO 24011 | EN 687 | EN 686 | EN ISO 24011 | EN ISO 24011 |
| European classification | EN ISO 10874 | class | | / 34 / 43
/ 41 in 2.0 m | m | 23 / 34 / 43 | 23 / 34 / 43 | 23 / 33 / 41 | 23 / 33 / 41 | 23 / 34 / 43 | 23 / 34 / 43 |
| Classement UPEC | - | - | U4F | P3E1/2C2 | | U4P3E1/2C2 | | - | - | - | - |
| Avis Technique | - | - | 12-1 | I2-1617_V1 | | 12-12-1617_V1 | | - | - | - | - |
| Fire rating** | EN 13501-1 | class | Cfl-s1 | | Bfl-s1 | Cfl-s1 | Cfl-s1 | Cfl-s1 | Cfl-s1 | Cfl-s1 | Cfl-s1 |
| Slip resistance | EN 16165:2021 –
Appendix B (DIN 51 130) | class | R9 | R10 | R9 | R9 | R9 | R9 | R9 | R10 | R9 |
| Impact sound insulation | EN ISO 717-2 | dB | 3 dB / 5 dB /
6 dB | 5 dB | 5 dB | 5 dB | 5 dB | 15 dB | 19 dB | 8 dB | 3 dB |
| Performances | | | _ | | | | | | | , | |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.09 /≤ 0.11 | ≤ 0.11 | ≤ 0.11 | ≤ 0.11 | ≤ 0.11 | ≤ 0.40 | ≤ 0.30 | ≤ 0.20 | ≤ 0.15 |
| Colour fastness | EN ISO 105-B02 | rating | | ≥ 6 | | ≥ 6 | ≥ 6 | ≥ 6 | ≥ 6 | ≥ 6 | ≥ 6 |
| Vertical resistance | EN 1081 | Ohm | | - | | - | - | - | - | - | 10 ⁶ ≤ R ≤10 ⁸ |
| Point contact resistance | VDE 0100 | kOhm | : | > 200 | | > 200 | > 200 | > 200 | > 200 | >200 | >100 |
| Static electrical propensity | EN 1815 | kV | | ≤ 2 | | ≤ 2 | ≤ 2 | ≤ 2 | ≤ 2 | ≤ 2 | ≤ 2 |
| Castor chair test (Type W) | ISO 4918 | - | | OK | | OK | OK | OK | OK | OK | OK |
| Flexibility | ISO 24344 | mm | Ø 40 | 0 (2.5 mm) | | Ø 40 | Ø 40 | Ø 60 | Ø 40 | Ø 60 | Ø 40 |
| Flexibility / average measured value | ISO 24344 | mm | Ø 30 | 0 (2.5 mm) | | Ø 30 | Ø 30 | Ø 30 | Ø 35 | Ø 50 | Ø 30 |
| Thermal resistance | EN 12667 | $(m^2/K)/W$ | 0.012 / 0.015 /
0.018 | 0.015 | 0.015 | 0.015 | 0.015 | 0.04 | 0.044 | 0.023 | 0.015 |
| Thermal conductivity | EN ISO 10456 | W/(m.K) | | 0.17 | | 0.17 | 0.17 | 0.17 | 0.0937 | 0.17 | 0.17 |
| Surface treatment | - | - | Ne | eocare™ | | Neocare™ | Neocare™ | Neocare™ | Neocare™ | Neocare™ | Neocare™ |
| Chemical products resistance | EN ISO 26987 | - | | OK | | OK | OK | OK | OK | OK | OK |
| Anti-bacterial activity (E. coli –
S. aureus – MRSA) after 24 h*** | EN ISO 22196 / JIS
Z 2801 | - | >99.99% | inhibits grov | wth | >99.99% inhibits growth | >99.99% inhibits growth | >99.99% inhibits growth | >99.99% inhibits growth | >99.99% inhibits growth | >99.99% inhibits growth |
| Anti-viral activity (Human coronavirus) after 5 h*** | ISO 21702 | - | > 98.65 % | virucidal act | ivity | >98.65% virucidal activity | > 98.65 % virucidal activity | >98.65% virucidal activity | >98.65% virucidal activity | > 98.65 % virucidal activity | > 98.65 % virucidal activity |
| Indoor air quality | | | | | | | | | | | |
| TVOC after 28 days | EN 16516 | microgram/m³ | | < 10 | | < 10 | < 10 | < 10 | < 10 | < 50 | < 10 |
| Circular economy | | | | | | | | | | | |
| Certification | Cradle to Cradle | - | Silver | | - | Silver | Silver | Silver | Bronze | Silver | <u>-</u> |
| CE marking | | | | | | | | | | | |
| (E | EN 14041 : 2004
AC : 2006 | - | | | | | Cn | | | | |



^{*} Roll dimension for SRP article code: R929/R930/R931/R932/R933/R934/R935: 1,96m x 18-29lm ** Glued according to certificate. DOP numbers available from your local branch. *** The implementation of an effective cleaning method is the best defence against infection.

Depending on light exposure, the product color can vary, due to linoleum natural oxidization process. This process is reversible. We recommend that the samples be exposed to sunlight for several hours prior to making a final color choice.

Marmorette / Arabesque /
Colorette / Uni Walton / Lino Art





Marmorette / Arabesque / Colorette / Uni Walton / Lino Art _

MARMORETTE is a calendered linoleum compact floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high traffic areas. Its weight is 2400g/sqm in 2.0mm, 2900g/sqm in 2.5mm and 3800g/sqm in 3.2mm. It features a marbled design and presents a matt finish, is composed of 98% natural materials (linseed oil, wood flour, resins, minerals and jute fabric) among of which 76% are rapidly renewable.

ARABESQUE is a calendered linoleum compact floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high traffic areas. Its weight is 2900g/sqm in 2.5mm. It features a marbled design and presents a matt finish, is composed of 98% natural materials (linseed oil, wood flour, resins, minerals and jute fabric) among of which 76% are rapidly renewable.

COLORETTE is a calendered linoleum compact floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high traffic areas.

Its weight is 2900g/sqm in 2.5mm.

It features a speckled design and presents a matt finish, is composed of 98% natural materials (linseed oil, wood flour, resins, minerals and jute fabric) among of which 76% are rapidly renewable.

UNI WALTON is a calendered linoleum compact floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high traffic areas. Its weight is 2900g/sqm in 2.5mm. It features a uni design and presents a matt finish, is composed of 98% natural materials (linseed oil, wood flour, resins, minerals and jute fabric) among of which 76% are rapidly renewable.

LINO ART is a calendered linoleum compact floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high traffic areas. Its weight is 2900g/sqm in 2.5mm. It features a striated design (FLOW), a scattered metallic design (METALLIC), a scattered colour chips design (STAR), a concrete design (URBAN) and presents a matt finish, is composed of 98% natural materials (linseed oil, wood flour, resins, minerals and jute fabric) among of which 76% are rapidly renewable.

ARABESQUE, COLORETTE, MARMORETTE, UNI WALTON, LINO ART

The floorings are produced with Neocare™ solvent-free surface treatment, an exclusive photo-cured acrylate based lacquer surface treatment obtained by triple laser UV cross linking. Neocare™ offers excellent scratch resistance as well as resistance to chemicals found in aggressive environments such as bleach, hydro alcoholic solutions, Betadine and Eosin as well as markers making maintenance easier and increasing the life of the flooring.

This treatment avoids performing any polishing throughout the lifetime of the product. It can however be polished following usual recommendations and according to the customer's wishes.

The products ensure perfect indoor air quality (TVOC at 28 days (EN 16516) < 10 microgram/m³) and are classified A + (the best class) in the context of health labeling. It is Floorscore®, M1 and Blue Angel certified.

The floorings are 100% recyclable, are composed of minimum 25% recycled content and up to 40% recycled content, 100% controlled, are REACH compliant and rated CfI-s1 for fire resistance.

Designed and manufactured in a sustainable way in a plant awarded with ISO 9001 (quality), ISO 14001 (environment) and ISO 50001 (energy) certifications, the floorings are Cradle to Cradle certified™ Silver. They are Environmental Performance Declaration (EPD) certified by an external laboratory indicating carbon neutrality during the first stages of their life cycle ("from cradle to gate").

The Camouflage (Arabesque, Marmorette) or Uni (Colorette, Uni Walton, Lino Art) welding rod makes the connections between the

They are antistatic, antibacterial according to ISO 22196 / JIS Z 2801 and antiviral according to ISO 21702.

Marmorette












Marmorette











A Acoustic 15 dB in stock



R10 R10: in stock



Bfl-s1: in stock

Marmorette







Acoustic 15 dB in stock A+ AcousticPlus 19 dB in stock R10 R10: in stock Bfl-s1: in stock All colours can be manufactured in Acoustic 15 dB version. Special request - Minimum order quantity: 1500 sqm. Below 1500 sqm, use Korkment underlayer. All colours can be manufactured in AcousticPlus 19 dB version. Special request - Minimum order quantity: 58 sqm.

Arabesque









0302 Antico 2.5 mm



0305 Monarca 2.5 mm



0303 Verona 2.5 mm



0306 Prato 2.5 mm



0301 Alcino



0304 Seravezza 2.5 mm

Colorette







A+ AcousticPlus 19 dB in stock

All colours can be manufactured in Acoustic 15 dB version. Special request - Minimum order quantity: 1500 sqm. Below 1500 sqm, use Korkment underlayer. All colours can be manufactured in AcousticPlus 19 dB version. Special request - Minimum order quantity: 58 sqm.

Uni Walton







A+ AcousticPlus 19 dB in stock

Lino Art - Urban









0551 Flashy Asphalt Grey



0554 Concrete Grey





0555 Flashy Street Grey 2.5 mm



A+ 0550 Beton Soft Grey



0567 Shining Green 2.5 mm

0566 Shining Blue

2.5 mm

0552 Silver Grey

2.5 mm



0556 Mud Grey 2.5 mm

0564 Natural Stone 2.5 mm



A+ 0557 Urban Grey

0560 Bold Grey



0558 Screed Grey



A+ 0559 Vintage Grey



0565 Graphite Grey



0563 Zinc Grey

0562 Titan Grey



0553 Dark Concrete Grey A+ 0561 Pitch Black






∧ Scale 1


Lino Art - Star







0025 Clear Blue 2.5 mm



0020 Aqua Turquoise 2.5 mm

0030 Apple Green 2.5 mm



2.5 mm







0075 Apricot 2.5 mm



0059 Dusty Grey 2.5 mm



0023 Blue Turquoise 2.5 mm




0015 Glaring Red



0090 Smooth Grey



0094 Bubble Gum 2.5 mm



0085 Mid Grey 2.5 mm




All colours can be manufactured in Acoustic 15 dB version. Special request - Minimum order quantity: 1500 sqm. Below 1500 sqm, use Korkment underlayer. All colours can be manufactured in AcousticPlus 19 dB version. Special request - Minimum order quantity: 58 sqm.

Lino Art - Metallic







0072 Olive Green 2.5mm



0078 Petrol Blue 2.5 mm



0083 Aluminio Light Grey 2.5 mm



0080 Firmament Black

0068 Bottle Green

0074 Burned Siena



0076 Salsa



Lino Art - Flow







0030 Rain 2.5 mm



0012 Waterfall 2.5 mm



0048 Travertin 2.5 mm



0043 Pulp Greige 2.5 mm



0024 Magma 2.5 mm



0036 Shaal Concrete



0050 Grey Line 2.5 mm



0005 Bamboo




0162 Bark 2.5 mm




0083 Light Grey 2.5 mm

Acoustic Linoleum

Marmorette AcousticPlus / Colorette AcousticPlus



Marmorette Acoustic



Korkment: Cork Acoustic Underlayer _



2.0 mm underlayer (weight 1.2 kg/sqm) 15 dB impact sound reduction

Ref R1020102



Marmorette AcousticPlus / Colorette AcousticPlus Uni Walton AcousticPlus / Lino Art Urban AcousticPlus ____

MARMORETTE ACOUSTICPLUS is a calendered linoleum acoustic floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high traffic areas. Its weight is 3500g/sqm in 4.0mm. It features a marbled design and presents a matt finish, is composed of natural materials (linseed oil, wood flour, resins, minerals and jute fabric), rapidly renewable and features a 1.5mm recycled foam underlayer, ensuring up to 19dB impact sound reduction.

COLORETTE ACOUSTICPLUS is a calendered linoleum acoustic floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high traffic areas. Its weight is 3500g/sqm in 4.0mm. It features a speckled design and presents a matt finish, is composed of natural materials (linseed oil, wood flour, resins, minerals and jute fabric), rapidly renewable and features a 1,5mm recycled foam underlayer, ensuring up to 19dB impact sound reduction.

UNI WALTON ACOUSTICPLUS is a calendered linoleum acoustic floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high traffic areas. Its weight is 3500g/sqm in 4.0mm. It features a uni design and presents a matt finish, is composed of natural materials (linseed oil, wood flour, resins, minerals and jute fabric), rapidly renewable and features a 1,5mm recycled foam underlayer, ensuring up to 19dB impact sound reduction.

LINO ART URBAN ACOUSTICPLUS is a calendered linoleum acoustic floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high traffic areas. Its weight is 3500g/sqm in 4.0mm. It features a concrete design and presents a matt finish, is composed of natural materials (linseed oil, wood flour, resins, minerals and jute fabric), rapidly renewable and features a 1,5mm recycled foam underlayer, ensuring up to 19dB impact sound reduction.

Marmorette Acoustic _

MARMORETTE ACOUSTIC is a calendered linoleum acoustic floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high traffic areas. Its weight is 3900g/sqm in 4.0mm. It features a marbled design and presents a matt finish, is composed of natural materials (linseed oil, wood flour, resins, cork, minerals and jute fabric), rapidly renewable and features a 2mm cork underlayer, ensuring up to 15dB impact sound reduction.

Acoustic Linoleum

The floorings are produced with Neocare™ solvent-free surface treatment, an exclusive photo-cured acrylate based lacquer surface treatment obtained by triple laser UV cross linking. Neocare™ offers excellent scratch resistance as well as resistance to chemicals found in aggressive environments such as bleach, hydro alcoholic solutions, Betadine and Eosin as well as markers making maintenance easier and increasing the life of the flooring. This treatment avoids performing any polishing throughout the lifetime of the product. It can however be polished following usual recommendations and according to the customer's wishes. The products ensure perfect indoor air quality (TVOC at 28 days (EN 16516) < 10 microgram/m³) and are classified A + (the best class) in the context of health labeling. They are Floorscore®, M1 and Blue Angel certified. The floorings are 100% recyclable, are composed of minimum 25% recycled content and up to 40% recycled content, 100% controlled, are REACH compliant and rated Cfl-s1 for fire resistance. Designed and manufactured in a sustainable way in a plant awarded with ISO 9001 (quality), ISO 14001 (environment) and ISO 50001 (energy) certifications, the floorings are Cradle to Cradle certified™ Bronze (Marmorette AcousticPlus, Colorette AcousticPlus) and Cradle to Cradle certified™ Silver (Marmorette Acoustic). Their Environmental Performance Declaration (EPD) certified by an external laboratory, indicate carbon neutrality during the first stages of their life cycle ("from cradle to gate"). The Camouflage (Arabesque, Marmorette) or Uni (Colorette, Uni Walton, Lino Art) welding rod makes the connections between the strips invisible. They are antistatic, antibacterial according to ISO 22196 / JIS Z 2801 and antiviral according to ISO 21702.

Acoustic Linoleum

Marmorette Acoustic







0019 Sunset Orange 4.0 mm 4.0 mm









19 dB Neocare™

0023 Dusty Blue 0053 Ice Grey 4.0 mm

All other colours can be manufactured in Acoustic 15 dB version. Special request - Minimum order quantity: 1500 sqm. Below 1500 sqm, use Korkment underlayer.

Marmorette AcousticPlus



0059 Plumb Grey

4.0 mm







0018 Lobster Red












0158 Tabac Grey 4.0 mm



0096 Midnight Grey

4.0 mm

0073 Spicy Orange



4.0 mm







4.0 mm

All other colours can be manufactured in AcousticPlus 19 dB version. Special request - Minimum order quantity: 58 sqm.

4.0 mm

Colorette AcousticPlus



19 dB Neocare™













0004 Bluebird

0059 Stone Grey 4.0 mm

0132 Spicy Green 4.0 mm

0080 Elephant Grey 4.0 mm


4.0 mm

Neocare™

Uni Walton AcousticPlus New















0095 Spring Blue

0090 Olive

0010 Pompeji Red

Lino Art Urban Acoustic Plus New







19 dB Neocare™

0554 Concrete Grey 4.0 mm

0552 Silver Grey

4.0 mm





0564 Natural Stone



0561 Pitch Black 4.0 mm

0558 Screed Grey






0556 Mud Grey

0555 Flashy Street Grey

Linodur - High Mechanical Traffic Resistance



LINODUR is a calendered linoleum compact floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high pedestrian and mechanical traffic areas.

Its weight is 4700g/sqm in 4.0mm.

It features a modern design with a fine grain effect and is composed of 98% natural materials (linseed oil, wood flour, resins, minerals and jute fabric) among of which 76% are rapidly renewable.

The flooring is produced with Neocare[™] solvent-free surface treatment, an exclusive photo-cured acrylate based lacquer surface treatment obtained by triple laser UV cross linking. Neocare™ offers excellent scratch resistance as well as resistance to chemicals found in aggressive environments such as bleach, hydro alcoholic solutions, Betadine and Eosin as well as markers making maintenance easier and increasing the life of the flooring.


This treatment avoids performing any polishing throughout the lifetime of the product. It can however be polished following usual recommendations and according to the customer's wishes. The Camouflage welding rod makes the connections between the

It is antistatic, antibacterial according to ISO 22196 / JIS Z 2801. The flooring is 100% recyclable, is composed of up to 32% recycled content and up to 40% recycled content, 100% controlled, is REACH compliant and rated Cfl-s1 for fire resistance.

This product is manufactured in a plant awarded with ISO 9001 (quality), ISO 14 001 (environment) and ISO 50001 (energy)

The product also benefits from international certifications such as Floorscore® and Blue Angel (emissions).

Marmorette LCH - Dissipative Linoleum For ESD Areas



MARMORETTE LCH is a calendered linoleum compact dissipative floorcovering in sheet, 2m wide, providing excellent resistance to everyday wear and tear in high traffic areas.

Its vertical resistance is $10^6 < R < 10^8 \Omega$.

Its weight is 3000g/sqm in 2.5mm.

It features a marbled design and presents a matt finish, is composed of 98% natural materials (linseed oil, wood flour, resins, cork, minerals and jute fabric) among of which 76% are rapidly renewable.

The flooring is produced with Neocare™ solvent-free surface treatment, an exclusive photo-cured acrylate based lacquer surface treatment obtained by triple laser UV cross linking. Neocare™ offers excellent scratch resistance as well as resistance to chemicals found in aggressive environments such as bleach, hydro alcoholic solutions, Betadine and Eosin as well as markers making maintenance easier and increasing the life of the flooring.

This treatment avoids performing any polishing throughout the lifetime of the product. It can however be polished following usual recommendations and according to the customer's wishes. The flooring is 100% recyclable, is composed of minimum 25% recycled content and up to 40% recycled content, 100% controlled, is REACH compliant and rated Cfl-s1 for fire resistance.


It is designed and manufactured in a sustainable way in a plant awarded with ISO 9001 (quality), ISO 14001 (environment) and ISO 50001 (energy) certifications.

The Camouflage welding rod makes the connections between the strips invisible.

It is antistatic, antibacterial according to ISO 22196 / JIS Z 2801.







1020 Spring Blue 4.0 mm



1024 Speckled Blue 4.0 mm



1056 Marble Grey 4.0 mm



1081 Sporty Black



1011 Avocado Green



1072 Peach Orange



Marmorette LCH -**Dissipative Linoleum** for ESD areas











0023 Dusty Blue 2.5 mm



0055 Ash Grey 2.5 mm

282 283

0020 Spring Blue



Cleaning methods



Mechanical cleaning disk 3M (or equivalent) colour disks

| | Equipment docu | Oleaning products | Oleaning metricas | |
|--|-----------------|--|---|--|
| First use Manual or mechanical cleaning | or or if soiled | Neutral detergent or
Alkaline detergent | Damp sweeping Mechanical washing at 160-200 rpm (with water recovery) | |
| Manual cleaning OR | | Neutral detergent /
Disinfectant detergent ⁽¹⁾ | Damp sweeping Manual washing with flat mop Rinsing | |
| Mechanical cleaning | | Neutral detergent | Damp sweeping Mechanical washing at 160-200 rpm (with water recovery) | |
| Deep cleaning Mechanical cleaning | | Alkaline detergent | Damp sweeping Mechanical washing at 160-200 rpm (with water recovery) | |

(1) In areas where disinfection is essential (e.g. operating theatres, hospital rooms, etc.), alternate between using neutral detergent and amine-free

These cleaning instructions have to be adapted depending on traffic and location of the area.


Gerflor DLW flooring products are to be installed in full accordance with Gerflor DLW installation instructions and recognized trade standards.


An effective, regular cleaning and maintenance program is vital for retaining a high appearance level. Gerflor DLW flooring products should only be used as floorcoverings.

Note: Gerflor DLW reserve the right to amend this specification without giving prior notice. For the latest versions of the technical specifications,

MAINTENANCE GUIDELINES AVAILABLE ON GERFLOR.COM

INSTALLATION &









HSLA


MDF

Color: White

Cove Former



Welding rods







Uni welding rod: a large palett of colours

Welding rod matching table available on: gerflor.com

284 285

Marmorette / Arabesque / Colorette / Uni Walton / Lino Art

Damp sweeping equipment

Flexible mop preferably fitted with disposable, antistatic and/or pre-impregnated gauze strips

Equipment used



Manual washing equipment Disposable microfibre mop or gauze

Cleaning Neocare[™]-Treated Linoleum Floors

Autoscrubber



Cleaning products



Sports Floorings

pages 286-319

- 292. Taraflex® New
 Synthetic Sports Floorings
- **304.** Connor Sports® Hardwood Flooring System
- 306. Sport Court®
 Outdoor Surfaces
- 312. DLW New Linoleum Sports Floorings
- **316. Powershock** Fitness Rubber Solutions
- 319. Our solutions for yor fitness center

Gerflor, where champions play



Indoor synthetic floors: the best performing products on the market

Taraflex® has been one of the pioneer in 1947 when developping synthetic floors and is today the world leading brand for indoor sports floor.

With a complete range of products, Gerflor offers the perfect solution adapted to all users and usages, from low impact activities through to elite and performance sports. Gerflor sets itself the highest standards when it comes to the environmental quality of its products.

Made in France

Taraflex® sport floors are recognised all over the world

Every day more than

millions children play on a Taraflex® sports floor.

Per vear.

3500

high level competitions are played on a Taraflex® sports floor.





Hardwood flooring systems: more than 100 years of experience



Founded in 1872, Connor Sports® is the market leader in portable and permanent hardwood sports flooring systems. Connor Sports® professional engineers lead the industry in new product design and development, setting the standard for innovative solutions in sports surfacing. In 1914, Connor Sports® installed the first basketball court in the USA. In the late 90's, Boston Celtics selected Connor Sports® to repurpose their famed parquet into a portable flooring system.

Please check availability in your zone with your local representative.



Outdoor surfaces: world's leading outdoor sport surface




In 1974, Sport Court® created the outdoor game court. Since then, over 150,000 courts have been installed worldwide.

Sport Court®'s superior outdoor play surface is designed to:

- keep athletes safe
- allow for year-round sports activity
- eliminate costly annual maintenance



Indoor sport areas: historic leader in linoleum sport flooring



DLW Linoleum has been manufacturing high class sport linoleum for over 30 years and is proud to deliver uncompromising product quality.

Adapted to both specific and multi-function use, linoleum high performance floors are a great option to address various applications, from kindergartens to multipurpose halls and fitness centres.

Thanks to its acknowledged sustainable features, millions of square metres of sport linoleum have been installed over the years and still convince new generations of users.

SI

Gerflor, supplier of major international sports events

TARAFLEX SPORTS

Indoor sports surfaces













Outdoor game courts









Sports Floorings

Why should you choose Taraflex®?

1 For performance

1 Protecsol

An intelligent surface with the unique and patented triple action Protecsol®:

- ▶ Best solution to maximise both slide and grip
- ▶ A friction-burn free surface, on which the temperature during a fall is reduced by 25%
- Cost effective and easy to maintain




D-Max[™] surface is a UNIQUE complex made up of calendered PVC sheets reinforced with a fibreglass grid.

- ▶ High durability
- Outstanding dimensional stability




Taraflex® Double Density Technology

▶ Best shock absorption properties



2 For protection


The floor that brings immediate protection on impact to all users when falling, diving or sliding on the floor.



Gerflor offers Taraflex® Comfort, a P3 floor with the highest level of comfort on the market.

For safety


Shock absorption minimises the force of impact on the body and reduces long term injury risk.



With a complete range of shock absorption P1/P2/P3, Gerflor provides the right solution and the best safety for every user.

4 For durability

Taraflex® technologies ensure long-lasting high performance



*Gerflor's internal ageing tests

Partner of major sports events























How to choose the right floor?

Multisport

Taraflex® **Evolution**The reference in sports flooring






Taraflex® **Performance**Best balance of sport performance and safety






Taraflex® **Comfort**Maximum protection and safety






Multipurpose

Taraflex® **Multi-Use**Performance & very high indentation resistance












Heavy duty multi purpose

Heavy load resistance and shock absorption





P1, P2, P3: point elastic sports flooring classification according to EN 14904

A large palette of colours and designs

Natural and vibrant colours for multisports

All colours are available with

TARAFLEX® SURFACE TARAFLEX® COMFORT
TARAFLEX® PERFORMANCE AND TARAFLEX® EVOLUTION



Modern and urban designs for multi-activities

All colours are available with TARAFLEX® MULTI-USE




Specific applications

Racket sports

- ▶ Racket sport floors should offer an excellent compromise between slide and grip for lateral moves, accelerations and changes of direction.
- ▶ Gerflor offers a complete range of solutions for racket sports with different types of installation methods (portable and permanent floors) to meet player's expectations and facilities needs.

Taraflex® Table Tennis



Engineered and developed in partnership with the international Table Tennis federation (ITTF)










6109 Framboise


Disability and rolling sports

▶ Taraflex® Sports Floorings are recognised all over the world for all types of sports. Cushioned floors, with high IPI values offer the best solution for sitting sports.

Taraflex® Multi-Use




Taraflex® Surface



The ideal combination between sports performance and resistance to rolling loads




Taraflex® Badminton



The ultimate floor for badminton movements



Taraflex® Comfort



The perfect solution for safety and protection



Technical Data

| | | | | Taraflex [®] | Taraflex® | Taraflex® | Taraflex® | Taraflex [®] | • | Taraflex® Badminto | n | Т | araflex® Table Ten | nis | Taraflex [®] | Taraflex [®] |
|--|---------------|-------------|-------|--|-----------------------------|-----------------------------|--|-----------------------------|-----------------------------|--|---|---|--|---|-----------------------|-----------------------|
| Description | Standard | Requirement | Units | Surface | Multi-Use | Evolution | Performance | Comfort | Portable | 4.5 | 7.5 | Portable | 4.5 | 6.2 | Bateco | Isolsport |
| Dry-Tex™ System | - | - | - | - | - | D | D | - | - | - | D | - | - | - | - | - |
| Taraflex® SL
(Sustainable and Looselay) | - | - | - | - | - | Ð | Ð | - | - | - | - | - | - | - | - | - |
| Product Description | | | | | | | | | | | | | | | | |
| Surface treatment | - | - | - | Triple-Action
Protecsol® | Triple-Action
Protecsol® | Triple-Action
Protecsol® | Triple-Action
Protecsol® | Triple-Action
Protecsol® | Triple-Action
Protecsol® | PUR Protect® | Triple-Action
Protecsol® | Triple-Action
Protecsol® | PUR Protect® | Triple-Action
Protecsol® | - | - |
| Surface complex | - | - | - | D-Max [™] | D-Max™ | D-Max™ | D-Max™ | D-Max™ | 100% Pur PVC | 100% Pur PVC | D-Max™ | 100% Pur PVC | 100% Pur PVC | D-Max [™] | - | - |
| Foam | - | - | - | - | CXP-HD + ™ | CXP-HD™ | CXP-HD™ | CXP-HD™ | CXP | CXP | CXP-HD™ | CXP | CXP | CXP-HD+™ | - | - |
| Thickness | EN ISO 24346 | - | mm | 2 | 6.2 | 7.5 | 9 | 12.5 | 3.9 | 4.5 | 7.5 | 3.7 | 4.5 | 6.2 | 1.5 | 1.65 |
| Weight | EN ISO 23997 | - | kg/m² | 2.9 | 4.2 | 4.6 | 5.2 | 5.1 | 1.95 | 2.6 | 4.6 | 1.9 | 2.6 | 4.2 | 2.05 | 1.35 |
| Length* | EN ISO 24341 | - | lm | 26.5 Max | 26.5 Max | 26.5 Max | 26.5 Max | 26.5 Max | 16 STD | 20.5 STD | 26.5 Max | 16 STD | 20.5 STD | 20.5 STD | 20 / 30 | 45 Max |
| Width | EN ISO 24341 | - | lm | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 3 × 2.7 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 2 |
| Sport Properties | | | | | | | | | | | | | | | | |
| Shock absorption | EN 14808 | ≥ 25 | % | - | P1 | P1 | P2 | P3 | - | - | P1 | - | - | P1 | - | - |
| Vertical deformation | EN 14809 | ≤ 3.5 | mm | ≤ 2 | ≤ 2 | ≤ 2 | ≤ 3 | ≤ 3.5 | ≤ 2 | ≤ 2 | ≤ 2 | ≤ 2 | ≤ 2 | ≤ 2 | - | - |
| Sliding coefficient | EN 13036-4 | 80 to 110 | - | 80 to 110 | 80 to 110 | 80 to 110 | 80 to 110 | 80 to 110 | 80 to 110 | 80 to 110 | 80 to 110 | 80 to 110 | 80 to 110 | 80 to 110 | - | - |
| Ball bounce | EN 12235 | ≥ 90 | % | ≥ 90 | ≥ 90 | ≥ 90 | ≥ 90 | ≥ 90 | - | ≥ 90 | - | - | ≥ 90 | ≥ 90 | - | - |
| Ball speed | ITF | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Technical Characteris | stics | | | | | | | | | | | | | | | |
| Abrasion resistance | EN ISO 5470-1 | ≤ 1000 | mg | ≤ 350 | ≤ 350 | ≤ 350 | ≤ 350 | ≤ 350 | ≤ 350 | ≤ 350 | ≤ 350 | ≤ 350 | ≤ 350 | ≤ 350 | ≤ 300 | - |
| Impact resistance | EN 1517 | ≥ 8 | N/m | ≥ 8 | ≥8 | ≥ 8 | ≥ 8 | ≥ 8 | - | - | ≥ 8 | - | - | ≥ 8 | - | - |
| Indentation resistance | EN 1516 | ≤ 0.5 | mm | ≤ 0.5 | ≤ 0.5 | ≤ 0.5 | ≤ 0.5 | ≤ 0.5 | ≤ 0.5 | ≤ 0.5 | ≤ 0.5 | ≤ 0.5 | ≤ 0.5 | ≤ 0.5 | ≤ 0.5 | ≤ 0.5 |
| Classification | | | | | | | | | | | | | | | | |
| Fire | EN 13501-1 | - | - | B _{fl} -s1 | C _{fl} -s1 | C _{fl} -s1 | C _{fl} -s1 | C _{fl} -s1 | B _{fl} -s1 | C _{fl} -s1 | C _{fl} -s1 | B _{fl} -s1 | C _{fl} -s1 | C _{fl} -s1 | B _{fl} -s1 | C _{fl} -s1 |
| Anti-bacterial activity (E. coli - S. aureus - MRSA) (1) | ISO 22196 | - | - | | | > 99% inhibits gr | owth | | | | | > 99% inh | nibits growth | | | |
| CE Marking | | | | | | | | | | | | | | | | |
| (€ | EN 14 904 | - | - | Fire Sliding Coefficient Abrasion Resistance Rolling load Resistance | | Slidii
Abras | Fire
ck Absorption
ng Coefficient
ion Resistance
load Resistance | | Fire | Fire Sliding Coefficient Abrasion Resistance Rolling load Resistance | Fire Shock Absorption Sliding Coefficient Abrasion Resistance Rolling load Resistance | Fire
Sliding Coefficient
Abrasion
Resistance | Fire Sliding Coefficient Abrasion Resistance Rolling load Resistance | Fire Shock Absorption Sliding Coefficient Abrasion Resistance Rolling load Resistance | F | ire |

The proposed specifications fall within the tolerance limits usually accepted in this sector whilst still complying with standards.

(1) The implementation of an effective cleaning method is the best defence against infection

* For different roll lengths please contact us

INSTALLATION ON DAMP SUBFLOOR
Gerflor provides installation on Isolsport (free floating underlay) or Taraflex® Dry-Tex™ System or Taraflex® SL.
Please contact your sales representative for more information.

Innovative services to make your floor unique



Personalise your sports floor using the digital printing process

- **▶ Choose from collection** choose one of our designs from our catalogue (examples shown below)
- **▶** Change colour recolour the standard design of your choice
- **▶** Customise create your own design



Available with all Taraflex® floors More designs available, visit our website: mytaraflex.gerflor.com Minimum Order Quantity: 240m² / special price / each request subject to individual study*

*Contact your local sales representative for more details.



3D Court Designer

For a 3D visualisation of your project





Choose your surface: monosport or multisports

Choose your colours

Visualise your sport hall

Available on: courtdesigner.gerflor.com

My Logos

For a stunning result



For further information, please contact your local Gerflor

Interior designer

For a realistic view of your environmment

- Download your picture and include the floor
- Or change the floor colours in selected pictures







Available on: interiordesigner.gerflor.com

Connor Sports® **Hardwood Flooring Systems**





Where Champions Play™

Top competitions take place on Connor Sports®

BASKETBALL

- ▶ 2020 Olympic Games (Tokyo)
- ▶ 2019 FIBA World Cup (China)
- ▶ 2016 Olympic Games (Rio)
- NCAA Final Four since 2006 (USA)











Champions deserve exceptional sport surface



So we select exceptional maple lumber for them

Connor Sports® hand selects north american maple trees grown north of the 35th parallel, where the shorter growing season produces a more dense and uniform woodgrain excellent for sports flooring.



Since its establishment in 1897, the Maple Flooring Manufacturers Association (MFMA) is the authoritative source of technical and general information about maple flooring and related sports flooring systems. Connor Sports® is a charter member of the MFMA and the 1st member of that group to be certified by the Rainforest Alliance.



Connor Sports® is proud to be the only ZeroWaste company in the sports flooring industry. Recycling, avoiding waste, developing innovative technology and a strong environmental consciousness are a major part of Connor Sports® corporate policy.



Connor Sports® works with FSC (Forest Stewardship Council®). This organization oversees high conservation value forest and protects the communities and indigenous people that rely on the forest. FSC ensures that everyone delivers the most environmentally friendly product.

Champions of sport

Hardwood systems for professional teams

More than half of the teams in the NBA have purchased a Connor Sports® hardwood system:

















More information on gerflor.com



Sport Court® Outdoor Surfaces

Gerflor, Where Champions Play™





Sharing more than sport!

Bring people together for unforgettable moments and lifetime memories

With our modular PowerGame+ tiles, we offer everyone the opportunity to share such memorable sport and recreational experiences.

Our premium surfaces are not only fun, great-looking and safe to play on, but they can also be easily installed in all facilities. You can be sure you're providing the ideal playing outdoor surface for every practice and ambitions, from children to champions.

Designed for multi-sports

Sport Court® surfaces are designed for a wide variety of sports. All game courts can be easily configured to accomodate basketball, futsal, handball, tennis and more, without compromising on playability or safety.

A number of temporary or permanent applications are possible, from multi-sport school facilities to multi-use game areas to all kinds of sporting events.





Event-based courts



School facilities



Multi-Use Game Areas

Sport Court® Outdoor Surfaces

They trust us

Partner of sports federations

Sport Court® surfaces are used at the highest levels of competition by leading sports federations around the world. Our courts are perfect for both temporary events and permanent installations.






















Long-lasting aesthetics

Design a court that makes an impression. With a selection of 10 faderesistant tile colours, you have more ways to customise the look of your playing surfaces to fit your requirements, whether you want a fun colourful court, or to customise it with your company's or school's colours.

Choose your colours





Optimal playability and safety

Powergame+ tiles provide exceptional protection against abrasion, head injuries and joint strain. Extensive third-party testing ensures that athletes of any age remain safe while playing and competing on Sport Court® surfaces.

Accomodate many sports with unmatched playability and safety







Powergame+ enhances game experience

- Highly versatile multisport surface
- Same dribbling response as a hardwood flooring
- · Remarkably stable surface

Powergame+ provides a unique balance between safety, comfort and durability


- High tile stability optimises ball rebound and game performance
- Improved water drainage enables faster drying and playability after rain
- · Low skin abrasion protects players when falling without compromising on traction



Superior Impact Protection

A head impact from just 10 cm above a concrete surface can cause a concussion. Sport Court® tiles are significantly more forgiving, with PowerGame+ reducing the likelihood of a serious head injury from a fall of 50 cm

Critical Fall Height is a test used in conjunction with the European Standards EN 1177-2018, used for evaluating playground surfaces, such as sand, wood chips, resilient rubber and asphalt




Sport Court® Outdoor Surfaces

Save time and money

Easy installation and maintenance

The simple and strong interlocking system enables the installation of a 1,000 sqm court in 4h



1,000m² court = 4H COURT | 2H GAME LINE

WITH A 4-PERSON TEAM



The next step in multi-sports outdoor surfacing

POWER GAME



Made in France
Designed to provide the highest levels
of safety and playability. PowerGame+
is the perfect choice for your facility.

Long-lasting aesthetics



UV protection

Outstanding colour durability

Durabilité et confort de jeu



Wide and deep connection loops

High stability and durability over installation and removal, safety of the players

Optimal playability

Optimal grid design

Double-grid structure for faster drying, reduced water rebound, and optimal safety



Top-grid


"Open Diamond" design For better drainage



Lower grid:
"Saddle" Shape
To prevent water retention

A greater court with finishing profiles

Discover our complete range of finishing profiles, adapted to every court configuration.





Metal Profiles

- Resistance to harsh weather conditions and to vandalism thanks to the anchored installation
- · Beautiful additional elements to finish the court


Sport Flooring

Linoleum Sports Floorings

Colorette Sport / Linodur Sport / Marmorette Sport




Colorette Sport




COLORETTE SPORT is a calendered linoleum compact floorcovering in sheet, 2 m wide, compatible with Gymflex II rubber underlay for a point elastic installation. Its weight is 4700 gr/sqm in 4.0 mm. It features a speckled design. It is composed of 98% natural materials (linseed oil, wood flour, resins, cork, minerals and jute fabric) among which 76% are rapidly renewable. The flooring is produced with Neocare™ solvent-free surface treatment, an exclusive photo-cured acrylate based lacquer surface treatment obtained by triple laser UV cross linking. Neocare™ offers excellent scratch resistance as well as resistance to chemicals found in aggressive environments such as bleach, hydro alcoholic solutions, Betadine and Eosin as well as markers making maintenance easier and increasing the life of the flooring. This treatment avoids performing any polishing throughout the lifetime of the product. It can however be polished following usual recommendations and according to the customer's wishes. The flooring is 100% recyclable, 100% controlled, is REACH compliant and rated Cfl-s1 for fire resistance. The product also benefits from international certifications such as Floorscore® and Blue Angel (emissions). Designed and manufactured in a sustainable way in a plant awarded with ISO 9001 (quality), ISO 14001 (environment) and ISO 50001 (energy) certifications, the flooring is certified "Cradle to Cradle Silver". Its Environmental Performance Declaration (EPD) certified by an external laboratory, indicates carbon neutrality during the first stages of its life cycle ("from cradle to gate").

Linodur Sport



LINODUR SPORT is a calendered linoleum compact floorcovering in sheet, 2 m wide, compatible with Gymflex II rubber underlay for a point elastic installation. Its weight is 4700 gr/sqm in 4.0 mm. It features a modern design with a fine grain effect. It is composed of 98% natural materials (linseed oil, wood flour, resins, minerals and jute fabric) among which 76% are rapidly renewable. The flooring is produced with Neocare™ solvent-free surface treatment, an exclusive photocured acrylate based lacquer surface treatment obtained by triple laser UV cross linking. Neocare™ offers excellent scratch resistance as well as resistance to chemicals found in aggressive environments such as bleach, hydro alcoholic solutions, Betadine and Eosin as well as markers making maintenance easier and increasing the life of the flooring. This treatment avoids performing any polishing throughout the lifetime of the product. It can however be polished following usual recommendations and according to the customer's wishes The flooring is 100% recyclable, is composed of up to 32% recycled content, 100% controlled, is REACH compliant and rated Cfl-s1 for fire resistance. The product also benefits from international certifications such as Floorscore® and Blue Angel (emissions). Designed and manufactured in a sustainable way in a plant awarded with ISO 9001 (quality), ISO 14001 (environment) and ISO 50001 (energy) certifications, the flooring is certified "Cradle to Cradle Silver". Its Environmental Performance Declaration (EPD) certified by an external laboratory, indicates carbon neutrality during the first stages of its life cycle ("from cradle to gate").

Marmorette Sport



MARMORETTE SPORT is a calendered linoleum compact floorcovering in sheet, 2 m wide. Its weight is 3800 gr/sqm in 3.2 mm. It features a marbled design. It is composed of 98% natural materials (linseed oil, wood flour, resins, minerals and jute fabric) among which 76% are rapidly renewable. The flooring is 100% recyclable, is composed of minimum 25% recycled content and up to 40% recycled content, 100% controlled, is REACH compliant and rated Cfl-s1 for fire resistance. The product also benefits from international certifications such as Floorscore® and Blue Angel (emissions). Designed and manufactured in a sustainable way in a plant awarded with ISO 9001 (quality), ISO 14001 (environment) and ISO 50001 (energy) certifications, the flooring is certified "Cradle to Cradle Silver". Its Environmental Performance Declaration (EPD) certified by an external laboratory, indicates carbon neutrality during the first stages of its life cycle ("from cradle to gate").

Colorette Sport / Linodur Sport / Marmorette Sport

| | | | Colorette Sport | Linodur Sport | Marmorette Sport |
|---|-------------------------------|----------------------|--|---|---|
| Description | | | | | |
| Total thickness | EN ISO 24346 | mm | 4.0 | 4.0 | 3.2 |
| Backing | - | - | Jute fabric | Jute fabric | Jute fabric |
| Weight | EN ISO 23997 | g/sqm | 4700 | 4700 | 3800 |
| Width of sheet | EN ISO 24341 | cm | 200 | 200 | 200 |
| Length of sheet | EN ISO 24341 | m | Ca. 28 | app. 28 | app. 28 |
| Material content | - | - | 98% natural materials
(bio-based & mineral),
among which 76% are
rapidly renewable, 100 %
recyclable | 98% natural materials
(bio-based & mineral),
among which 76% are
rapidly renewable,
recycled content up to
32%, 100 % recyclable | 98% natural materials (bio-
based and mineral): linseed
oil, wood flour, resins, cork,
minerals, jute fabric, among
which 76% are rapidly
renewable. 100 % recyclable,
contains up to 40 % recycled |
| Classification | | | | | |
| Norm / Product specification | - | - | EN 14904 /
DIN V 18032-2
2001/04 | DIN EN 14904
DIN V 18032-2 | EN 14904 /
DIN 18032-2 |
| European classification | EN ISO 10874 | class | 23 / 34 / 43 | 23 / 34 / 43 | 23 / 34 / 43 |
| Fire rating | EN 13501-1 | class | Cfl-s1 ⁽¹⁾ | Cfl-s1 ⁽¹⁾ | CfI-s1 ⁽¹⁾ |
| Dynamic friction coefficient | DIN V 18032-2
2001/04 | μ | 0.4 - 0.6
OK | 0.4 - 0.6
OK | 0.4 - 0.6 μ - Fulfilled |
| Sliding Coefficient | EN 13036 - 4 | - | 80 - 110
OK | 80 - 110
OK | 80-110 - Fulfilled |
| Impact sound insulation | EN ISO 717-2 | dB | 6 | 8 | 6 dB |
| Performances | | | | | |
| Residual indentation | EN ISO 24343-1 | mm | ≤ 0.20 | ≤ 0.20
OK | ≤ 0.15 |
| Indentation resistance | EN 1516 | mm | ≤ 0.5
OK | ≤ 0.5
OK | - |
| Slip resistance | EN 16165 App B
(DIN 51130) | class | R10 | R10 | - |
| Colour fastness | EN ISO 105 -
B02 | degree | ≥ 6 | ≥ 6 | ≥ 6 |
| Point contact resistance | VDE 0100 | - | | | p ≥0.20 Fulfilled |
| Light reflection | DIN 5036-3 | - | ρ ≥ 0.20 OK
(except colours 1004,1080
und 1118) | ρ ≥ 0.20 OK
(except colours
1013,1024,1059,1073,1081) | - |
| Static electrical propensity | EN 1815 | kV | ≈2 | ≤ 2 | app. 2.0 |
| Castor chair test (Type W) | ISO 4918 | - | OK | OK | OK |
| Thermal resistance | EN 12667 | (m ² K)/W | 0.023 | 0.023 | 0.018 |
| Thermal conductivity | EN ISO 10456 | W/(m.K) | 0.17 | 0.17 | 0.17 |
| Chemical products resistance | EN ISO 26987 | class | Excellent(2) | Excellent(2) | OK |
| mpact resistance | EN1517 | N/m | ≥ 8
OK | ≥ 8
OK | - |
| Abrasive wear resistance | EN ISO 5470-1 | mg | ≤ 1000
OK | ≤ 1000
OK | - |
| Gloss level | EN ISO 2813 | - | OK | OK | - |
| Surface Treatment | | - | NEOCARE™ | NEOCARE™ | - |
| Anti-viral activity (Human | ISO 21702 | _ | > 98.65 % virucidal activity | > 98.65 % virucidal activity | - |
| coronavirus) after 5 h ⁽³⁾ Anti-bacterial activity (E. coli – S. aureus – MRSA) ⁽³⁾ | EN ISO 22196
(JIS Z 2801) | - | > 99.99% inhibits growth | > 99.99% inhibits growth | - |
| Indoor air quality (TVOC after 28 days) | EN 16516 | μg/m³ | after 24h
< 30 | after 24h
< 50 | - |

 ϵ

Certification

CE Marking

Circular Economy

EN 14904: 2006

Cradle to Cradle



Silver



Silver





Silver



(1) Glued according to certificate

DOP numbers available from your local branch.

⁽²⁾ Resistant to non-colouring alcohol-based sanitisers, domestic chemicals and acid and alkaline solutions for short periods.

⁽³⁾ The implementation of an effective cleaning method is the best defence against infection.

Linoleum Sports Floorings


Linodur Sport



Marmorette Sport



1053 Ice Grey












Colorette Sport



Linogym II - 10 mm



Ideally suited for kindergardens. With a 26% impact absorption rate, LINOGYM II SYSTEM provides outstanding cushioning qualities.

THE LINOGYM II SYSTEM – point-elastic flooring!

LINOGYM II SYSTEM brings together the best of Sport Linoleum and elastic matting. It consists of the 6 mm elastic matting Gymflex II on which a 4 mm Sports Linoleum (Linodur or Colorette) will be installed. With a 26% impact absorption rate, LINOGYM II SYSTEM provides outstanding cushioning qualities. The elastic matting is made of PUR foam, rubber powder and binder.

Powershock Fitness Rubber Solutions



High impact rubber solutions for fitness


Powershock 80

Cardio & Free-weight zone

POWERSHOCK 80 is:

- ✓ Highly durable
- ✓ Easy to clean and maintain
- ✓ Highly resistant to static loads and to dumbbells thanks to the vulcanization process of this 8 mm vulcanized rubber

Vulcanized rubber is a chemical process through high pressure and temperature enables the sulfur atoms to form links and bridges between long chains of rubber molecules. This increases the overall strength and durability of the rubber.






Dark Grey Black

Interlocking system: ease of installation

Interlocking tiles with



Accessories (available from Romus)







Tiles with pre-installed

Multilevel coverstrip Unit: 2,7 lm


Powershock 300

Crossfit & Heavy-weight area

POWERSHOCK 300


avoids deep-impact damage while providing an outstanding sound deadening, as well as:

- ✓ high shock absorption
- ✓ Sound insulation of 24 dB
- ✓ great protection of the subfloor being a 30 mm high impact rubber.




Dark Grey

Accessories



Ramp edge rubber 30 mm




Corner ramp edge rubber 30 mm 2 units (1000 x 250 mm)

Powershock Fitness Rubber Solutions

Technical Data


| | | | Powershock | | |
|----------------------------------|--------------------|---------|---------------------------------|--------------------------------|--|
| | | _ | 300 | 80 | |
| | | _ | Crossfit &
heavy-weight area | Cardio & free-weight area | |
| Description | | | | | |
| Thickness | NF EN ISO 24346 | mm | 30 (± 2) | 8 | |
| Weight | NF EN ISO 23997 | kg/tile | 6,8 (±0,2) | 11,9 | |
| Size | NF EN ISO 24342 | mm | 500 × 500 (±0,8 %) | 980 × 980
(incl. dovetails) | |
| Classification | | | | | |
| Fire resistance | EN 13501-1 | class | Cfl,s1 | Bfl,s1 | |
| VOC | ISO 16000-6 | class | A+ | A+ | |
| Performance | | | | | |
| Dimensional stability | NF EN ISO 23999 | % | < 0,1 | < 0,3 | |
| Abrasion | EN ISO 5470-1 | g | 1,5 | < 0,5 | |
| Light resistance | EN ISO 20105 - B02 | level | 3 | 4 | |
| Indentation resistance | EN 1516 | mm | 0,12 | < 0,1 | |
| Slip resistance in dry condition | EN 13036-4 | unit | 80-110 | 80-110 | |
| Sound insulation | EN ISO 717/2 | dB | 24 | 13 | |
| Hardness shore A | Int. | - | 60 | > 75 | |





Our solutions for your fitness center

Each zone in your club has different constraints and requirements; we have solutions for each one of them.













Functional Training



Spinning Zone



Cardio Zone

Group Classes

Weightlifting Zone



pages 320-351

322. Finishes

336. Technical Solutions

346. Sports Finishes


- 323. Skirting and coving solutions
- 328. Stair solutions
- 330. Profile solutions
- 333. Welding solutions
- 334. Entrance solutions

FOCUS

Gerflor provides a complete range of solutions including skirting, stairs, profiles and welds.

Finishes

Skirting and coving solutions



There are two ways of finishing the junction between the floor and wall:

Design skirting (MDF)




Design skirting (PVC)

2 Making a cove.

PVC Cove former

This solution makes it easier to clean inside angles and edges. It gives a waterproof connection wall/floor covering.






inishes

Semi-rigid skirting

Coving solutions



Skirtings

326

DESIGN SKIRTING (PVC) PVC DESIGN SKIRTING ENDCAP PVC CAPPING STRIPS PVC CAPPING STRIPS INTERLOCKING SKIRTING (PVC) ENDCAP (PVC) SKIRTING (MDF) VYNAFLEX Semi-rigid PVC skirting to be placed on the wall These caps allow to cover PVC Design Vinyl Design Skirting MDF Design Skirting for a for a perfect finish of perfect finish of Gerflor floorcoverings. Gerflor floorcoverings. Skirting side. 100% watertight, it could be installed in all Description environment. 6086 6087 5947 0483 - 0482 - 0477 Anthracite grey 0001 Beige 0454 → Thin and discrete, it ensures an elegant finish and hides ▶ PVC cap, aluminum color, fits all our PVC Design Skirtings · Available in all designs of Creation 30, Solid colour Creation 55, Top Silence and Rigid collection Some Creation 70 designs are available It ensures an elegant finish and hides the the dilatation gaps • Designs of the Creation 30, Creation 55 and Rigid 30 ▶ Resistant to washing waters · Can be used for one side of the skirting or the other collections are available Some Creation 70 designs are available dilatation gaps → The skirting is also available in a paintable white version • The skirting is also available in a paintable white version 0477 5947 0482 0483 12 mm **/** 5948 20 mm 13 mm **Packaging** 5947: 5 × 2.2 m **Packaging** 0483 / 0477: 25 × 3 lm strips **Packaging** 10 mm 5948: 1 box of 30 clips 0482: 32 × 3 lm strips 6 × 2 m Bag of 10 reversible caps • Use a wood saw with fine teeth • Cut one end, glue it, press it • Use a wood saw with fine teeth • Use skirting corner Cutter to handle internal • Use a mitre box for the corner Use a mitre box for the corner and external angles Do not srew or nail • For more information contact the customer service • Use either a double bonding adhesive, a dispersion contact • For more information contact the customer service adhesive or a double sided tape compatible with the PVC skirting • Apply an adhesion primer if the sub-floor is porous Colours and images are not contractual.


Stair solutions

Gerflor has developed 2 solutions for installing a Vinyl floor on stairs to complement its range of floors:

1 Tarastep

- Install the base of the finishing clip onto the flat angle of the stair
- Install the Tarastep
- Clip the stair clip system


Adapted to rounded stair nosing. Mill the angle for straight stair nosing. For bird's beak stair nosing, fill the void beforehand.



2 Stair nosing insert


- Install the vinyl flooring and the stair nosing by starting at the bottom of the stair
- Install the riser
- Install the stair nosing
- Install the flat of the stair
- Weld

Adapted to straight stair nosing, rounded stair nosing and bird's beak stair nosing.



STAIR NOSING INSERT

STAIR NOSING INSERT



Packaging

10 × 3 lm strips

• Secure with flat head cross head countersunk stainless steel screws (not included)

10 × 3 lm strips + 10 carborundum strips

• Do not apply adhesive to the vertical part of the stair nosing

Packaging


10 × 3 lm strips

Double bonding


Colours and images are not contractual.

Profile solutions


Our profiles provide solutions to several problems concerning links between floors, walls or bare spots depending on the flooring thickness and technical requirements.




They in particular, allow two types of connections to be dealt with:



PVC profiles



Aluminium Ramp Edges



Welding solutions

HOT WELD




WELDING RODS

- This is used for all types of PVC floors, for coving sport floors
- · Ensures a complete watertight seal

Gerflor has a large range of rods available

Ø 4 mm / Ø 4.1 mm / Ø 5 mm / Ø 6 mm



The welding rod is placed in the chamfer between two floor coverings. When heated, it melts and fills the entire space to ensure complete watertight seal.

WELDING ROD AND FLOORING MATCHING TOOL http://www.gerflor.com/servicesprofessionals/welding-rods-matching.html



Product suitable for floor coverings of:

- ► CR40: Floor/floor weld Code 0585
- CR50: Welding of sport floors Code H209

Specific weld rods

- CR50: Weld, Tarasafe Plus, floor repairs on special order Code H009
- CA72: Triangular rod for commercial kitchen floor to base welding Code H007
- → CR60: Welding of sport floors, repair on special order Code H011
- ▶ BBR40: 100% Bio-based plasticizer rod for Mipolam Symbioz
- MCR40: Multicolor rod for Mipolam Accord & Affinity Code H058

Packaging CR40, BBR40, CR50, CA72: 100 lm. coil CR60: 60 lm. coil MCR40: 50 lm. coil

Please contact us for further information on weld rods

- For a better weld the correct grooving should be performed.
- Use an adapted nozzle (Ultra Speed Nozzle).


Tips

Colours and images are not contractual.

Entrance Solutions

Three cleaning zones to be covered at the entrance to a building

Each zone has a specific "cleaning" role:







Ribbed Rubber Insert

| Romat
Frequent traffic (500 p/day) | *** |
|---------------------------------------|-----|
| Domet CT | |

Heavy traffic (500 to 2,000 p/day)

Intensive traffic (> 2,000 p/day)

Zone 2



Textile Insert

| Romat
Frequent traffic (500 p/day) | *** |
|--|------|
| Romat GT
Heavy traffic (500 to 2,000 p/day) | **** |

Rubber Grate Insert

Romat reverse

Intensive traffic (> 2,000 p/day)

Zone 3



Dirt-Trapping Mat

| Ronet
Frequent traffic (500 p/day) | Ż |
|--|---|
| Roclean
Heavy traffic (> 500 p/day) | 챘 |

Ref. 1700 - 1.5 × 1.5 m

Entrance Mats

- Eliminate dust, moisture and other residue from visitors' feet as efficiently as possible at the entrance of a building.
- Prevent premature soiling and wear of floor coverings.

QUICKMAT TILES



Modular entrance mat that can be incrustated in Gerflor LVT floor covering without damaging the subfloor.

It helps to scratch the underside of shoes and protects the building from outside dirts.

For areas with frequent pedestrian traffic (up to 2000 people per day).

▶Packaging: 1 sqm box

QUICKMAT TILES Ref. 1725 - 23 × 75 cm planks

QUICKMAT PROFILES **Réf. 1726** - tube of 4×2 lm profiles)

QUICKMAT TILE ANGLES **Réf. 1727** - (box of 4 angles)

LOOSELAY ROMAT GT - INSERT KIT.



Ref. 1719 - 1.5 × 1 m

For pedestrian traffic only.

Entrance mat affording floors of buildings efficient and sustainable protection from pedestrian traffic by forming a barrier to outside dirt. Thanks to its loose-lay installation, the mat can be installed without damaging the surface. Adapted for an important pedestrian traffic (up to 2000 people per day).

This kit contains:

- ▶1 mat
- ▶ 4 frames composed of 4 lower and 4 upper profiles
- •4 external pre-assembled corners
- ▶60 5-7 screws
- ▶1 Installation guideline

KIT ESPLANADE 9000



Kit for the incrustation of an ESPLANADE 9000 mat in an area covered with Attraction®, GTI®, Creation 55 Solid Clic, Creation 70 Clic. The closed conception of the mat enable to scratch the underside of shoes and increase the durability of the floors. It resists to intense pedestian traffic (up to 5000/day) and to mecanial traffic.

→ Packaging: 2.5 sqm kit: 3 mats modules, 4 upper and 4 lower profiles, screws.

338. Accessibility

340. LVT Underlayers

342. Specific products

343. Isolating membranes343. ESD copper strip

344. Adhesives and tapes

Technical Solutions


Shower System

A complete floor and wall solution with a choice of two floor coverings, one wall covering and seven accessories.

• Safety: Grained floor covering with slip resistance (Elegance SD, Tarasafe Ultra H2O, Standard, Geo, Ultra Compact)


2

- Watertight system floor/wall junction
- System which guarantees hygiene
- Combination of colours: 31 wall references and 16 floor references
- Access for all






4







Cove former for internal Perfect CR 40 wall weld wall angles CA 12 - H204 0585


Diminishing profile - 0490

3

5

Clean Corner System IN 058S

Clean Corner System OUT 058R



Cove former

Tarafoam: acoustic insulation

sublayer - 997C

6





Inox grid - 090C

Drains PVC 090A-Vertical 090B-Horizontal





Réhausse de siphon 090D

Couteau compas 090E



The threshold has been developed in 3 colours: grey, beige and blue in order to answer to the specific requirement of Alzheimer units (no contrast).


gris
beige clair
bleu

Shower threshold - 0469

More information on gerflor.com


FOCUS

Gerflor offers a full range of technical solutions such as the shower system, copper strips, adhesives or tools in order to provide all the technical requirements on site.





ALERTILE, SELF-ADHESIVE OR WELDABLE TACTILE SLAB



Dimensions: 426 × 1363 mm / 426 × 838 mm Packaging: 8 units per box (838 mm) 4 units per box (1363 mm) Codes: 059B (838 mm) / 059A (1363 mm)



Packaging: Kit of 198 studs (6 planks de 33 studs) approx. 1.3 m x 0.4 m Codes: 059C (Grey, Black) - 059D (Alu)




GUIDING

EASYGUIDE, THE SELF-ADHESIVE SOLUTION FOR GUIDING







Packaging: Box of 6 slabs 300 \times 220 mm (4 bars/slab) for 1.8 m of guideline Code E219

Ġ.

SIGNAGE

Personalised cut-to-size system





inishes

Technical Solutions

LVT Underlayers

| CREATION 30/40/55 SOLID CLIC & CREATION 70 CLIC | CREATION 40/55 SOLID CLIC - HOME CLIC | CREATION 70 CLIC + 30/40/55 SOLID CLIC | CREATION 30/40/55 |
|---|--|--|---|
| GERFLOR ACOUSTIC 15 DB 1798 • Sound absorption underlay in roll | GERFLOR SILENCE PLUS 19 DB Sound absorption underlay in accordion | GERFLOR ACOUSTIC PLUS 19 DB 0704 Sound absorption underlay in roll | GERFLOR SMART FIX 16 DB 1698 • Underlay with self-adhesive surface • Sound absorption underlay in roll |
| Reduces impact noise up to 15 dB Adapted to the same traffic than the LVT but semi-industrial or industrial application Thickness: 0.93 mm Particular Particular Reduces impact noise up to 15 dB Reduces imp | Reduces impact noise up to 19 dB Adapted to the same traffic than the LVT but semi-industrial or industrial application Thickness: 1.5 mm Production Thickness: 1.5 mm | Reduces impact noise up to 19 dB Adapted to the same traffic than the LVT but semi-industrial or industrial application Thickness: 1.2 mm Parkering | For a loose lay installation of LVT dry back. Reduces impact noise up to 16 dB Adapted to the same traffic than the LVT but semi-industrial or industrial application Thickness: 2 mm |
| Packaging
1798 - 1 × 15 lm = 15 sqm | Packaging 5949 - 1.18 × 8.5 lm = 10 sqm | Packaging
704 - 0,98 × 15,3 lm = 15 sqm | Packaging 1 × 7.5 lm = 7.5 sqm |
| Underlay is rolled on reverse Refer to technical installation guidelines to check the approved products | Printed side on top Refer to technical installation guidelines to check the approved products Printed side on top | Unroll the underlay Refer to technical installation guidelines to check the approved products | Fleece side: on the subfloor Adhesived side: under the LVT Refer to technical installation guidelines to check the approve products |

Technical Solutions

Specific Products

Gerflor offers a set of products providing solutions to specific problems such as accessibility, insulation, maintenance of floors and electrical conductivity of our floors.





ISOLATING MEMBRANES

ESD COPPER STRIP














CLEAN CORNER SYSTEM FOR ALL GERFLOR FLOORS

ISOLSPORT TARAFOAM COPPER STRIP 0829 0002 997C 6792 0586 0001 COMFORT VERSION ESD COPPER STRIP VINYL ISOLATING MEMBRANE OF THE SHOWER SYSTEM Specially designed for sports Copper strip enabling earthing For installation on concrete subfloors Provides acoustic · Vinyl isolating membrane, ► For electro-conductive floor coverings such as Elegance EL5, Technic EL5, GTI° EL5, double side on non woven insulation for the shower glass fibre with backing system (15 dB) and comfort design made up of Affinity EL7, Robust EL7 under foot. 3-branch star foam pads. ► Its design enables loose ▶ Width 10 mm, thickness → Thickness: 2 mm 0.08 mm laying on sensitive subfloors (risks of humidity, coated, etc.) when it is associated with a Taraflex® sporting floor. The raised effect allows humidity to circulate. ► Thickness: 1.7 mm Packaging 1 × 45 lm roll Packaging Roll of 2 m x 20 lm - 40 m² Packaging 1 × 200 lm roll • Levels out around the edge of • Prevent discontinuity between · Bond well at doors with the angles by folding it back onto itself PU adhesive to prevent the room delamination. Acrylic bonding • Keep the raised surface, floor • Edge to edge installation side, on the periphery • Edge to edge installation Colours and images are not contractual.

Gerflor has developed specific bonding solutions to make it easier to install its products.

| Discourage of the control of the con | _ | ADHESIVES | HOOK & LOOP AND DOUBLE SIDED TAPE FOR TEXTILE BACKING | hop holding tape New | NON-MIGRATING D | OUBLE SIDED TAPES |
|--|-------------|---|---|--|---|---|
| Only for Dy: Tex* System Conding of Tarlets sport Boos with Packaging Packaging Packaging | Description | 086C 0083 | | | | |
| subfloor • Morn component PU adhesive, reactive to humidity which enables the DTX material to be fully bornded in humid environment (no restriction of humidity versit with the exception of a • Consumption: 400 to 450 g/m² Packaging 15 kg bucket • To be applied with ergonomic trowel for rigid adhesive and 81 blade | _ | Only for Dry Tex™ System (bonding of Taraflex sport floors with non-woven backing) ▶ Bonding on new and old humid concrete | ► D75 enables installation of vinyl floor | ▶ Reinforced tape : durable | | |
| 15 kg bucket 1 × 25 lm roll 1 × 50 lm roll 1 × 50 lm roll 1 × 25 lm roll • To be applied with ergonomic trowel for rigid adhesive and B1 blade | Benefits | subfloor Mono component PU adhesive, reactive to humidity which enables the DTX material to be fully bonded in humid environment (no restriction of humidity levels with the exception of surface water) Consumption: 400 to 450 g/m² | perimeter and under joints.Time saving and cleanliness by comparison with a bonded system. | No transfer to surface underneath Easy to remove without damaging
the support | of subfloor containing asbestos. Fix&Free 100 is suitable for textile backing floo Fix&Free 740 is suitable for Creation Clic and C Time saving and cleanliness by comparison with the comparison with the comparison of the comparison of the comparison with the comparison of the comparison with the comparison of the comparison with the comparison with the comparison of the comparison with the comparison of the comparison with the comparison of the comparison | rcovering.
GTI°. |
| for rigid adhesive and B1 blade | | Packaging
15 kg bucket | Packaging
1 × 25 lm roll | Packaging
1 × 50 lm roll | Packaging
1 × 50 lm roll | Packaging
1 × 25 lm roll |
| | Tips | for rigid adhesive and B1 blade | | | | Colours and images are not contractual. |

i

Sports Finishes

347. Marking

348. Specific Products

350. Adhesives and Tapes

351. Tools - Sport



Ou () Indesit Time4You () Indesit Time4You

FOCUS

We provide finishing solutions suitable for sports floor coverings such as permanent or temporary line marking solutions.

Sports Finishes

Marking

PERMANENT GAME LINES (PAINT)



| | | * |
|------------------------|--------------|--|
| Description | Article code | Components |
| KIT TLD AQUA BASKET | 085V0001 | 4 red paint's can, 4 hardener's can,
9 adhesive tapes and 1 roller |
| KIT TLD AQUA BADMINTON | 085W0001 | 3 black paint's can, 3 hardener's can,
7 adhesive tapes and 1 roller |
| KIT TLD AQUA TENNIS | 085X0001 | 3 white paint's can, 3 hardener's can,
7 adhesive tapes and 1 roller |
| KIT TLD AQUA HANDBALL | 085Y0001 | 4 yellow paint's can, 4 hardener's can,
9 adhesive tapes and 1 roller |
| KIT TLD AQUA VOLLEY | 085Z0001 | 2 blue paint's can, 2 hardener's can,
3 adhesive tapes and 1 roller |


TEMPORARY GAME LINES (TAPE)

| Description | Article code | Use | | |
|---------------------|--------------|---------------------------------|--|--|
| 3M TAPES BLACK (**) | H1970002 | For game lines | | |
| 3M TAPES WHITE (**) | H1970004 (*) | For game lines - White = Tennis | | |
| 3M TAPES RED (**) | H1970005 | For game lines - Red = Basket | | |
| 3M TAPES BLUE (**) | H1970006 | For game lines - Blue = Volley | | |

GAME LINE EQUIPMENT (PERMANENT & TEMPORARY)

| Description | Article code | Use |
|---|--------------|--|
| GAME LINE MARKING DEVICE | 087W0001 | Circular line marking of up 9 m radius can be achieved with this device. COMPONENTS |
| | | Marking head with 50 mm adhesive marking tape Marking head with 19 mm protective tape |
| GAME LINE MARKING
DEVICE AND CIRCLE CUTTER | 087X0001 | Extension polesPole-connectionsCentre-part with 2 suctions cups |
| | | Sheet metal guides for straight lines |
| | | Transporting case ABS |
| | | Case for extension poles |
| | | Circle cutter (optional for only 087X0001) |

(*) White color can be used for any other monosport court. (**) To be installed on Taraflex® Range except on canvas or tennis embossing.



Game Line Marking Device



Circle Cutter

Finish

Sports Finishes

Specific Products / Isolating membrane & cleaning detergents

Specific Products / Cleaning detergents

BATECO SPORT FLOOR MAINTENANCE SPORT FLOOR MAINTENANCE PROTECSOL® FLOOR MAINTENANCE H3756801 (customized lengths) 085P 0001 085E 0001 085A 0010 HM126801 (standard lengths at 20 lm) TRACIFLEX TANEX TROPHY SPRAY TARACLEAN HM066801 (standard lengths at 30 lm) Multipurpose detergent for cleaning the vinyl sport floors (shoe marks and contact marks) Multipurpose detergent for cleaning the vinyl sport floors · Spray cleaner to remove occasional and tough stains, notably PROTECTIVE SURFACE (shoe marks and contact marks) • Also suitable for floors which are difficult to clean Also suitable for floors which are difficult to clean Specially designed for sports • For daily or weekly maintenance For weekly maintenance Suitable for gymnasium / reception hall versatility • Protective surface made from black calendered and grained • Removes resin from Handball courts Pour l'ensemble des sols ▶ Suited to all types of floors treated with Protecsol® plasticised vinyl. • Recommended in sport room ► Easy and quick to use Taraflex Bateco is especially designed to protect sport floors in the event of non-sports use of the room. It prevents marking by chairs, tables, heels on the sport floor. ▶ Thickness: 1.5 mm Packaging 1 × 20 lm roll / 1 × 30 lm roll Packaging 1 I can Packaging 5 I can Packaging Box of 12 pieces • Edge to edge installation • Traciflex may be sprayed on stubborn stains • Strips can be secured with single-sided adhesive tape AT7

350

Tools - Sport

DOUBLE SIDED TAPES FOR SPORT FLOORS



STORAGE EQUIPMENT

| Description | Article Code | Use | |
|---|--------------|-----------------------------------|--|
| NAIROD PALLET
(brand new) | 087Q0057 | For transportation and storage | |
| NAIROD PALLET
(2 nd hand) | 087Q0057 | of mobile court (160 × 120 × 180) | |

| Description | Article Code | Use |
|---------------------------------|--------------|---|
| SERVING TROLLEY Portable floors | 087A0035 | |
| SERVING TROLLEY Bateco | 088F0001 | To wind and unwind Bateco
or portable floors |
| UNWINDING TROLLEY Bateco | 088D0001 | |

| Description | Article Code | Use |
|------------------------------------|--------------|---------------------|
| STORAGE RACK FOR 4 ROLLS
DPP4 | 087E0039 | For BATECO storage |
| STORAGE RACK FOR 4 ROLLS
DPP4 | 088N0001 | For portable floors |
| STORAGE RACK FOR 6 ROLLS DPP6 | 08800001 | For BATECO storage |
| STORAGE RACK FOR 6 ROLLS DPP6 | 088K0001 | For portable floors |
| STORAGE RACK FOR 8 ROLLS DPP8 | 087B0037 | For BATECO storage |
| STORAGE RACK FOR 8 ROLLS DPP8 | 088S0001 | For portable floors |
| STORAGE RACK FOR 10 ROLLS
DPP10 | 088J0001 | For BATECO storage |
| STATIC WALL STORAGE RACK | 088E0001 | |








ACCESSORIES

| Description | Article code | Use |
|-------------------------------|--------------|--|
| CONES | 087F0040 | Special cones connect the inside cardboard tube with poles. This specific element is only suitable for round tubes poles |
| GUIDING POLE | H5390023 | Fixed at the front of the
storage rack to easily wind
and unwind Bateco or
portable floors |
| MOTORISED
UNWINDING
KIT | 088G0001 | Motorised system to easily wind and unwind Bateco or sports floors |
| HOLDING
STRAP | H2950001 | Holding strap
to prevent roll unwinding |



FRAME EXTENSION PAIR:

The frame extension pair is only to support the roll holst. It enables the lifting of rolls to the highest position on roll stands.

Only if roll length up to 28 lm, to be ordered with storage racks

ROLL HOIST PAIR:

Additional device for easy upload or download of rolls.

Refer to the product glossary for information on colours and packaging



Specifications

pages 352-359

354. Gerflor specifications

Gerflor Specifications

Healthcare - Hospital - Clinic - Retirement Home Office - Administration

| | Mip | olam
jeneous | Pren | nium | | | Tarala | ay Multila | ayered | | | | Tec | hnical Tiles | | Cre | ation LVT | | | | Techr | nical Solu | ıtions | | Safety | Flooring | | ļ | DLW Lino | , |
|-------------------------------|----------------------------------|----------------------------|---|--|------------------|--|-------------------------|--|-------------------------|-------------|--------------|-------------|----------------------|--------------|----------|---------------------|-------------|-------------|-------------|-------------|--|---------------|---------------|--------------------|---|-------------------|-----------------------|------------------|-------------------|---------------------------------|
| 2 2 | 0 | \Diamond | Acoustic | <u></u> | | <u>O</u> | Acoustic | Compact | | Compact | 7 | | | \bigcirc | Acoustic | Compact | | \Diamond | | | <u>(</u> | oustic Compa | <u>></u> | Compact | | Compact | | Compact | Acoustic | O |
| | Compact | | Acoustic | Compact | | | 1 | | 1 | Compact | Acoustic | | | Compact | Acoustic | Compact | | Compact | Compact | | Ac | oustic Compa | act | Compact | | Compact | | Compact | Acoustic | LCH |
| | Homogeneous Flooring (Evercare") | Homogeneous Flooring (PUR) | Premium Comfort /
Taralay Millenium Acoustic | Premium Compact /
Taralay Millenium Compact | Taralay Libertex | Taralay Impression Acoustic /
Taralay Impression Hop Acoustic | Taralay Initial Comfort | Taralay Impression Compact /
Taralay Impression Hop Compact | Taralay Initial Compact | Nerok 55/70 | Tarastep Pro | Attraction® | GTI® Max / GTI® Pure | GTI EL5 | Saga² | Creation 70 Connect | Creation 70 | Creation 55 | Creation 40 | Creation 30 | EL5/EL7 solutions
(Static control flooring) | Shower system | Wall covering | Tarasafe Ultra H2O | Tarasafe Ultra / Design
(SparClean®) | Tarasafe Standard | Tarasafe Plus / Super | Linoleum Compact | Linoleum Acoustic | Linoleum
Technical Solutions |
| HEALTHCARE - HOSPITAI | LTHCARE - HOSPITAL - CLINIC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Reception | • | | | • | | | | | | | | | | | | | | | | | | | | | • | • | | | | |
| Corridors | • | | • | • | | | | | | | | | | | | | | | | | | | • | | | | | | | |
| Waiting room | • | | • | • | | • | | • | • | | | | | | | | | | | | | | | | | | | | | 1 |
| Bedroom | • | | • | | | • | | • | • | | | | | | | | | | | | | | | | | | | | | |
| Bathroom - Toilets | | | | | | | | | | | | | | | | | | | | | | • | • | • | • | • | | | | |
| Careroom - Medical - Sick bay | • | | • | • | | • | | • | • | | | | | | | | | | | | | | | | | | | | | |
| Rehabilitation room | | | • | | | • | | | | | | | | | | | | | | | | | | | | | | | | |
| Surgery | • | | • | • | | • | | • | • | | | | | | | | | | | | | | | | | | | | | |
| Theatre block | • | | • | • | | | | | | | | | | | | | | | | | • | | • | | | | | | | |
| Intensive care unit | • | | • | • | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Radiotherapy - Laboratory | • | | | • | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Laundry - Store room | | | | | | | | | | | | • | • | • | | | | | | | | | | • | • | • | | | | |
| Stairs | | | | | | | | | | | • | | | | | | | | | | | | | | | | | | | |
| RETIREMENT HOME | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Reception | • | | | • | • | | | | • | • | | | | | | • | | | | | | | | | • | | | | | |
| Corridors | • | | • | • | • | | | | • | • | | | | | | • | | | | | | | • | | | | | | | |
| Bedroom | • | | • | • | • | • | | | • | • | | | | | | | | | • | • | | | • | | | | | | | |
| Bathroom - Toilets | | | | | | | | | | | | | | | | | | | | | | | • | • | • | • | | | | |
| Living room | | | • | | • | • | | | • | • | | | | | | | | | | | | | | | | | | | | |
| Laundry - Store room | | | | | | | | | | | | • | • | • | | | | | | | | | | • | • | • | | | | |
| OFFICE - ADMINISTRATIO | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Reception | • | | | • | • | | | • | | | | | | | • | • | | | | | | | | | | | | | | |
| Office | | | • | | • | • | | | • | • | | | | | • | • | • | | | | | | | | | | | | | |
| Bathroom - Toilets | | | | | | | | | | | | | | | | | | | | | | | | • | • | • | | | | |
| Meeting room - Board room | | | • | | • | • | | | • | • | | | | | • | | • | | | | | | | | | | | | | |
| Computer room | | | | | | | | | | | | | | • | | | | | | | • | | | | | | | | | |
| Stairs | | | | | | | | | | | • | | | | | | | | | | | | | | | | | | | |

GERFLOR's recommendation

Other possible solutions

Gerflor Specifications

Education - Industry - Hotel - Restaurant

| | Mipo
Homog | olam
eneous | Pren | nium | | | Tarala | ay Multila | yered | | | | Tec | hnical Tiles | | Crea | ation LVT | | | | Tech | nical Solu | ıtions | | Safety | Flooring | | ı | DLW Lino | |
|------------------------------|----------------------------------|----------------------------|---|--|------------------|--|-------------------------|--|-------------------------|-------------|--------------|-------------|----------------------|--------------|----------|---------------------|-------------|-------------|-------------|-------------|--|---------------|---------------|--------------------|---|-------------------|-----------------------|------------------|-------------------|---------------------------------|
| | Compact | Compact | Acoustic | Compact | | Textile backing | Acoustic | Compact | | Compact | Acoustic | | | Compact | Acoustic | Compact | | Compact | Compact | | (Ac | O Compa | act | Compact | | Compact | | Compact | Acoustic | O |
| | Homogeneous Flooring (Evercare") | Homogeneous Flooring (PUR) | Premium Comfort /
Taralay Millenium Acoustic | Premium Compact /
Taralay Millenium Compact | Taralay Libertex | Taralay Impression Acoustic /
Taralay Impression Hop Acoustic | Taralay Initial Comfort | Taralay Impression Compact /
Taralay Impression Hop Compact | Taralay Initial Compact | Nerok 55/70 | Tarastep Pro | Attraction® | GTI® Max / GTI® Pure | GTI ELS | Saga² | Creation 70 Connect | Creation 70 | Creation 55 | Creation 40 | Creation 30 | EL5/EL7 solutions
(Static control flooring) | Shower system | Wall covering | Tarasafe Ultra H2O | Tarasafe Ultra / Design
(SparClean®) | Tarasafe Standard | Tarasafe Plus / Super | Linoleum Compact | Linoleum Acoustic | Linoleum
Technical Solutions |
| EDUCATION | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| Reception | • | | | • | • | | | | • | • | | | | | | • | | | | | | | | | • | | | | | |
| Corridors | • | | • | • | • | | | | • | • | | | | | | • | | | | | | | • | | | | | | | |
| Classroom | • | | • | | • | • | • | | • | • | | | | | • | • | | | | | | | | | | | | | | |
| Dormitory room | | | | | • | • | • | | • | • | | | | | | | | | | | | | | | | | | | | |
| Changing room | | | | | | | | | | | | | | | | | | | | | | • | | • | • | • | | | | |
| Bathroom - Toilets | | | | | | | | | | | | | | | | | | | | | | • | • | • | • | • | | | | |
| Meeting - Library | | | • | | • | • | • | | • | • | | | | | • | | | | | | | | | | | | | | | |
| Computer room | | | • | | | • | • | | | | | | | • | | | | | | | • | | | | | | | | | |
| Laboratory | • | | | • | | | | • | • | | | | | • | | | | | | | • | | • | | • | | | | | |
| Student's residence | | | | | • | • | • | | | • | | | | | | | | | | | | • | | | | | | | | |
| Student's refectory | • | | • | | | • | | | | | | | | | | | | | | | | | | | | | | | | |
| Multipurpose room - Hall | • | | • | | | • | | | | | | | | | | | | | | | | | | | | | | | | |
| Stairs | | | | | | | | | | | • | | | | | | | | | | | | | | | | | | | |
| INDUSTRY | | | | | | | | | | | , | | | | | | | | | | | | | | | | | | | |
| Clean room / Laboratory | • | | | • | | | | | | | | | | • | | | | | | | | | • | | | | | | | |
| Changing room | • | | | • | | | | | | | | | | | | | | | | | | • | | | | | | | | |
| Computer room | | | | | | | | | | | | | | • | | | | | | | • | | • | | | | | | | |
| Production | • | | | • | | | | | | | | | • | | | | | | | | • | | | | • | • | • | | | |
| Stocking and Packaging areas | | | | | | | | | | | | | • | | | | | | | | | | | | • | • | • | | | |
| Stairs | | | | | | | | | | | • | | | | | | | | | | | | | | | | | | | |
| HOTEL - RESTAURANT | | | | | | , | | | | | | | | , | | | | | | ! | | | | - | | • | , | | | |
| Reception | | | | | • | | | • | • | | | | | | • | • | • | | | | | | | | | | | | | |
| Bedroom | | | | | • | | • | | | | | | | | | | • | • | | | | | | | | | | | | |
| Bathroom - Toilets | | | | | | | | | | | | | | | | | | | | | | • | • | • | • | • | | | | |
| Restaurant - Bar | | | | | • | | | • | • | | | | | | • | | • | | | | | | | | | | | | | |
| Conference - Exhibition | • | | | • | • | | | • | • | | | | | | | | • | | | | | | | | | | | | | |
| Cinema - Show - Theatre | | | • | | | • | | | | | | | | | | | • | | | | | | | | | | | | | |
| Stairs | | | | | | | | | | | • | | | | | | | | | | | | | | | | | | | |

GERFLOR's recommendation

Other possible solutions

Gerflor Specifications

Retail - Housing - Kitchen

| | Mip
Homog | olam
jeneous | Pren | nium | | Та | ralay M | lultilayer | ed | | | Tech | nnical Tiles | | Cre | ation LV | Т | | | Techr | nical Solu | itions | | Safety l | Flooring | | | DLW Lin | 0 |
|-------------------------------------|-------------------------------------|----------------------------|---|--|------------------|--|-------------------------|--|-------------------------|--------------|-------------|----------------------|--------------|-------------------|---------------------|-------------|-------------|-------------|-------------|--|---------------|---------------|--------------------|---|-------------------|-----------------------|------------------|-------------------|---------------------------------|
| | Compact | Compact | Acoustic | Compact | | Textile backing | Acoustic | Compact | | Acoustic | | | Compact | Acoustic | Compact | | Compact | Compact | | Acc | oustic Compa |)
act | Compact | | Compact | | Compact | Acoustic | CCH LCH |
| | Homogeneous Flooring
(Evercare") | Homogeneous Flooring (PUR) | Premium Comfort /
Taralay Millenium Acoustic | Premium Compact /
Taralay Millenium Compact | Taralay Libertex | Taralay Impression Acoustic /
Taralay Impression Hop Acoustic | Taralay Initial Comfort | Taralay Impression Compact /
Taralay Impression Hop Compact | Taralay Initial Compact | Tarastep Pro | Attraction® | GTI® Max / GTI® Pure | GTI EL5 | Saga ² | Creation 70 Connect | Creation 70 | Creation 55 | Creation 40 | Creation 30 | EL5/EL7 solutions
(Static control flooring) | Shower system | Wall covering | Tarasafe Ultra H2O | Tarasafe Ultra / Design
(SparClean®) | Tarasafe Standard | Tarasafe Plus / Super | Linoleum Compact | Linoleum Acoustic | Linoleum
Technical Solutions |
| RETAIL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Shop | • | | | • | | | | | | | • | | | | • | • | • | | | | | | | | | | | | |
| Department store | | | | • | | | | | | | • | | | | | • | • | | | | | | | | | | | | |
| Supermarket | | | | • | | | | | | | • | • | | | | | | | | | | | | | | | | | |
| Cafeterias | | | • | • | | • | | | | | | | | • | • | • | • | | | | | | | | | | | | |
| Stocking areas | | | | | | | | | | | | • | | | | | | | | | | | | | | | | | |
| Stairs | | | | | | | | | | • | | | | | | | | | | | | | | | | | | | |
| HOUSING | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dry Private room | | | | | • | | • | | | | | | | | | | | • | • | | | | | | | | | | |
| Damp Private room | | | | | | | • | | | | | | | | | | | • | • | | • | | • | • | • | | | | |
| Reception area - Corridor - Landing | | | | | • | | • | | | | • | | | | • | | | | | | | | | • | | | | | |
| Other private home | | | | | | | | | | | | | | | | | | • | • | | • | | | | | | | | |
| KITCHEN | | | | | | | | | | | ^ | | | | | | | | | | | | | | | | | | |
| Collective kitchens | | | | | | | | | | | | | | | | | | | | | | • | | | | • | | | |
| Food preparation areas - Canteen | | | | | | | | | | | | | | | | | | | | | | • | | | | • | | | |

GERFLOR's recommendation

Other possible solutions

Notes

| Notes | | |
|-------|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Gerflor web site

New design, New navigation!




A website you can access on your tablet or smartphone everywhere!



Follow us on social media!







1 Virtual library
Access to all commercial and technical
documentation that will help you developing your projects.



2 Interior designer
The Interior Designer provide you a real time simulation of the floor selected either in your own photo or in a pictures' gallery.





3 Store locator Access to our distributor partners list and select the closest one.

We care / We act Our Commitments for a Sustainable future



CARBON FOOTPRINT -20 % kg CO₂ equivalent/m² between 2020 and 2025



BIOSOURCED CONTENT** 10 % by 2025



RECYCLED CONTENT 30 % by 2025



FREE* **35 %** by **2025**



ANNUAL VOLUME RECYCLED 60 000 t by 2025

